

Ships Bag for MB/L 721339525

Container: TCKU6177442	1
SACO RG5669470 58307109.pdf	1
MEXICO PL SHEET .pdf	2
01877 MANIFEST 5032131.pdf	3
721339525 Waybill.pdf	7
HB/L: ALM257759	15
TYP: B/L	15
SACO Shipping Line Ltd. B/L ALM257759 ALM25775	15
HB/L: ALM257790	16
TYP: B/L	16
SACO Shipping Line Ltd. B/L ALM257790 ALM25779	16
HB/L: ALM257791	17
TYP: B/L	17
SACO Shipping Line Ltd. B/L ALM257791 ALM25779	17
HB/L: ALM257798	18
TYP: Dangerous Goods Declaration	18
'ALM257798 DGD 1.pdf'	18
TYP: MSDS	19
'ALM257798 MSDS 1.pdf'	19
'ALM257798 MSDS 2.pdf'	35
'ALM257798 MSDS 3.pdf'	48
TYP: B/L	60
SACO Shipping Line Ltd. B/L ALM257798 ALM25779	60
HB/L: ALM257803	62
TYP: B/L	62
SACO Shipping Line Ltd. B/L ALM257803 ALM25780	62
HB/L: ALM257808	63
TYP: B/L	63
SACO Shipping Line Ltd. B/L ALM257808 ALM25780	63
HB/L: ALM257810	64
TYP: B/L	64
SACO Shipping Line Ltd. B/L ALM257810 ALM25781	64

HB/L: ALM257812	65
TYP: B/L	65
SACO Shipping Line Ltd. B/L ALM257812 ALM25781	65
HB/L: ALM257813	66
TYP: B/L	66
SACO Shipping Line Ltd. B/L ALM257813 ALM25781	66
HB/L: ALM257815	67
TYP: B/L	67
SACO Shipping Line Ltd. B/L ALM257815 ALM25781	67
HB/L: ALM257825	68
TYP: B/L	68
SACO Shipping Line Ltd. B/L ALM257825 ALM25782	68
HB/L: ALM257846	69
TYP: B/L	69
SACO Shipping Line Ltd. B/L ALM257846 ALM25784	69
HB/L: ALM257849	70
TYP: B/L	70
SACO Shipping Line Ltd. B/L ALM257849 ALM25784	70

SACO Shipping GmbH · Bürgermeister-Smidt-Str. 128 · 28195 Bremen

NVOCC Services worldwide

Bremen, 18. March 2026

Interteam S.A. de C.V.
Servicios Int.
Calle Colima #114 Desp. 201, Colonia Roma,
06700 C.P.MEXICO D.F
MX MEXICO

RECHNUNG/INVOICE EXPORT

JOL / JOL / JOL

CUSTOMER-Ref.: SEFRA26030016

Leistungsdatum : 15.03.2026

INVOICE-No	INVOICE-Date	CUSTOMER-No	SACO-Ref.	B/L-Ref.	Your VAT-ID	R.O.E
5669470	18.03.2026	020896	6/03/BRE/525700	6/03/BRE/5257		0.8471

Vessel:

Destination:

Online-Ref:

Delivery:

Pieces

Gross KOS

Volumen CBM

SACO REF.: VESSEL: PORT: ETA: CONTAINER:
6/03/BRE/5257 MAERSK FELIXTOWE ALTAMIRA 31.03.2026 TCKU 617 744 2

Pos.	Description	Rate	Amount	Tax
1	AS PER PL SHEET	2377.38 USD	2377.38	

NO VAT ON	VAT ON	TOTAL VAT	VAT	TOTAL AMOUNT USD
2377.38	0	0	19%	2377.38

SACO Shipping GmbH
Wollkämmerstraße 1
21107 Hamburg
Telefon: +49 40 311706-0
Telefax: +49 40 311706-100

Buchhaltung
Telefon: +49 421 52016 315
Telefax: +49 421 52016 317
VAT-ID: DE-118597456
account@saco.de

**Volksbank Lüneburger Heide eG
US Dollar Account**
BLZ 240 603 00, Kto-Nr. 4 600 360 605
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 19 2406 0300 4600 3606 05

**Volksbank Lüneburger Heide eG
Euro Account**
BLZ 240 603 00, Kto-Nr. 4 600 360 600
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 57 2406 0300 4600 3606 00

**Commerzbank AG
Euro Account**
BLZ 200 800 00, Kto-Nr. 6 510 954 00
SWIFT-BIC: DRES DE FF 200
IBAN DE 96 2008 0000 0651 0954 00

Internet: <https://sacoshipping.com> · E-Mail: info@saco.de · Geschäftsführer: Harald Pahl, Andrea Briks, Kevin Pahl, Jannik Pahl, Sönke Briks · Gerichtsstand: Hamburg · Sitz Hamburg · HRB 40128 · Finanzamt: Hamburg-Harburg
SACO Shipping GmbH handelt bei Seetransporten einschließlich Vorlauf- und Nachlauftransporten ausschließlich als Agent von SACO Shipping Line Limited, Limassol/Zypern.
SACO Shipping Line Limited Limassol arbeitet ausschließlich nach ihren jeweils gültigen Konnossements-Bedingungen, auch wenn kein Konnossement ausgestellt wurde.
Diese Bedingungen können bei den jeweiligen Büros und/oder unter sacoshipping.com eingesehen werden.

amended on: 12.06.2025 by ECH

Mexico PL-Sheet 2025

valid from Februar 1st 202

SACO Ref.: 6/03/BRE/5257 Vessel: MAERSK FELIXTOWI Port: Altamira
ETA: 31.03.2026 Container: TCKU 617 744 2



B/L	COLLECT	incl.Special charges	Doc fee	Unstuffing	Admin Fee	Transm.Fee	Port Transf	On Carriage	0,00 USD	Quote No.:
ALM257759										
ALM257790										
ALM257791	217,12									
ALM257798										
ALM257803	42,00									
ALM257808										
ALM257810	476,07									
ALM257812										
ALM257813										
ALM257790										
ALM257815										
ALM257825										
ALM257846	225,99									
ALM257849	99,92									
	1061,10		0,00	0,00	0,00	0,00	0,00		0,00	

COLLECT FREIGHT TOTAL

RELEASE FEE

UNSTUFFING

ADMIN FEE

TRANSMISSION FEE

CREDIT FOR ON CARRIAGE

PORT TRANSFER

1.061,10 USD

1.061,10 USD debit to Interteam

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD credit to Interteam

kickback as agreed USD 24,00 w/m from B/L

date 01.10.2023 FRT:

54,845

1.316,28 USD

1.316,28 USD debit to Interteam

Hartrodt Kickback USD 4,50 w/m

FRT:

0,00 USD

0,00 USD debit to Interteam

Quick Cargo Kickback USD 3,- w/m

FRT:

0,00 USD

BDP / ED Forwarding Kickback USD 4,- w/m

FRT:

0,00 USD

Linkin / Europartner/XPD Kickback USD 10,50 w/m

FRT:

0,00 USD

DHL compensation VER USD 15,-w/m

FRT:

0,00 USD

DHL compensation ALM USD 5,-w/m

FRT:

0,00 USD

K&N compensation USD 8,-w/m

FRT:

0,00 USD

Toll compensation USD 2,-w/m

FRT:

0,00 USD

Ceva compensation USD 1,-w/m

FRT:

0,00 USD

0,00 USD credit to Interteam

TOTAL AMOUNT

2.377,38 USD

CREDIT OR DEBIT TO INTERTAEM

Agreed special PLC :

SHIPPER	Consignee	Doc fee	Unstuffing	Admin	Tranmiss.	Port Transfer
Würth	Knipping/Globaltranz	USD 50,-	USD 28,-w/m			
Hansa Gateway	all	USD 70,-	USD 33,-w/m			
Geodis	Geodis	USD 37,-	USD 22,-w/m	USD 11,-	USD 11,-	USD 11,-w/m

Manifest

Page: 1

Container-No.: TCKU6177442 40' HIGH CUBE CONTAINER Seal-No.: B135455

Vessel: SAC9998 / MAERSK FELIXSTOWE

ETS:

Master-B/L.: 721339525

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM257759	PLASTIC OMNIUM MEXICO DN: 49740	1	PALLET	DUST CAP HS-CODE: 392690 **HSCODE: 392690**	91.000	1.560
ALM257790	PO LIGHTING MEXICO S. DE R.L. DE C.V. DN: 6111482,6111483	2	PALLETS	2 PALLETS 810,00 KG 2,208 CBM ACTUATOR HS-CODE: 850110 **HSCODE: 850110**	801.000	2.208
ALM257790	PO LIGHTING MX DN: 293880	1	PALLET	1 PALLET 125,00 KG 1,260 CBM MOTOR CAR ACCESSORIES HS-CODE: 870899 **HSCODE: 870899**	125.000	1.260
ALM257791	INV. 95 2026800044 METALURGICA MET-MEX PENILES SA DECV BOULEVARD LAGUNA PONIENTE NO. 3200 COLONIA METALURGICA COAHUILA DE MEXICO TORREON 27370 MEXICO	1	PACKAGE	AUTOMOTIVE, SPARE PARTS FOR MIXER HS CODE: 83024900, 84749090	2195.000	5.807

Manifest

Page: 2

Container-No.: TCKU6177442 40' HIGH CUBE CONTAINER Seal-No.: B135455
 Vessel: SAC9998 / MAERSK FELIXSTOWE
 ETS:
 Master-B/L.: 721339525

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM257798	FREILACKE MEXICO S. R.L. C.V. NAFTA FRIGO COM. FED D. DE ELECTRICIDAD #425COL. ZONAINDUSTRIAL C.P.78 8395 SAN LUIS POTOSIMEXIKO	5	PALLETS	PROTECTIVE COATING, PAINT, CLEARCOAT AS PER ORDER: 11985009 HS-CODES: 32081090, 32082090 UN1263 - 3 - III UN1866 - 3 - III UN1866 - 3 - III UN 1263/Class 3/PG III Imo Gross Weight: 1699,200 KGS Imo Net Weight : 1530,000 KGS UN 1866/Class 3/PG III Imo Gross Weight: 1505,600 KGS Imo Net Weight : 1360,000 KGS UN 1866/Class 3/PG III Imo Gross Weight: 26,430 KGS Imo Net Weight : 24,380 KGS	3338.230	7.045
ALM257803	UREBLOCK, S.A. DE C.V. MEXICO REF.: 02/01914 A251205C RO: 35897 OF	1	CASE	BEARING FLANGE HS: 84669400	159.000	0.279

Manifest

Page: 3

Container-No.: TCKU6177442 40' HIGH CUBE CONTAINER Seal-No.: B135455
Vessel: SAC9998 / MAERSK FELIXSTOWE
ETS:
Master-B/L.: 721339525

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM257808	VORWERK AUTOTEC D E MEXICO S.A. DE C.V. DAP DELIVERY TO: AVENIDA VILLA DE LAGOS SUR 1080 MX-47515 LAGOS DE MORENO JALISCA, MX	1	PALLET	ZET-CORR 600 E PRODUCT CODE: 27101991 HS CODE: 27101991	217.000	0.494
ALM257810	KOMBITEC S.A. DE C.V. INVOICE: SI.26.01.114 INVOICE: R2601457 INV.: VRN0823551/ VRN08021458	10	PALLETS	HEAT SHRINK SLEEVING EV100, HS: 39173200 SAFETY SYSTEM HS: 85366990, 85444290 CABLE HS: 85444995	3963.500	11.335
ALM257812	PLASTIC OMNIUM MEXICO SN 0002516067	11	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 392690 **HSCODE: 392690**	1409.160	8.427
ALM257813	HYSTER-YALE MEXICO ALTAMIRA, GRUPO CARGOQUIN ALTAMIRA 89606 ALTAMIRA	1	PACKAGE	PARTS FOR ELECTRIC FORK LIFTS HS CODE 84312000	250.000	0.518

Manifest

Page: 4

Container-No.: TCKU6177442 40' HIGH CUBE CONTAINER Seal-No.: B135455
Vessel: SAC9998 / MAERSK FELIXSTOWE
ETS:
Master-B/L.: 721339525

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM257815	COSMOS SILAO, SRL DE C.V. AVDA DE LOS INDUSTRIALES, PONIENTE NO. 6 COLONIA PARQUE INDUSTRIAL FIPASI 36294 SILAO DE LA VICTORIA GUANJUATO MEXIKO	2	PALLETS	S.T.C. W247 RETAINING STRAP INVOICE NO: 452718 HS-CODE: 56041000	194.390	1.421
ALM257825	SONORA FORMING SA DE CV BLVD HENRY FORD 43 83297 HERMOSILLO, SONORA MX	4	PACKAGES	RET DOOR LATSCH STRIKER REF. 85096511 PO. 6010765409 HS CODE:87082990	804.000	1.840
ALM257846	MARELLI TOLUCA MEXICO, S DE R.L CV DIVISION LIGHTNING 54600 TEPOTZOTLAN AV. DE LA INDUSTRIA 20 21 FRACC.INDUSTRIA EL TREBOL NIP: T150304BD1	10	PALLETS	PLASTIC PARTS FOR THE ELECTRICAL INDUSTRY HS CODE: 39263000 .	690.000	10.272
ALM257849	RELATS MEXICO MEXICO INVOICE: 2640058	1	PALLET	PREOX NEEDLE FELT HS: 70196400, 56021019	499.000	2.379

Total	Quantity 51	Grossweight 14.736.280	Measurement 54.845
--------------	------------------------------	---	-------------------------------------

**MAERSK****NON-NEGOTIABLE WAYBILL**

SCAC MAEU

B/L No. 721339525

Shipper (As principal, where "care of", "c/o", or other variants used.)
SACO SHIPPING GMBH
AS AGENT OF SACO SHIPPING LINE LTD
BGM.-SMIDT-STR.128
D-28195 BREMEN
GERMANY / DE118597456

Booking No.
721339525

Export references
6/03/BRE/5257

Svc Contract
299542652

Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer".
As principal, where "care of", "c/o", or other variants used.)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

This contract is subject to the terms, conditions and exceptions, including the law & jurisdiction clause and limitation of liability & declared value clauses, of the current Maersk Bill of Lading (available from the Carrier, its agents and at terms.maersk.com/carriage), which are applicable with logical amendments (mutatis mutandis). To the extent necessary to enable the Consignee to sue and to be sued under this contract, the Shipper on entering into this contract does so on his own behalf and as agent for and on behalf of the Consignee and warrants that he has the authority to do so. The shipper shall be entitled to change the Consignee at any time before delivery of the goods provided he gives the Carrier reasonable notice in writing.
Delivery will be made to the Consignee or his authorised agent on production of reasonable proof of identity (and, in the case of an agent, reasonable proof of authority) without production of this waybill. The Carrier shall be under no liability whatsoever for misdelivery unless caused by the Carrier's negligence.

Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)

Notify Party (see clause 22)

INTERTEAM, S.A. DE C.V.
TAX ID IS: INT961206ES7

Vessel
MAERSK FELIXSTOWE

Voyage No.
610W

Place of Receipt. Applicable only when document used as Multimodal Waybill

Port of Loading
Hamburg

Port of Discharge
Altamira

Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.

1 Container Said to Contain 51 PACKAGE

TCKU 617744-2 40/DRY 9'6
1 PKG GROSS WEIGHT: 91.000 KGS MEASUREMENT: 1.560 CBM
DUST CAP HS-CODE: 392690
HSCODE: 392690
1 PKG GROSS WEIGHT: 125.000 KGS MEASUREMENT: 1.260 CBM
1 PALLET 125,00 KG
1,260 CBM
MOTOR CAR ACCESSORIES
HS-CODE:
870899
HSCODE: 870899
1 PKG GROSS WEIGHT: 2195.000 KGS MEASUREMENT: 5.807 CBM
AUTOMOTIVE, SPARE PARTS
FOR MIXER
HS CODE: 83024900,
84749090

Weight
14736.280 KGS

Measurement
54.845 CBM

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Carrier's Receipt. Total number of containers or packages received by Carrier.

1 container

Place of Issue of Waybill
Hamburg

Shipped on Board Date (Local Time)
2026-03-14

Date Issue of Waybill
2026-03-15

Declared Value Charges (see clause 7.3 of the Maersk Bill of Lading) for Declared Value of US\$

Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"

Signed for the Carrier Maersk A/S

Maersk Deutschland A/S & Co.KG
As Agent(s)

This transport document has one or more numbered pages

5 PALLETS GROSS WEIGHT: 3338.230 KGS MEASUREMENT: 7.045 CBM
PROTECTIVE COATING, PAINT,
CLEARCOAT
AS PER ORDER: 11985009
HS-CODES: 32081090,
32082090
UN1263 - 3 - III
UN1866 - 3 - III
UN1866 - 3 - III
UN 1263/CLASS 3/PG III
IMO GROSS WEIGHT: 1699,200
KGS
IMO NET WEIGHT : 1530,000
KGS
UN 1866/CLASS 3/PG III
IMO GROSS WEIGHT: 1505,600
KGS
IMO NET WEIGHT : 1360,000
KGS
UN 1866/CLASS 3/PG III
IMO GROSS WEIGHT: 26,430
KGS
IMO NET WEIGHT : 24,380
KGS
1 PKG GROSS WEIGHT: 159.000 KGS MEASUREMENT: 0.279 CBM
BEARING FLANGE
HS: 84669400
1 PALLET GROSS WEIGHT: 217.000 KGS MEASUREMENT: 0.494 CBM
ZET-CORR 600 E
PRODUCT CODE: 27101991
HS CODE: 27101991
10 PKG GROSS WEIGHT: 3963.500 KGS MEASUREMENT: 11.335 CBM
HEAT SHRINK SLEEVING
EV100,
HS: 39173200
SAFETY SYSTEM

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

HS: 85366990, 85444290
CABLE
HS: 85444995
11 PKG GROSS WEIGHT: 1409.160 KGS MEASUREMENT: 8.427 CBM
MOTOR CAR ACCESSORIES
HS-CODE:
392690
HSCODE: 392690
1 PKG GROSS WEIGHT: 250.000 KGS MEASUREMENT: 0.518 CBM
PARTS FOR ELECTRIC FORK
LIFTS
HS CODE 84312000
2 PKG GROSS WEIGHT: 801.000 KGS MEASUREMENT: 2.208 CBM
2 PALLETS 810,00 KG
2,208 CBM
ACTUATOR HS-CODE: 850110
HSCODE: 850110
2 PALLETS GROSS WEIGHT: 194.390 KGS MEASUREMENT: 1.421 CBM
S.T.C.
W247 RETAINING STRAP
INVOICE NO: 452718
HS-CODE: 56041000
4 PACKAGES GROSS WEIGHT: 804.000 KGS MEASUREMENT: 1.840 CBM
RET DOOR LATCH STRIKER
REF. 85096511
PO. 6010765409
HS CODE: 87082990
10 PALLETS GROSS WEIGHT: 690.000 KGS MEASUREMENT: 10.272 CBM
PLASTIC PARTS FOR THE
ELECTRICAL
INDUSTRY
HS CODE: 39263000
.
1 PKG GROSS WEIGHT: 499.000 KGS MEASUREMENT: 2.379 CBM
PREOX NEEDLE FELT
HS: 70196400, 56021019

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

EXPRESS RELEASE

TCKU6177442 40 DRY 9'6 51 PACKAGE 14736.280 KGS 54.845 CBM

Shipper Seal : B135455

IMO Class: 3

UN Number: 1866

IMO Class: 3

UN Number: 1263

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by any such entity or person identified, on the U.S. Treasury Departments Office of Foreign Asset Control (OFAC) list of Specially Designated Nationals and Blocked Persons, or any other similar list maintained by the European Union, or as promulgated by the United Nations Security Council (Designated Person). If, in the Carriers reasonable opinion, this shipment and/or Goods are in violation of the Carriers policy on Russia [<https://www.maersk.com/news/articles/2022/02/24/russia-ukraine-situation-update>], Sanctions Laws or involves any Designated Person, the shipment and/or Goods will be returned to the origin at Carriers sole and unfettered discretion, and the Merchant(s) shall indemnify and hold harmless the Carrier, its servants and agents, for any breach of this clause. The Merchant(s) agree that the Carrier may stop the shipment and/or Goods in transit or withhold release of the shipment and/or Goods pending any investigation into compliance with this clause by the Merchant(s).

SHIPPER'S LOAD, STOW, WEIGHT AND COUNT

FREIGHT PREPAID

CY/CY

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

**MAERSK****NON-NEGOTIABLE WAYBILL**

SCAC MAEU

B/L No. 721339525

Shipper (As principal, where "care of", "c/o", or other variants used.)
SACO SHIPPING GMBH
AS AGENT OF SACO SHIPPING LINE LTD
BGM.-SMIDT-STR.128
D-28195 BREMEN
GERMANY / DE118597456

Booking No.
721339525

Export references
6/03/BRE/5257

Svc Contract
299542652

Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer".
As principal, where "care of", "c/o", or other variants used.)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

This contract is subject to the terms, conditions and exceptions, including the law & jurisdiction clause and limitation of liability & declared value clauses, of the current Maersk Bill of Lading (available from the Carrier, its agents and at terms.maersk.com/carriage), which are applicable with logical amendments (mutatis mutandis). To the extent necessary to enable the Consignee to sue and to be sued under this contract, the Shipper on entering into this contract does so on his own behalf and as agent for and on behalf of the Consignee and warrants that he has the authority to do so. The shipper shall be entitled to change the Consignee at any time before delivery of the goods provided he gives the Carrier reasonable notice in writing.
Delivery will be made to the Consignee or his authorised agent on production of reasonable proof of identity (and, in the case of an agent, reasonable proof of authority) without production of this waybill. The Carrier shall be under no liability whatsoever for misdelivery unless caused by the Carrier's negligence.

Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)

Notify Party (see clause 22)

INTERTEAM, S.A. DE C.V.
TAX ID IS: INT961206ES7

Vessel
MAERSK FELIXSTOWE

Voyage No.
610W

Place of Receipt. Applicable only when document used as Multimodal Waybill

Port of Loading
Hamburg

Port of Discharge
Altamira

Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.

1 Container Said to Contain 51 PACKAGE

TCU 617744-2 40/DRY 9'6
1 PKG GROSS WEIGHT: 91.000 KGS MEASUREMENT: 1.560 CBM
DUST CAP HS-CODE: 392690
HSCODE: 392690
1 PKG GROSS WEIGHT: 125.000 KGS MEASUREMENT: 1.260 CBM
1 PALLET 125,00 KG
1,260 CBM
MOTOR CAR ACCESSORIES
HS-CODE:
870899
HSCODE: 870899
1 PKG GROSS WEIGHT: 2195.000 KGS MEASUREMENT: 5.807 CBM
AUTOMOTIVE, SPARE PARTS
FOR MIXER
HS CODE: 83024900,
84749090

Weight
14736.280 KGS

Measurement
54.845 CBM

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Carrier's Receipt. Total number of containers or packages received by Carrier.

1 container

Place of Issue of Waybill
Hamburg

Shipped on Board Date (Local Time)
2026-03-14

Date Issue of Waybill
2026-03-15

Declared Value Charges (see clause 7.3 of the Maersk Bill of Lading) for Declared Value of US\$

Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"

Signed for the Carrier Maersk A/S

This transport document has one or more numbered pages

Maersk Deutschland A/S & Co.KG
As Agent(s)

5 PALLETS GROSS WEIGHT: 3338.230 KGS MEASUREMENT: 7.045 CBM
PROTECTIVE COATING, PAINT,
CLEARCOAT
AS PER ORDER: 11985009
HS-CODES: 32081090,
32082090
UN1263 - 3 - III
UN1866 - 3 - III
UN1866 - 3 - III
UN 1263/CLASS 3/PG III
IMO GROSS WEIGHT: 1699,200
KGS
IMO NET WEIGHT : 1530,000
KGS
UN 1866/CLASS 3/PG III
IMO GROSS WEIGHT: 1505,600
KGS
IMO NET WEIGHT : 1360,000
KGS
UN 1866/CLASS 3/PG III
IMO GROSS WEIGHT: 26,430
KGS
IMO NET WEIGHT : 24,380
KGS
1 PKG GROSS WEIGHT: 159.000 KGS MEASUREMENT: 0.279 CBM
BEARING FLANGE
HS: 84669400
1 PALLET GROSS WEIGHT: 217.000 KGS MEASUREMENT: 0.494 CBM
ZET-CORR 600 E
PRODUCT CODE: 27101991
HS CODE: 27101991
10 PKG GROSS WEIGHT: 3963.500 KGS MEASUREMENT: 11.335 CBM
HEAT SHRINK SLEEVING
EV100,
HS: 39173200

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

SAFETY SYSTEM
HS: 85366990, 85444290
CABLE
HS: 85444995
11 PKG GROSS WEIGHT: 1409.160 KGS MEASUREMENT: 8.427 CBM
MOTOR CAR ACCESSORIES
HS-CODE:
392690
HSCODE: 392690
1 PKG GROSS WEIGHT: 250.000 KGS MEASUREMENT: 0.518 CBM
PARTS FOR ELECTRIC FORK
LIFTS
HS CODE 84312000
2 PKG GROSS WEIGHT: 801.000 KGS MEASUREMENT: 2.208 CBM
2 PALLETS 810,00 KG
2,208 CBM
ACTUATOR HS-CODE: 850110
HSCODE: 850110
2 PALLETS GROSS WEIGHT: 194.390 KGS MEASUREMENT: 1.421 CBM
S.T.C.
W247 RETAINING STRAP
INVOICE NO: 452718
HS-CODE: 56041000
4 PACKAGES GROSS WEIGHT: 804.000 KGS MEASUREMENT: 1.840 CBM
RET DOOR LATSCH STRIKER
REF. 85096511
PO. 6010765409
HS CODE:87082990
10 PALLETS GROSS WEIGHT: 690.000 KGS MEASUREMENT: 10.272 CBM
PLASTIC PARTS FOR THE
ELECTRICAL
INDUSTRY
HS CODE: 39263000
.
1 PKG GROSS WEIGHT: 499.000 KGS MEASUREMENT: 2.379 CBM

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

PREOX NEEDLE FELT
HS: 70196400, 56021019
EXPRESS RELEASE

TCKU6177442 40 DRY 9'6 51 PACKAGE 14736.280 KGS 54.845 CBM

Shipper Seal : B135455

IMO Class: 3

UN Number: 1866

IMO Class: 3

UN Number: 1263

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by any such entity or person identified, on the U.S. Treasury Departments Office of Foreign Asset Control (OFAC) list of Specially Designated Nationals and Blocked Persons, or any other similar list maintained by the European Union, or as promulgated by the United Nations Security Council (Designated Person). If, in the Carriers reasonable opinion, this shipment and/or Goods are in violation of the Carriers policy on Russia [<https://www.maersk.com/news/articles/2022/02/24/russia-ukraine-situation-update>], Sanctions Laws or involves any Designated Person, the shipment and/or Goods will be returned to the origin at Carriers sole and unfettered discretion, and the Merchant(s) shall indemnify and hold harmless the Carrier, its servants and agents, for any breach of this clause. The Merchant(s) agree that the Carrier may stop the shipment and/or Goods in transit or withhold release of the shipment and/or Goods pending any investigation into compliance with this clause by the Merchant(s).

SHIPPER'S LOAD, STOW, WEIGHT AND COUNT

FREIGHT PREPAID

CY/CY

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
ALM257759



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALITA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525701

Copy

		Place of receipt BREMEN CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG, GERMANY	
Port of discharge ALTAMIRA, MEXICO	Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. PLASTIC OMNIUM MEXICO DN: 49740 STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 1 PALLET	Description of Goods DUST CAP HS-CODE: 392690 **HSCODE: 392690**	Said to contain Gross weight, kg. 91,000 Measurement, m ³ 1,560 SEAL : B135455
TOTAL		1 PALLET	91,000 KGS 1,560 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
ALM257790



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525702

Copy

		Place of receipt BREMEN CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG, GERMANY	
Port of discharge ALTAMIRA, MEXICO		Place of delivery ALTAMIRA CFS	Freight payable BREMEN
			Number of original Bills of Lading 0/ZERO
Marks and Nos. PO LIGHTING MX DN: 293880	Quantity of Goods 1 PALLET	Description of Goods 1 PALLET 125,00 KG 1,260 CBM MOTOR CAR ACCESSORIES HS-CODE: 870899 **HSCODE: 870899**	Gross weight, kg. 125,000
			Measurement, m ³ 1,260
STOWED INTO CONTAINER NO.: TCKU6177442			SEAL : B135455
PO LIGHTING MEXICO S. DE R.L. DE C.V. DN: 6111482,6111483	2 PALLETS	2 PALLETS 810,00 KG 2,208 CBM ACTUATOR HS-CODE: 850110 **HSCODE: 850110**	801,000
			2,208
STOWED INTO CONTAINER NO.: TCKU6177442			SEAL : B135455
TOTAL		3 PALLET	926,000 KGS
			3,468 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
ALPHA TRANS AS AGENT OF
BLUE ARROW CONTAINER LINE LTD.
RM 907, 9/F., CHEVALIER COMMERCIAL
CENTER, 8 WANG HOI ROAD
KOWLOON BAY, KOWLOON, HONG KONG

B/L No.
ALM257791



SACO SHIPPING LINE LTD

Consigned to order of
CARGO Y SERVICIOS INTERNACIONALES,
S.A. DE C.V.
RCF CSI010716Q89
CALLE NORTE 176 NR. 436
COL. PENSADOR MEXICANO
15510 CIUDAD DE MEXICO, CMX, MEXICO

Notify Party and address
SAME AS CONSIGNEE
RFC: CSI 010716 Q89
PHONE: 52 55 26432100

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525703

Copy

		Place of receipt STUTTGART CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. INV. 95 2026800044 METALURGICA MET-MEX PENOLES SA DECV BOULEVARD LAGUNA PONIENTE NO. 3200 COLONIA METALURGICA COAHUILA DE MEXICO TORREON 27370 MEXICO STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 1 PACKAGE	Description of Goods AUTOMOTIVE, SPARE PARTS FOR MIXER HS CODE: 83024900, 84749090	Said to contain Gross weight, kg. 2195,000 Measurement, m ³ 5,807

SEAL : B135455

TOTAL **1 PACKAGE** **2195,000 KGS** **5,807 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

BEFÖRDERUNGSDOKUMENT FÜR GEFÄHRLICHE GÜTER**nach §6 GGVSee (IMO-ERKLÄRUNG)
TRANSPORT DOCUMENT FOR DANGEROUS GOODS
(IMO-DANGEROUS GOODS DECLARATION)**

Dieses Formular entspricht SOLAS 74, Kapitel VII Regel 4; MARPOL 73/78, Anlage III, Regel 4 und dem IMDG-Code, Kapitel 5.4
This form meets the requirements of SOLAS 74, chapter VII regulation 4; MARPOL 73/78, Annex III, Regulation 4 and the IMDG-Code, Chapter 5.4

Versender (Name & Anschrift) – Shipper (Name & Address) Emil Frei GmbH & Co. KG Am Bahnhof 6 78199 Bräunlingen-Döggingen Germany		Buchungsnummer(n) – Reference number(s) 11942004		Seite 1 von 1	
Empfänger – Consignee FREILACKE MEXICO S. R.L. C.V. nafta frigo Com. Fed. de Electricidad #425 Col. Zona Industrial C.P. 78395 San Luis Potosí MEXIKO		Beförderer – Carrier			
CONTAINER/FAHRZEUG-PACKZERTIFIKAT CONTAINER/VEHICLE PACKING CERTIFICATE ERKLÄRUNG Es wird erklärt, dass das Packen der gefährlichen Güter in die oder auf die Beförderungseinheit gem. den Bestimmungen nach 5.4.2.1 durchgeführt wurde DECLARATION It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1 AUSFÜLLEN FÜR SENDUNGEN IN CONTAINERN ODER FAHRZEUGEN TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES		Container-/Fahrzeug-Nr.: Container-/Vehicle-No.: Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory SCHNEIDER, NADINE / Emil Frei GmbH & Co. KG Ort und Datum Place and date Bräunlingen-Döggingen 18.02.2026 Unterschrift für den Packer Signature on behalf of packer			
Schiffsname und Nummer der Reise Ship's name and voyage No.		Ladehafen Port of loading		Frei für Text, Anweisungen und sonstige Angaben /Reserved for text, instructions or other matter GBK GmbH Global Regulatory Compliance, 24-hour-Number (001) 352 323 3500 Contract ID: 97659 GBK Gefahrgut Büro GmbH (Germany), +49(0)6132-84463 (24-Hour-Number) NRCC Chinese national emergency hotline for chemical accidents 0086532-83889090	
Löschhafen – Port of discharge					
UN-Nr. UN-No.	Inhalt (richtiger technischer Name) * Proper Shipping Name (Correct technical name) *	Klasse/ Unter- Klasse IMO IMO-Class	Verpackungsgruppe Packing group	Markierung der Versandstücke Falls zutreffend, Identifikations- Nummer oder aml. Kennzeichen Marks & Nos. if applicable, identification or registration number(s) of the Unit	Anzahl und Verp.-Art No. and kind of packages
UN1263	PAINT	3	III	1267329-2-1	9 Steel Drum 1A2
UN1866	RESIN SOLUTION (Hydrocarbon, C10,aromatic)	3	III	1267329-1-1	8 Steel Drum 1A2
UN1866	RESIN SOLUTION	3	III	1267329-4-1	1 Steel Drum 1A2
				segregation group: none	
Bruttomenge (Volumen/Masse) Gross quantity (volume/mass) Nettomenge/Volumen/Masse Net quantity/volume/mass Netto Explosivstoffmasse *** – Net explosive mass ***		Merkblatt-Nr. für Unfall-Maßnahmen EmS No.	Eigenschaften / Properties Flammpunkt / Flashpoint ** MARINE POLLUTANT ** Kontroll- und Notfalltemperatur ** /Control- and emergency temperature **		Güter angeliefert als / Goods delivered as: ☐ Stückgut/Breakbulk cargo ☐ Ladungseinheiten (Unit Loads) Unitized cargo ☐ Bulkverpackungen/Bulk packages Art der Einheit (Container, Anhänger, Tank, Fahrzeug usw.) Type of unit (container, trailer, tank, vehicle etc.) ☐ offen / open ☐ geschlossen / closed
1530.00 kg N 1699.20 kg G 1360.00 kg N 1505.60 kg G 24.38 kg N 26.43 kg G		F-E, <u>S-E</u> F-E, <u>S-E</u> F-E, <u>S-E</u>	25 °C c.c. 23 °C c.c. MARINE POLLUTANT 27 °C c.c.		Zutreffendes ankreuzen / Insert „x“ in appropriate box (Diese Spalte kann bis auf die Überschrift freigelassen werden; in diesem Fall ist die zutreffende Beschreibung einzusetzen.) (This column may be left empty apart from the heading, in which case insert appropriate description.)
* Marken- oder Herstelleramen allein sind nicht ausreichend. Falls zutreffend: (1) das Wort „ABFALL“ vor den Namen setzen; (2) „LEER UNGEREINIGT“ oder „RÜCKSTÄNDE – ZULETZT ENTHALTEN“ hinzufügen; (3) „BEGRENZTE MENGE“ hinzufügen. ** Falls nach Kapitel 5.4 IMDG-Code erforderlich; *** Nur bei Stoffen der Klasse 1; --- * Proprietary/trade names alone are not sufficient. If applicable: (1) the word „WASTE“ should precede the name; (2) „EMPTY UNCLEANED“ or „RESIDUE – LAST CONTAINED“ should be added; (3) „LIMITED QUANTITY“ should be added. ** When required in chapter 5.4 of the IMDG-Code; *** Class 1 only;					
ZUSÄTZLICHE ANGABEN – Unter bestimmten Bedingungen sind besondere Angaben/Bescheinigungen erforderlich; siehe IMDG-Code, Kapitel 5.4 (siehe Rückseite). ADDITIONAL INFORMATION – In certain circumstances special information/certificates are required, see IMDG-Code, chapter 5.4 (see backside).					
ERKLÄRUNG Hiermit erkläre ich, dass der Inhalt dieser Sendung mit dem (den) richtigen technischen Namen vollständig und genau bezeichnet ist. Die Güter sind nach den geltenden internationalen und nationalen Vorschriften klassifiziert, verpackt, beschriftet und gekennzeichnet/plakatiert und befinden sich in jeder Hinsicht in einem für die Beförderung geeigneten Zustand. DECLARATION I hereby declare that the contents of this consignment are fully and accurately described by the Proper Shipping Name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to the applicable international and national governmental regulations.			Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory SCHNEIDER, NADINE / Emil Frei GmbH & Co. KG Ort und Datum/ Place and date Bräunlingen-Döggingen, 18.02.2026 Unterschrift für den Versender Signature on behalf of shipper		

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

UFI: SMWG-NF8Q-JWSS-FNVD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For use in industrial installations only.

1.3. Details of the supplier of the safety data sheet

Company name: Emil Frei GmbH & Co. KG
 Street: Am Bahnhof 6
 Place: D-78199 Bräunlingen/ GERMANY
 Telephone: +49(0)7707/151-0
 E-mail: info@freilacke.de
 Contact person: Produktsicherheit
 E-mail: prodsi@freilacke.de
 Internet: www.freilacke.de

1.4. Emergency telephone number:

GBK Gefahrgut Büro GmbH, +49(0)6132-84463 (24-Hour-Number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226
 Skin Irrit. 2; H315
 Eye Dam. 1; H318
 STOT SE 3; H335 H336
 STOT RE 2; H373
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

n-butyl acetate
 xylene
 Hydrocarbons, C9, aromatics
 butan-1-ol

Signal word: Danger

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

Safety Data Sheet

according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 2 of 16

- | | |
|------|--|
| H336 | May cause drowsiness or dizziness. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

- | | |
|----------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |

Special labelling

- | | |
|--------|--|
| EUH208 | Contains formaldehyde. May produce an allergic reaction. |
|--------|--|

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet



according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 3 of 16

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
123-86-4	n-butyl acetate			20 - < 25 %
	204-658-1	607-025-00-1	01-2119485493-29	
	Flam. Liq. 3, STOT SE 3; H226 H336 EUH066			
1330-20-7	xylene			10 - < 15 %
	215-535-7	601-022-00-9	01-2119488216-32	
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1; H226 H332 H312 H315 H319 H335 H373 H304			
68002-25-5	Melamine Polymer with Formaldehyde, butylated			10 - < 15 %
	Aquatic Chronic 4; H413			
108-65-6	2-methoxy-1-methylethyl acetate			5 - < 10 %
	203-603-9	607-195-00-7	01-2119475791-29	
	Flam. Liq. 3, STOT SE 3; H226 H336			
112-07-2	2-butoxyethyl acetate			5 - < 10 %
	203-933-3	607-038-00-2	01-2119475112-47	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4; H332 H312 H302			
107-98-2	1-methoxy-2-propanol			5 - < 10 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H336			
128601-23-0	Hydrocarbons, C9, aromatics			5 - < 10 %
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411			
71-36-3	butan-1-ol			1 - < 5 %
	200-751-6	603-004-00-6	01-2119484630-38	
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT SE 3; H226 H302 H315 H318 H335 H336			
50-00-0	formaldehyde			< 0.1 %
	200-001-8	605-001-00-5		
	Carc. 1B, Muta. 2, Acute Tox. 2, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1A; H350 H341 H330 H302 H314 H317 EUH071			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 4 of 16

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1330-20-7	215-535-7	xylene	10 - < 15 %
		inhalation: LC50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 14 mg/kg	
112-07-2	203-933-3	2-butoxyethyl acetate	5 - < 10 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1480 mg/kg; oral: LD50 = 1880 mg/kg	
71-36-3	200-751-6	butan-1-ol	1 - < 5 %
		inhalation: LC50 = 24,24 mg/l (vapours); dermal: LD50 = 3400 mg/kg; oral: LD50 = 790 mg/kg	
50-00-0	200-001-8	formaldehyde	< 0.1 %
		inhalation: ATE 100 ppm (gases); dermal: LD50 = 270 mg/kg; oral: ATE 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 STOT SE 3; H335: >= 5 - 100	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Health hazard.

Use appropriate respiratory protection.

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 5 of 16

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Safe handling: see section 7
Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal. Disposal: see section 13
Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away.
Use explosion-proof electrical equipment. Filling and transfer: Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Wear anti-static footwear and clothing. Use only antistatically equipped (spark-free) tools.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink, smoke, sniff.
Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.
Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product. Remark

Safety Data Sheet

according to UK REACH Regulation

**KO1893GR999F - FREIOTHERM-Protective Coating, colorless**

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 6 of 16

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL
112-07-2	2-Butoxyethyl acetate	20	133		TWA (8 h)	WEL
		50	332		STEL (15 min)	WEL
71-36-3	Butan-1-ol	50	154		STEL (15 min)	WEL
123-86-4	Butyl acetate	150	724		TWA (8 h)	WEL
		200	966		STEL (15 min)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
1330-20-7	Xylene: mixed isomers	50	220		TWA (8 h)	WEL
		100	441		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
1330-20-7	Xylene, o-, m-, p- or mixed isomers	methyl hippuric acid (creatinine)	650 mmol/mol	urine	Post shift

Safety Data Sheet



according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 7 of 16

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
123-86-4	n-butyl acetate			
Worker DNEL, acute		inhalation	local	600 mg/m³
Worker DNEL, long-term		inhalation	local	300 mg/m³
Consumer DNEL, acute		inhalation	local	300 mg/m³
Consumer DNEL, long-term		inhalation	local	35,7 mg/m³
Worker DNEL, long-term		dermal	systemic	11 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	6 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	6 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	2 mg/kg bw/day
1330-20-7	xylene			
Worker DNEL, acute		inhalation	systemic	289 mg/m³
Worker DNEL, long-term		dermal	systemic	180 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	77 mg/m³
Consumer DNEL, acute		inhalation	systemic	174 mg/m³
Consumer DNEL, long-term		dermal	systemic	108 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	14,8 mg/m³
Consumer DNEL, long-term		oral	systemic	1,6 mg/kg bw/day
108-65-6	2-methoxy-1-methylethyl acetate			
Worker DNEL, long-term		inhalation	systemic	275 mg/m³
Worker DNEL, long-term		dermal	systemic	153,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,67 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	33 mg/m³
Consumer DNEL, long-term		dermal	systemic	54,8 mg/kg bw/day
112-07-2	2-butoxyethyl acetate			
Worker DNEL, acute		dermal	systemic	102 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	775 mg/m³
Worker DNEL, acute		inhalation	local	333 mg/m³
Worker DNEL, long-term		dermal	systemic	102 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	133 mg/m³
Consumer DNEL, acute		dermal	systemic	27 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	499 mg/m³
Consumer DNEL, acute		oral	systemic	18 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	166 mg/m³
Consumer DNEL, long-term		dermal	systemic	36 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	67 mg/m³
Consumer DNEL, long-term		oral	systemic	4,3 mg/kg bw/day

Safety Data Sheet

according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 8 of 16

128601-23-0	Hydrocarbons, C9, aromatics		
Worker DNEL, long-term	dermal	systemic	25 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	150 mg/m ³
Consumer DNEL, long-term	dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	11 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	32 mg/m ³
71-36-3	butan-1-ol		
Worker DNEL, long-term	inhalation	systemic	310 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	55 mg/m ³
Consumer DNEL, long-term	oral	systemic	3,125 mg/kg bw/day

Safety Data Sheet



according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 9 of 16

PNEC values

CAS No	Substance	
Environmental compartment		Value
123-86-4	n-butyl acetate	
Freshwater		0,18 mg/l
Marine water		0,018 mg/l
Freshwater sediment		0,981 mg/kg
Marine sediment		0,0981 mg/kg
Micro-organisms in sewage treatment plants (STP)		35,6 mg/l
Soil		0,0903 mg/kg
1330-20-7	xylene	
Freshwater		0,327 mg/l
Marine water		0,327 mg/l
Freshwater sediment		12,46 mg/kg
Marine sediment		12,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		6,58 mg/l
Soil		2,31 mg/kg
108-65-6	2-methoxy-1-methylethyl acetate	
Freshwater		0,635 mg/l
Marine water		0,0635 mg/l
Freshwater sediment		3,29 mg/kg
Marine sediment		0,329 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,29 mg/kg
112-07-2	2-butoxyethyl acetate	
Freshwater		0,304 mg/l
Marine water		0,0304 mg/l
Freshwater sediment		2,03 mg/kg
Marine sediment		0,203 mg/kg
Secondary poisoning		0,06 mg/kg
Micro-organisms in sewage treatment plants (STP)		90 mg/l
Soil		0,68 mg/kg
71-36-3	butan-1-ol	
Freshwater		0,082 mg/l
Marine water		0,0082 mg/l
Freshwater sediment		0,178 mg/kg
Marine sediment		0,0178 mg/kg
Micro-organisms in sewage treatment plants (STP)		2476 mg/l
Soil		0,015 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 10 of 16

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Suitable material: FKM (fluoro rubber)

Breakthrough time: >480 min.

Use protective skin cream before handling the product.

Skin protection

Wear anti-static footwear and clothing Suitable material: Natural fibres (e.g. cotton) / heat-resistant synthetic fibres.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	See section 1	
Odour:	like: Solvent	
Boiling point or initial boiling point and boiling range:	117 °C	Remark
Lower explosion limits:	not applicable	
Upper explosion limits:	13,1 vol. %	
Flash point:	>27,0 °C	-
Auto-ignition temperature:	270 °C	
pH-Value (at 23 °C):	not applicable	-
Vapour pressure:	15 hPa	
(at 20 °C)		
Vapour pressure:	58 hPa	
(at 50 °C)		
Density (at 20 °C):	0,975 g/cm³	

9.2. Other information

Other safety characteristics

Solvent separation test:	<3 % (Land transport (ADR/RID))
Solvent content:	65,06 %
Solid content:	34,94 %
Flow time:	<40 6 mm
(at 23 °C)	

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 11 of 16

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agent, Strong acid, Strong alkali

10.4. Conditions to avoid

May form hazardous decomposition products when exposed to high temperatures.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO₂), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg

Safety Data Sheet



according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 12 of 16

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1330-20-7	xylene				
	oral	LD50 14 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
112-07-2	2-butoxyethyl acetate				
	oral	LD50 1880 mg/kg	Rat	Manufacturer	
	dermal	LD50 1480 mg/kg	Rabbit	Manufacturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
71-36-3	butan-1-ol				
	oral	LD50 790 mg/kg	Rat	Manufacturer	
	dermal	LD50 3400 mg/kg	Rabbit	Manufacturer	
	inhalation (4 h) vapour	LC50 24,24 mg/l	Rat	Manufacturer	
50-00-0	formaldehyde				
	oral	ATE 500 mg/kg			
	dermal	LD50 270 mg/kg	Rabbit	Manufacturer	
	inhalation gas	ATE 100 ppm			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains formaldehyde. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness. (n-butyl acetate)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (xylene)

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Following inhalation:

Adverse human health effects and symptoms: May cause respiratory irritation. May cause damage to liver if

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 13 of 16

inhaled. May cause damage to kidneys if inhaled. Depression of central nervous system.

Symptoms: Headache, Dizziness, Dizziness, Unconsciousness

After eye contact:

Irritating to eyes. (reversible.)

Following ingestion:

Symptoms: Nausea, Vomiting, Gastrointestinal complaints

Following skin contact:

May be absorbed through the skin. Frequently or prolonged contact with skin may cause dermal irritation. Has degreasing effect on the skin.

11.2. Information on other hazards

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

No further relevant information available.

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled.

Recycle according to official regulations.

SECTION 14: Transport information

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 14 of 16

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1866
14.2. UN proper shipping name: RESIN SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Classification code: F1
 Special Provisions: 640E
 Limited quantity: 5 L
 Excepted quantity: E1
 Transport category: 3
 Hazard No: 30
 Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number: UN 1866
14.2. UN proper shipping name: RESIN SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: 223 955
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1866
14.2. UN proper shipping name: RESIN SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: A3
 Limited quantity Passenger: 10 L
 Passenger LQ: Y344
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 355
 IATA-max. quantity - Passenger: 60 L
 IATA-packing instructions - Cargo: 366
 IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.7. Maritime transport in bulk according to IMO instruments

Safety Data Sheet

according to UK REACH Regulation



KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 15 of 16

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 72, Entry 75, Entry 77

Directive 2010/75/EU on industrial emissions: 65,06 % (634,335 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Marketing and use of explosives precursors (Regulation (EU) 2019/1148)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,9.

Classification for mixtures and used evaluation method

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method
STOT SE 3; H336	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to UK REACH Regulation

KO1893GR999F - FREIOTHERM-Protective Coating, colorless

Revision: 29.01.2026

Item No.: KO1893GR999F

Page 16 of 16

H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains formaldehyde. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For use in industrial installations only.	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to UK REACH Regulation

**KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt**

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

UFI: NYPQ-Q5K9-CRSS-T6EG

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

For use in industrial installations only.

1.3. Details of the supplier of the safety data sheet

Company name: Emil Frei GmbH & Co. KG
 Street: Am Bahnhof 6
 Place: D-78199 Bräunlingen/ GERMANY
 Telephone: +49(0)7707/151-0
 E-mail: info@freilacke.de
 Contact person: Produktsicherheit
 E-mail: prodsi@freilacke.de
 Internet: www.freilacke.de

1.4. Emergency telephone number:

GBK Gefahrgut Büro GmbH, +49(0)6132-84463 (24-Hour-Number)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 3; H226
 STOT SE 3; H336
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

n-butyl acetate
 2-methoxy-1-methylethyl acetate
 1-methoxy-2-propanol
 Hydrocarbons, C9, aromatics

Signal word: Warning**Pictograms:****Hazard statements**

H226 Flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet



according to UK REACH Regulation

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 2 of 13

P233	Keep container tightly closed.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to industrial incineration plant.

Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
123-86-4	n-butyl acetate			30 - < 35 %
	204-658-1	607-025-00-1	01-2119485493-29	
	Flam. Liq. 3, STOT SE 3; H226 H336 EUH066			
108-65-6	2-methoxy-1-methylethyl acetate			25 - < 30 %
	203-603-9	607-195-00-7	01-2119475791-29	
	Flam. Liq. 3, STOT SE 3; H226 H336			
107-98-2	1-methoxy-2-propanol			5 - < 10 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H336			
112-07-2	2-butoxyethyl acetate			5 - < 10 %
	203-933-3	607-038-00-2	01-2119475112-47	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4; H332 H312 H302			
128601-23-0	Hydrocarbons, C9, aromatics			5 - < 10 %
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411			
1330-20-7	xylene			1 - < 5 %
	215-535-7	601-022-00-9	01-2119488216-32	
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1; H226 H332 H312 H315 H319 H335 H373 H304			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
112-07-2	203-933-3	2-butoxyethyl acetate	5 - < 10 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1480 mg/kg; oral: LD50 = 1880 mg/kg	
1330-20-7	215-535-7	xylene	1 - < 5 %
		inhalation: LC50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg	

Safety Data Sheet

according to UK REACH Regulation



KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 3 of 13

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Health hazard.

Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Safety Data Sheet

according to UK REACH Regulation



KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 4 of 13

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away.

Use explosion-proof electrical equipment. Filling and transfer: Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Wear anti-static footwear and clothing. Use only antistatically equipped (spark-free) tools.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink, smoke, sniff.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product. Remark

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

**KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt**

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 5 of 13

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL
112-07-2	2-Butoxyethyl acetate	20	133		TWA (8 h)	WEL
		50	332		STEL (15 min)	WEL
123-86-4	Butyl acetate	150	724		TWA (8 h)	WEL
		200	966		STEL (15 min)	WEL
1330-20-7	Xylene: mixed isomers	50	220		TWA (8 h)	WEL
		100	441		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
1330-20-7	Xylene, o-, m-, p- or mixed isomers	methyl hippuric acid (creatinine)	650 mmol/mol	urine	Post shift

Safety Data Sheet



according to UK REACH Regulation

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 6 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
123-86-4	n-butyl acetate			
Worker DNEL, acute		inhalation	local	600 mg/m³
Worker DNEL, long-term		inhalation	local	300 mg/m³
Consumer DNEL, acute		inhalation	local	300 mg/m³
Consumer DNEL, long-term		inhalation	local	35,7 mg/m³
Worker DNEL, long-term		dermal	systemic	11 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	6 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	6 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	2 mg/kg bw/day
108-65-6	2-methoxy-1-methylethyl acetate			
Worker DNEL, long-term		inhalation	systemic	275 mg/m³
Worker DNEL, long-term		dermal	systemic	153,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,67 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	33 mg/m³
Consumer DNEL, long-term		dermal	systemic	54,8 mg/kg bw/day
112-07-2	2-butoxyethyl acetate			
Worker DNEL, acute		dermal	systemic	102 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	775 mg/m³
Worker DNEL, acute		inhalation	local	333 mg/m³
Worker DNEL, long-term		dermal	systemic	102 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	133 mg/m³
Consumer DNEL, acute		dermal	systemic	27 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	499 mg/m³
Consumer DNEL, acute		oral	systemic	18 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	166 mg/m³
Consumer DNEL, long-term		dermal	systemic	36 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	67 mg/m³
Consumer DNEL, long-term		oral	systemic	4,3 mg/kg bw/day
128601-23-0	Hydrocarbons, C9, aromatics			
Worker DNEL, long-term		dermal	systemic	25 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	150 mg/m³
Consumer DNEL, long-term		dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	11 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	32 mg/m³
1330-20-7	xylene			
Worker DNEL, acute		inhalation	systemic	289 mg/m³

Safety Data Sheet



according to UK REACH Regulation

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 7 of 13

Worker DNEL, long-term	dermal	systemic	180 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	77 mg/m ³
Consumer DNEL, acute	inhalation	systemic	174 mg/m ³
Consumer DNEL, long-term	dermal	systemic	108 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	14,8 mg/m ³
Consumer DNEL, long-term	oral	systemic	1,6 mg/kg bw/day

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
123-86-4	n-butyl acetate	
Freshwater		0,18 mg/l
Marine water		0,018 mg/l
Freshwater sediment		0,981 mg/kg
Marine sediment		0,0981 mg/kg
Micro-organisms in sewage treatment plants (STP)		35,6 mg/l
Soil		0,0903 mg/kg
108-65-6	2-methoxy-1-methylethyl acetate	
Freshwater		0,635 mg/l
Marine water		0,0635 mg/l
Freshwater sediment		3,29 mg/kg
Marine sediment		0,329 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,29 mg/kg
112-07-2	2-butoxyethyl acetate	
Freshwater		0,304 mg/l
Marine water		0,0304 mg/l
Freshwater sediment		2,03 mg/kg
Marine sediment		0,203 mg/kg
Secondary poisoning		0,06 mg/kg
Micro-organisms in sewage treatment plants (STP)		90 mg/l
Soil		0,68 mg/kg
1330-20-7	xylene	
Freshwater		0,327 mg/l
Marine water		0,327 mg/l
Freshwater sediment		12,46 mg/kg
Marine sediment		12,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		6,58 mg/l
Soil		2,31 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Safety Data Sheet

according to UK REACH Regulation

**KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt**

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 8 of 13

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Suitable material: FKM (fluoro rubber)

Breakthrough time: >480 min.

Use protective skin cream before handling the product.

Skin protection

Wear anti-static footwear and clothing Suitable material: Natural fibres (e.g. cotton) / heat-resistant synthetic fibres.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	See section 1
Odour:	like: Solvent

	Remark
Boiling point or initial boiling point and boiling range:	100-200 °C
Lower explosion limits:	not applicable
Upper explosion limits:	13,1 vol. %
Flash point:	>25,0 °C -
Auto-ignition temperature:	270 °C
pH-Value (at 23 °C):	not applicable -
Vapour pressure:	24 hPa
(at 20 °C)	
Vapour pressure:	58 hPa
(at 50 °C)	
Density (at 20 °C):	0,937 g/cm³

9.2. Other information**Other safety characteristics**

Solvent separation test:	<3 % (Land transport (ADR/RID))
Solvent content:	88,26 %, Water (demineralisiert): 0,01 %
Solid content:	11,74 %
Flow time:	<40 6 mm
(at 23 °C)	

SECTION 10: Stability and reactivity

Safety Data Sheet

according to UK REACH Regulation



KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 9 of 13

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agent, Strong acid, Strong alkali

10.4. Conditions to avoid

May form hazardous decomposition products when exposed to high temperatures.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO₂), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-07-2	2-butoxyethyl acetate				
	oral	LD50 1880 mg/kg	Rat	Manufacturer	
	dermal	LD50 1480 mg/kg	Rabbit	Manufacturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
1330-20-7	xylene				
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (n-butyl acetate; 2-methoxy-1-methylethyl acetate)

Safety Data Sheet

according to UK REACH Regulation

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 10 of 13

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Following inhalation:

Adverse human health effects and symptoms: May cause respiratory irritation. May cause damage to liver if inhaled. May cause damage to kidneys if inhaled. Depression of central nervous system.

Symptoms: Headache, Dizziness, Dizziness, Unconsciousness

After eye contact:

Irritating to eyes. (reversible.)

Following ingestion:

Symptoms: Nausea, Vomiting, Gastrointestinal complaints

Following skin contact:

May be absorbed through the skin. Frequently or prolonged contact with skin may cause dermal irritation. Has degreasing effect on the skin.

11.2. Information on other hazards**Further information**

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information**12.1. Toxicity**

No further relevant information available.

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to UK REACH Regulation



KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 11 of 13

Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled.

Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1263
14.2. UN proper shipping name:	PAINT
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
	
Classification code:	F1
Special Provisions:	163 367 650
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1263
14.2. UN proper shipping name:	PAINT
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
	
Special Provisions:	163 223 367 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1263
14.2. UN proper shipping name:	PAINT
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
	
Special Provisions:	A3 A72 A192
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L

Safety Data Sheet

according to UK REACH Regulation



KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 12 of 13

IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 88,258 % (826,973 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Marketing and use of explosives precursors (Regulation (EU) 2019/1148)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product

Safety Data Sheet

according to UK REACH Regulation

KO1808LAU24B - FREIOTHERM-Metallic-Basecoat, Palladium L-9I8 matt

Revision: 04.09.2025

Item No.: KO1808LAU24B

Page 13 of 13

properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For use in industrial installations only.	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to UK REACH Regulation



KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

UFI: TTAS-C569-PRSR-E9DP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For use in industrial installations only.

1.3. Details of the supplier of the safety data sheet

Company name: Emil Frei GmbH & Co. KG
 Street: Am Bahnhof 6
 Place: D-78199 Bräunlingen/ GERMANY
 Telephone: +49(0)7707/151-0
 E-mail: info@freilacke.de
 Contact person: Produktsicherheit
 E-mail: prodsi@freilacke.de
 Internet: www.freilacke.de

1.4. Emergency telephone number:

GBK Gefahrgut Büro GmbH, +49(0)6132-84463 (24-Hour-Number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226
 Eye Dam. 1; H318
 Skin Sens. 1; H317
 STOT SE 3; H336
 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrocarbon, C10, aromatic, <1% Naphthalin
 n-butyl acetate
 butan-1-ol
 reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-...

Signal word: Danger

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet



according to UK REACH Regulation

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 2 of 12

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Hydrocarbon, C10, aromatic, <1% Naphthalin			20 - < 25 %
	918-811-1		01-2119463583-34	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411			
123-86-4	n-butyl acetate			10 - < 15 %
	204-658-1	607-025-00-1	01-2119485493-29	
	Flam. Liq. 3, STOT SE 3; H226 H336 EUH066			
71-36-3	butan-1-ol			5 - < 10 %
	200-751-6	603-004-00-6	01-2119484630-38	
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT SE 3; H226 H302 H315 H318 H335 H336			
128601-23-0	Hydrocarbons, C9, aromatics			1 - < 5 %
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411			
5131-66-8	3-butoxypropan-2-ol			1 - < 5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
-	reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-...			1 - < 5 %
	400-830-7	607-176-00-3		
	Skin Sens. 1, Aquatic Chronic 2; H317 H411			
91-20-3	naphthalene			< 1 %
	202-049-5	601-052-00-2	01-2119561346-37	
	Flam. Sol. 2, Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H228 H351 H302 H400 H410			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
71-36-3	200-751-6	butan-1-ol	5 - < 10 %
		inhalation: LC50 = 24,24 mg/l (vapours); dermal: LD50 = 3400 mg/kg; oral: LD50 = 790 mg/kg	
5131-66-8	225-878-4	3-butoxypropan-2-ol	1 - < 5 %
		oral: LD50 = 3300 mg/kg	
91-20-3	202-049-5	naphthalene	< 1 %
		oral: ATE = 500 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.
 Never give anything by mouth to an unconscious person or a person with cramps.
 If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.
 If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.
 After contact with skin, wash immediately with plenty of water and soap.
 Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.
 Put victim at rest, cover with a blanket and keep warm.
 Do NOT induce vomiting.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.
 Hazardous decomposition products: carbon black. Health hazard.
 Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.
 Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Safety Data Sheet

according to UK REACH Regulation



KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 4 of 12

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Safe handling: see section 7
Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal. Disposal: see section 13
Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away.
Use explosion-proof electrical equipment. Filling and transfer: Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Wear anti-static footwear and clothing Use only antistatically equipped (spark-free) tools.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink, smoke, sniff.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.
Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product. Remark

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

Safety Data Sheet



according to UK REACH Regulation

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 5 of 12

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
71-36-3	Butan-1-ol	50	154		STEL (15 min)	WEL
123-86-4	Butyl acetate	150	724		TWA (8 h)	WEL
		200	966		STEL (15 min)	WEL
91-20-3	Naphthalene	10	50		TWA (8 h)	EU

DNEL/DNEL values

CAS No	Substance	Exposure route	Effect	Value
123-86-4	n-butyl acetate			
Worker DNEL, acute	inhalation	local	600 mg/m ³	
Worker DNEL, long-term	inhalation	local	300 mg/m ³	
Consumer DNEL, acute	inhalation	local	300 mg/m ³	
Consumer DNEL, long-term	inhalation	local	35,7 mg/m ³	
Worker DNEL, long-term	dermal	systemic	11 mg/kg bw/day	
Worker DNEL, acute	dermal	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	dermal	systemic	6 mg/kg bw/day	
Consumer DNEL, acute	dermal	systemic	6 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	2 mg/kg bw/day	
Consumer DNEL, acute	oral	systemic	2 mg/kg bw/day	
71-36-3	butan-1-ol			
Worker DNEL, long-term	inhalation	systemic	310 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	55 mg/m ³	
Consumer DNEL, long-term	oral	systemic	3,125 mg/kg bw/day	
128601-23-0	Hydrocarbons, C9, aromatics			
Worker DNEL, long-term	dermal	systemic	25 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	150 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	32 mg/m ³	

Safety Data Sheet



according to UK REACH Regulation

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 6 of 12

PNEC values

CAS No	Substance	
Environmental compartment		Value
123-86-4	n-butyl acetate	
Freshwater		0,18 mg/l
Marine water		0,018 mg/l
Freshwater sediment		0,981 mg/kg
Marine sediment		0,0981 mg/kg
Micro-organisms in sewage treatment plants (STP)		35,6 mg/l
Soil		0,0903 mg/kg
71-36-3	butan-1-ol	
Freshwater		0,082 mg/l
Marine water		0,0082 mg/l
Freshwater sediment		0,178 mg/kg
Marine sediment		0,0178 mg/kg
Micro-organisms in sewage treatment plants (STP)		2476 mg/l
Soil		0,015 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Suitable material: FKM (fluoro rubber)

Breakthrough time:: >480 min.

Use protective skin cream before handling the product.

Skin protection

Wear anti-static footwear and clothing Suitable material: Natural fibres (e.g. cotton) / heat-resistant synthetic fibres.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to UK REACH Regulation

**KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent**

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 7 of 12

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	See section 1	
Odour:	like: Solvent	
		Remark
Boiling point or initial boiling point and boiling range:	100-200 °C	
Lower explosion limits:	not applicable	
Upper explosion limits:	11,3 vol. %	
Flash point:	>23,0 °C -	
Auto-ignition temperature:	194 °C	
pH-Value (at 23 °C):	not applicable -	
Vapour pressure:	<15 hPa	
(at 20 °C)		
Vapour pressure:	58 hPa	
(at 50 °C)		
Density (at 20 °C):	0,972 g/cm³	

9.2. Other information**Other safety characteristics**

Solvent separation test:	<3 % (Land transport (ADR/RID))
Solvent content:	55,93 %, Water (demineralisiert): 0,04 %
Solid content:	44,03 %
Flow time:	<40 6 mm
(at 23 °C)	

SECTION 10: Stability and reactivity**10.1. Reactivity**

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agent, Strong acid, Strong alkali

10.4. Conditions to avoid

May form hazardous decomposition products when exposed to high temperatures.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition productsNitrogen oxides (NOx), carbon black, Carbon dioxide (CO₂), Carbon monoxide**SECTION 11: Toxicological information****11.1. Information on hazard classes****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg

Safety Data Sheet

according to UK REACH Regulation



KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 8 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
71-36-3	butan-1-ol				
	oral	LD50 790 mg/kg	Rat	Manufacturer	
	dermal	LD50 3400 mg/kg	Rabbit	Manufacturer	
	inhalation (4 h) vapour	LC50 24,24 mg/l	Rat	Manufacturer	
5131-66-8	3-butoxypropan-2-ol				
	oral	LD50 3300 mg/kg	Rat	Manufacturer	
91-20-3	naphthalene				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-...)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbon, C10, aromatic, <1% Naphthalin)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Following inhalation:

Adverse human health effects and symptoms: May cause respiratory irritation. May cause damage to liver if inhaled. May cause damage to kidneys if inhaled. Depression of central nervous system.

Symptoms: Headache, Dizziness, Dizziness, Unconsciousness

After eye contact:

Irritating to eyes. (reversible.)

Following ingestion:

Symptoms: Nausea, Vomiting, Gastrointestinal complaints

Following skin contact:

May be absorbed through the skin. Frequently or prolonged contact with skin may cause dermal irritation. Has degreasing effect on the skin.

11.2. Information on other hazards

Safety Data Sheet

according to UK REACH Regulation



KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 9 of 12

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

No further relevant information available.

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled.

Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 1866

14.2. UN proper shipping name:

RESIN SOLUTION

14.3. Transport hazard class(es):

3

14.4. Packing group:

III

Hazard label:

3



Classification code:

F1

Special Provisions:

640E

Limited quantity:

5 L

Excepted quantity:

E1

Safety Data Sheet

according to UK REACH Regulation



KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 10 of 12

Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number: UN 1866
14.2. UN proper shipping name: RESIN SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Special Provisions: 223 955
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1866
14.2. UN proper shipping name: RESIN SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Special Provisions: A3
Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1
IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Hydrocarbon, C10,aromatic

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 44,424 % (431,801 g/l)

Safety Data Sheet

according to UK REACH Regulation

KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 11 of 12

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

Marketing and use of explosives precursors (Regulation (EU) 2019/1148)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 9.

Classification for mixtures and used evaluation method

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For use in industrial installations only.	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

Safety Data Sheet

according to UK REACH Regulation

**KO1853SR999C - FREIOTHERM-HighSolid-Clearcoat, transparent**

Revision: 04.02.2026

Item No.: KO1853SR999C

Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Shipper
GEBRUDER WEISS GMBH
FAULENSTRASSE 2-12
28195 BREMEN / GERMANY

B/L No.
ALM257798



SACO SHIPPING LINE LTD

Consigned to order of
SCHRYVER TRANSPORTES Y LOGISTICA,
SA DE CV
CALZADA ZAVALA 3920 INT 4 PISO L2
COL. SANTA CRUZ BUENAVISTA
72150, PUEBLA, PUE. MEXICO
TAX ID:???????????

Notify Party and address
SCHRYVER TRANSPORTES Y LOGISTICA,
SA DE CV
CALZADA ZAVALA 3920 INT 4 PISO L2
COL. SANTA CRUZ BUENAVISTA
72150, PUEBLA, PUE. MEXICO

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525704

Copy

		Place of receipt		
		HAMBURG CFS		
Ocean vessel			Port of loading	
MAERSK FELIXSTOWE			HAMBURG	
Port of discharge	Place of delivery	Freight payable	Number of original Bills of Lading	
ALTAMIRA	ALTAMIRA CFS	BREMEN	0/ZERO	
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg. Measurement, m ³
CARGO DETAILS AS PER ATTACHED STATEMENT				

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
FREILACKE MEXICO S. R.L. C.V. NAFTA FRIGO COM. FED D. DE ELECTRICIDAD #425COL. ZONAINDUSTRIAL C.P.78 8395 SAN LUIS POTOSIMEXIKO	5 PALLETS	PROTECTIVE COATING, PAINT, CLEARCOAT AS PER ORDER: 11985009 HS-CODES: 32081090, 32082090 UN1263 - 3 - III UN1866 - 3 - III UN1866 - 3 - III UN 1263/Class 3/PG III Imo Gross Weight: 1699,200 KGS Imo Net Weight : 1530,000 KGS UN 1866/Class 3/PG III Imo Gross Weight: 1505,600 KGS Imo Net Weight : 1360,000 KGS UN 1866/Class 3/PG III Imo Gross Weight: 26,430 KGS Imo Net Weight : 24,380 KGS		3338,230	7,045
STOWED INTO CONTAINER NO.: TCKU6177442				SEAL : B135455	
TOTAL	5 PALLETS			3338,230 KGS	7,045 CBM

Shipper
QUALIFIED CARGO SOLUTIONS GMBH
HESSENRING 30
64546 MOERFELDEN-WALLDORF
GERMANY
TAX-ID: DE111656032

B/L No.
ALM257803



SACO SHIPPING LINE LTD

Consigned to order of
SEA BRIDGE MEXICO SA DE CV
LAGUNA DE TERMINOS 221 TORRE B PISO 5
OFICINA 504 COL. GRANADA C.P 11520
ALC. MIGUEL HIDALGO, CDMX, MEXICO
TAX ID: SBM0601253SA TEL: +52 55 4161 5990/3
NOTIFICATIONS@SEABRIDGE.MX

Notify Party and address
SEA BRIDGE MEXICO SA DE CV
LAGUNA DE TERMINOS 221 TORRE B PISO 5
OFICINA 504 COL. GRANADA C.P 11520
ALC. MIGUEL HIDALGO, CDMX, MEXICO
TAX ID: SBM0601253SA TEL: +52 55 4161 5990/3
NOTIFICATIONS@SEABRIDGE.MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525705

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. UREBLOCK, S.A. DE C.V. MEXICO REF.: 02/01914 A251205C RO: 35897 OF STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 1 CASE	Description of Goods BEARING FLANGE HS: 84669400	Said to contain Gross weight, kg. 159,000 Measurement, m ³ 0,279
		Freight payable ALTAMIRA	
		SEAL : B135455	

TOTAL	1 CASE	159,000 KGS	0,279 CBM
--------------	---------------	--------------------	------------------

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
ZET-CHEMIE GMBH
HEISENBERGSTRASSE 3
89584 EHINGEN
GERMANY

B/L No.
ALM257808



SACO SHIPPING LINE LTD

Consigned to order of
VORWERK AUTOTEC DE MEXICO S.A. DE C.V.
AVENIDA VILLA DE LAGOS SUR 1080
47515 LAGOS DE MORENO, JALISCO
MEXICO
TAX ID:VAM131206HT4

Notify Party and address
SAME AS CONSIGNEE
TEL: +52 474 403 3500
E-MAIL:COMPRAS@VORWERK-AUTOMOTIVE.MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525706

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. VORWERK AUTOTEC D E MEXICO S.A. DE C.V.	Quantity of Goods 1 PALLET	Description of Goods ZET-CORR 600 E PRODUCT CODE: 27101991 HS CODE: 27101991	Said to contain Gross weight, kg. 217,000 Measurement, m ³ 0,494

DAP DELIVERY TO:
AVENIDA VILLA DE
LAGOS SUR 1080
MX-47515 LAGOS DE
MORENO
JALISCA, MX
STOWED INTO CONTAINER NO.: TCKU6177442

SEAL : B135455

TOTAL **1 PALLET** **217,000 KGS** **0,494 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
QUALIFIED CARGO SOLUTIONS GMBH
HESSENRING 30
64546 MOERFELDEN-WALLDORF
GERMANY
TAX-ID: DE111656032

B/L No.
ALM257810



SACO SHIPPING LINE LTD

Consigned to order of
SEA BRIDGE MEXICO SA DE CV
LAGUNA DE TERMINOS 221 TORRE B PISO 5
OFICINA 504 COL. GRANADA C.P 11520
ALC. MIGUEL HIDALGO, CDMX, MEXICO
TAX ID: SBM0601253SA TEL: +52 55 4161 5990/3
NOTIFICATIONS@SEABRIDGE.MX

Notify Party and address
SEA BRIDGE MEXICO SA DE CV
LAGUNA DE TERMINOS 221 TORRE B PISO 5
OFICINA 504 COL. GRANADA C.P 11520
ALC. MIGUEL HIDALGO, CDMX, MEXICO
TAX ID: SBM0601253SA TEL: +52 55 4161 5990/3
NOTIFICATIONS@SEABRIDGE.MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525707

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Freight payable ALTAMIRA
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. KOMBITEC S.A. DE C.V. INVOICE: SI.26.01.114 INVOICE: R2601457 INV.: VRN0823551/ VRN08021458	Quantity of Goods 10 PALLETS	Description of Goods HEAT SHRINK SLEEVING EV100, HS: 39173200 SAFETY SYSTEM HS: 85366990, 85444290 CABLE HS: 85444995	Said to contain Gross weight, kg. 3963,500 Measurement, m ³ 11,335

STOWED INTO CONTAINER NO.: TCKU6177442

SEAL : B135455

TOTAL 10 PALLETS 3963,500 KGS 11,335 CBM

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
ALM257812



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525708

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG, GERMANY	
Port of discharge ALTAMIRA, MEXICO	Place of delivery ALTAMIRA CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. PLASTIC OMNIUM MEXICO SN 0002516067	Quantity of Goods 11 PALLETS	Description of Goods MOTOR CAR ACCESSORIES HS-CODE: 392690 **HSCODE: 392690**	Said to contain Gross weight, kg. 1409,160 Measurement, m ³ 8,427

STOWED INTO CONTAINER NO.: TCKU6177442

SEAL : B135455

TOTAL **11 PALLETS** **1409,160 KGS** **8,427 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
WICKE GMBH +CO. KG
ELBERFELDER STR. 109
45549 SPROCKHOEVEL
GERMANY

B/L No.
ALM257813



SACO SHIPPING LINE LTD

Consigned to order of

HYSTER-YALE MEXICO, S.A. DE C.V.
INDUSTRIA AUTOMOTRIZ # 3090 C
P25900
PARQUE INDUSTRIAL RAMOS ARIZPE,
RAMOS ARIZP, COA
MEXICO

Notify Party and address

HYSTER-YALE MEXICO, S.A. DE C.V.
INDUSTRIA AUTOMOTRIZ # 3090 C
P25900
PARQUE INDUSTRIAL RAMOS ARIZPE,
RAMOS ARIZP, COA
MEXICO

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525709

Copy

		Place of receipt BREMEN CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. HYSTER-YALE MEXICO ALTAMIRA, GRUPO CARGOQUIN ALTAMIRA 89606 ALTAMIRA STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 1 PACKAGE	Description of Goods PARTS FOR ELECTRIC FORK LIFTS HS CODE 84312000	Gross weight, kg. 250,000 Measurement, m ³ 0,518
TOTAL		1 PACKAGE	250,000 KGS 0,518 CBM

SEAL : B135455

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NOELLE PEPIN GMBH & CO. KG
AM DAMM 8
58332 SCHWELM
GERMANY
TAX-ID: DE126452136

B/L No.
ALM257815



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525711

Copy

Consigned to order of
COSMOS SILAO, SRL DE C.V.
AVDA DE LOS INDUSTRIALES, PONIENTE
NO. 6, COLONIA PARQUE INDUSTRIAL
FIPASI, 36294 SILAO DE LA VICTORIA,
GUANJUATO
MEXIKO

Notify Party and address
SAME AS CONSIGNEE
ARMANDO SANDOVAL CENTRAL MATERIALS
PLANNER CORPORATE LOGISTICS
TEL: +(52)462 176 0364
ARMANDO.SANDOVAL@GCOSMOS.COM
RFC.-NR:EMS240712LTA

Place of receipt SCHWELM CFS		Port of loading HAMBURG	
Ocean vessel MAERSK FELIXSTOWE			
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
COSMOS SILAO, SRL DE C.V. AVDA DE LOS INDUSTRIALES, PONIENTE NO. 6 COLONIA PARQUE INDUSTRIAL FIPASI 36294 SILAO DE LA VICTORIA GUANJUATO MEXIKO	2 PALLETS	S.T.C. W247 RETAINING STRAP INVOICE NO: 452718 HS-CODE: 56041000		194,390	1,421

STOWED INTO CONTAINER NO.: TCKU6177442

SEAL : B135455

TOTAL 2 PALLETS 194,390 KGS 1,421 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
AIT WORLDWIDE LOGISTICS
GERMANY GMBH
AM KAFFEE-QUARTIER 3
28217 BREMEN
GERMANY

B/L No.
ALM257825



SACO SHIPPING LINE LTD

Consigned to order of
AIT WORLDWIDE LOGISTICS
BOULEVARD ANTONIO QUIROGA
114, EL LLANITO
HERMOSILLO SON 83174
MEXICO
TAX ID:AWL150115BP3

Notify Party and address
SAME AS CONSIGNEE
SEASONORA@AITWORLDWIDE.COM

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525712

Copy

		Place of receipt HAMBURG CFS				
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG				
Port of discharge ALTAMIRA		Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO		
Marks and Nos.		Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
SONORA FORMING SA DE CV BLVD HENRY FORD 43 83297 HERMOSILLO, SONORA MX STOWED INTO CONTAINER NO.: TCKU6177442		4 PACKAGES	RET DOOR LATSCH STRIKER REF. 85096511 PO. 6010765409 HS CODE:87082990		804,000	1,840
				SEAL : B135455		
TOTAL		4 PACKAGES			804,000 KGS	1,840 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
CARGO MOVERS GMBH

B/L No.
ALM257846

GEWERBESTRASSE 4
27777 GANDERKESEE



SACO SHIPPING LINE LTD

Consigned to order of

GLOBALTRANZ MX S DE RL DE CV
RICARDO MARGAIN ZOZAYA NO. 444
PISO 15 COL. VALLE DEL CAMPESTRE
SAN PEDRO GARZA GARCIA,
66265 NUEVO LEON
TLAXCALA, MEXICO
RFC: GMX171108GR5

Notify Party and address

SAME AS CONSIGNEE

+52 81 1029 0907

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

6/03/BRE/525713

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. MARELLI TOLUCA MEXICO, S DE R.L CV DIVISION LIGHTNING 54600 TEPOTZOTLAN AV. DE LA INDUSTRIA 20 21 FRACC.INDUSTRIAL EL TREBOL NIP: T150304BD1 STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 10 PALLETS	Description of Goods PLASTIC PARTS FOR THE ELECTRICAL INDUSTRY HS CODE: 39263000	Said to contain Gross weight, kg. 690,000 Measurement, m ³ 10,272

SEAL : B135455

TOTAL **10 PALLETS** **690,000 KGS** **10,272 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
QUALIFIED CARGO SOLUTIONS GMBH
HESSENRING 30
64546 MOERFELDEN-WALLDORF
GERMANY
TAX-ID: DE111656032

B/L No.
ALM257849



SACO SHIPPING LINE LTD

Consigned to order of

HIKER CARGO LOGISTICS SA DE CV
AVE LAZARO CARDENAS 1111 INT 25
VALLE DE LAS BRISAS MONTERREY NL 64790
RFC: HCL100215L59
PH: 52 81 1739 5656
EMAIL: OPERATIONS@HIKER.COM.MX

Notify Party and address

HIKER CARGO LOGISTICS SA DE CV
AVE LAZARO CARDENAS 1111 INT 25
VALLE DE LAS BRISAS MONTERREY NL 64790
RFC: HCL100215L59
PH: 52 81 1739 5656
EMAIL: OPERATIONS@HIKER.COM.MX

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/525714

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel MAERSK FELIXSTOWE		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. RELATS MEXICO MEXICO INVOICE: 2640058 STOWED INTO CONTAINER NO.: TCKU6177442	Quantity of Goods 1 PALLET	Description of Goods PREOX NEEDLE FELT HS: 70196400, 56021019	Said to contain Gross weight, kg. 499,000 Measurement, m ³ 2,379

SEAL : B135455

TOTAL **1 PALLET** **499,000 KGS** **2,379 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 15.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL

