

Ships Bag for MB/L 721347505

Container: MRSU4968408	1
SACO RG5670589 58379053.pdf	1
MEXICO PL SHEET .pdf	2
721347505 Waybill 1 .pdf	4
01877 MANIFEST 5032174.pdf	16
HB/L: VER282957	22
TYP: Dangerous Goods Declaration	22
'VER282957 DGD 1.pdf'	22
VER282957 DGD 35.pdf	23
TYP: MSDS	24
'VER282957 MSDS 1.pdf'	24
TYP: B/L	25
SACO Shipping Line Ltd. B/L VER282957 VER28295	25
HB/L: VER282999	26
TYP: B/L	26
SACO Shipping Line Ltd. B/L VER282999 VER28299	26
HB/L: VER283011	28
TYP: B/L	28
SACO Shipping Line Ltd. B/L VER283011 VER28301	28
HB/L: VER283058	29
TYP: Dangerous Goods Declaration	29
'VER283058 DGD 1.pdf'	29
TYP: MSDS	30
'VER283058 MSDS 1.pdf'	30
TYP: B/L	37
SACO Shipping Line Ltd. B/L VER283058 VER28305	37
HB/L: VER283107	38
TYP: B/L	38
SACO Shipping Line Ltd. B/L VER283107 VER28310	38
HB/L: VER283148	39
TYP: Dangerous Goods Declaration	39
'VER283148 DGD 1.pdf'	39
TYP: MSDS	40
'VER283148 MSDS 1.pdf'	40

'VER283148 MSDS 2.pdf'	51
TYP: B/L	62
SACO Shipping Line Ltd. B/L VER283148 VER28314	62
HB/L: VER283153	64
TYP: B/L	64
SACO Shipping Line Ltd. B/L VER283153 VER28315	64
HB/L: VER283155	65
TYP: B/L	65
SACO Shipping Line Ltd. B/L VER283155 VER28315	65
HB/L: VER283159	66
TYP: B/L	66
SACO Shipping Line Ltd. B/L VER283159 VER28315	66
HB/L: VER283171	67
TYP: B/L	67
SACO Shipping Line Ltd. B/L VER283171 VER28317	67
HB/L: VER283184	68
TYP: B/L	68
SACO Shipping Line Ltd. B/L VER283184 VER28318	68
HB/L: VER283204	69
TYP: B/L	69
SACO Shipping Line Ltd. B/L VER283204 VER28320	69
HB/L: VER283212	70
TYP: B/L	70
SACO Shipping Line Ltd. B/L VER283212 VER28321	70
HB/L: VER283213	71
TYP: B/L	71
SACO Shipping Line Ltd. B/L VER283213 VER28321	71
HB/L: VER283219	72
TYP: B/L	72
SACO Shipping Line Ltd. B/L VER283219 VER28321	72
HB/L: VER283220	73
TYP: B/L	73
SACO Shipping Line Ltd. B/L VER283220 VER28322	73
HB/L: VER283225	74
TYP: B/L	74
SACO Shipping Line Ltd. B/L VER283225 VER28322	74

SACO Shipping GmbH · Bürgermeister-Smidt-Str. 128 · 28195 Bremen

NVOCC Services worldwide

Bremen, 26. March 2026

Interteam S.A. de C.V.
Servicios Int.
Calle Colima #114 Desp. 201, Colonia Roma,
06700 C.P.MEXICO D.F
MX MEXICO

RECHNUNG/INVOICE EXPORT

JOL / JOL / JOL

CUSTOMER-Ref.: 2830260300067

Leistungsdatum : 22.03.2026

INVOICE-No	INVOICE-Date	CUSTOMER-No	SACO-Ref.	B/L-Ref.	Your VAT-ID	R.O.E
5670589	26.03.2026	020896	6/03/BRE/5267	6/03/BRE/5267		0.8669

Vessel:

Destination:

Online-Ref:

Delivery:

Pieces

Gross KOS

Volumen CBM

SACO REF.: VESSEL: PORT: ETA: CONTAINER:
6/03/BRE/5267 CLEMENS SCHULTE VERACRUZ 07.04.2026 MRSU 496 840 8

Pos.	Description	Rate	Amount	Tax
1	AS PER PL SHEET	1381.84 USD	1381.84	

NO VAT ON	VAT ON	TOTAL VAT	VAT	TOTAL AMOUNT USD
1381.84	0	0	19%	1381.84

SACO Shipping GmbH
Wollkämmerstraße 1
21107 Hamburg
Telefon: +49 40 311706-0
Telefax: +49 40 311706-100

Buchhaltung
Telefon: +49 421 52016 315
Telefax: +49 421 52016 317
VAT-ID: DE-118597456
account@saco.de

Volksbank Lüneburger Heide eG
US Dollar Account
BLZ 240 603 00, Kto-Nr. 4 600 360 605
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 19 2406 0300 4600 3606 05

Volksbank Lüneburger Heide eG
Euro Account
BLZ 240 603 00, Kto-Nr. 4 600 360 600
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 57 2406 0300 4600 3606 00

Commerzbank AG
Euro Account
BLZ 200 800 00, Kto-Nr. 6 510 954 00
SWIFT-BIC: DRES DE FF 200
IBAN DE 96 2008 0000 0651 0954 00

Internet: <https://sacoshipping.com> · E-Mail: info@saco.de · Geschäftsführer: Harald Pahl, Andrea Briks, Kevin Pahl, Jannik Pahl, Sönke Briks · Gerichtsstand: Hamburg · Sitz Hamburg · HRB 40128 · Finanzamt: Hamburg-Harburg
SACO Shipping GmbH handelt bei Seetransporten einschließlich Vorlauf- und Nachlauftransporten ausschließlich als Agent von SACO Shipping Line Limited, Limassol/Zypern.
SACO Shipping Line Limited Limassol arbeitet ausschließlich nach ihren jeweils gültigen Konnossements-Bedingungen, auch wenn kein Konnossement ausgestellt wurde.
Diese Bedingungen können bei den jeweiligen Büros und/oder unter sacoshipping.com eingesehen werden.

amended on: 12.06.2025 by ECH

Mexico PL-Sheet 2025

valid from Februar 1st 2021

SACO Ref.:
6/03/BRE/5267Vessel:
Clemens SchultePort:
VeracruzETA:
07.04.2026Container:
MRSU 496 840 8**saco**

B/L	COLLECT	Incl.Special charges	Doc fee	Unstuffing	Admin Fee	Transm.Fee	Port Transf	On Carriage	0,00 USD	Quote No.:
VER282957										
VER282999			50,00	135,74				DAP HIDALGO	365,39	via tarif
VER283011										
VER283058										
VER283107										
VER283148										
VER283153	452,36									
VER283155										
VER283159	40,00									
VER283171										
VER283184										
VER283204	40,00									
VER283212	40,00									
VER283213	40,00									
VER283219										
VER283220	40,00									
VER283225	123,07									
	775,43		50,00	135,74	0,00	0,00	0,00		365,39	

COLLECT FREIGHT TOTAL

RELEASE FEE

UNSTUFFING

ADMIN FEE

TRANSMISSION FEE

CREDIT FOR ON CARRIAGE

PORT TRANSFER

775,43 USD

50,00 USD

135,74 USD

0,00 USD

0,00 USD

365,39 USD

0,00 USD

775,43 USD

debit to Intert

551,13 USD

credit to Inter

kickback as agreed USD 24,00 w/m from B/L

date 01.10.2023

FRT:

48,231

1.157,54 USD

1.157,54 USD

debit to Intert

Hartrodt Kickback USD 4,50 w/m

FRT:

0,00 USD

0,00 USD

debit to Intert

Quick Cargo Kickback USD 3,- w/m

FRT:

0,00 USD

0,00 USD

BDP / ED Forwarding Kickback USD 4,- w/m

FRT:

0,00 USD

0,00 USD

Linkin / Europartner/XPD Kickback USD 10,50 w/m

FRT:

0,00 USD

0,00 USD

DHL compensation VER USD 15,-w/m

FRT:

0,00 USD

0,00 USD

0,00 USD credit to Inter

DHL compensation ALM USD 5,-w/m

FRT:

0,00 USD

0,00 USD

K&N compensation USD 8,-w/m

FRT:

0,00 USD

0,00 USD

Toll compensation USD 2,-w/m

FRT:

0,00 USD

0,00 USD

Ceva compensation USD 1,-w/m

FRT:

0,00 USD

0,00 USD

TOTAL AMOUNT

1.381,84 USD

CREDIT OR DEBIT TO INTERTAEM

Agreed special PLC :

SHIPPER	Consignee	Doc fee	Unstuffing	Admin	Tranmiss.	Port Transfer
Würth	Knipping/Globaltranz	USD 50,-	USD 28,-w/m			
Hansa Gateway	all	USD 70,-	USD 33,-w/m			
Geodis	Geodis	USD 37,-	USD 22,-w/m	USD 11,-	USD 11,-	USD 11,-w/m

**MAERSK****NON-NEGOTIABLE WAYBILL**

SCAC MAEU

B/L No. 721347505

Shipper (As principal, where "care of", "c/o", or other variants used.)
SACO SHIPPING GMBH
AS AGENT OF SACO SHIPPING LINE LTD
BGM.-SMIDT-STR.128
D-28195 BREMEN
GERMANY / DE118597456

Booking No.
721347505

Export references
6/03/BRE/5267

Svc Contract
299542652

Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer".
As principal, where "care of", "c/o", or other variants used.)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

This contract is subject to the terms, conditions and exceptions, including the law & jurisdiction clause and limitation of liability & declared value clauses, of the current Maersk Bill of Lading (available from the Carrier, its agents and at terms.maersk.com/carriage), which are applicable with logical amendments (mutatis mutandis). To the extent necessary to enable the Consignee to sue and to be sued under this contract, the Shipper on entering into this contract does so on his own behalf and as agent for and on behalf of the Consignee and warrants that he has the authority to do so. The shipper shall be entitled to change the Consignee at any time before delivery of the goods provided he gives the Carrier reasonable notice in writing.
Delivery will be made to the Consignee or his authorised agent on production of reasonable proof of identity (and, in the case of an agent, reasonable proof of authority) without production of this waybill. The Carrier shall be under no liability whatsoever for misdelivery unless caused by the Carrier's negligence.

Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)

Notify Party (see clause 22)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

Vessel
CLEMENS SCHULTE

Voyage No.
611W

Place of Receipt. Applicable only when document used as Multimodal Waybill

Port of Loading
Hamburg

Port of Discharge
Veracruz *

Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.

1 Container Said to Contain 54 PACKAGE

MRSU 496840-8 40/DRY 9'6
6 PALLETS GROSS WEIGHT: 1315.400 KGS MEASUREMENT: 2.512 CBM
REWOCOROS AL 200
HS-CODE: 340239
IMO: 8, UN 3265
4 DRUM
REWOCOROS AC 101
HS-CODE: 382499
2 DRUM
UN 3265/CLASS 8/PG II
IMO GROSS WEIGHT: 834,400
KGS
IMO NET WEIGHT : 800,000
KGS
3 PACKAGES GROSS WEIGHT: 480.000 KGS MEASUREMENT: 4.848 CBM
40 PIEZAS CALEFACTOR

Weight
21383.690 KGS

Measurement
48.231 CBM

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Carrier's Receipt. Total number of containers or packages received by Carrier.

1 container

Place of Issue of Waybill
Hamburg

Shipped on Board Date (Local Time)
2026-03-22

Date Issue of Waybill
2026-03-22

Declared Value Charges (see clause 7.3 of the Maersk Bill of Lading) for Declared Value of US\$

Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"

Signed for the Carrier Maersk A/S

Maersk Deutschland A/S & Co.KG
As Agent(s)

This transport document has one or more numbered pages

ELECTRICO
MHS-SP2800AB.100 HEATSCOPE
SPOT

NOS. DE SERIES:
01N350R077709,
-77711, -77715, -77718,
-77722,
-77726, -77727, -77724,
-77723,
-77720, -77719, -77716,
-77713,
-77712, -77708, -77710,
-77714,
-77717, -77721, -77725,
-77746,
-77735, -77724, -77739,
-77732,
-77729, -77731, -77733,
-77736,
-77738, -77740, -77743,
-77744,
-77747, -77745, -77741,
-77737,
-77734, -77730, -77728
15 PIEZAS CALEFACTOR
ELECTRICO
MHS-PE3000AB.100 HEATSCOPE
PURE
NOS. DE SERIES:
02N110W077789,
-77786, -77793, -77790,
-77797,
-77796, -77799, -77792,
-77785,
-77788, -77787, -77794, -
77791,

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

-77798, -77795
HS CODE: 85162999
1 PKG GROSS WEIGHT: 188.000 KGS MEASUREMENT: 1.517 CBM
ELECTRICAL PARTS HS-CODE:
391740, 401693, 741220
3 PACKAGES GROSS WEIGHT: 1282.000 KGS MEASUREMENT: 2.765 CBM
WELDING TORCHES AND
SPAREPARTS
REF#REF#32600626+
32600814
HS-CODES: 381090, 391739,
392330, 392690, 481910,
731815, 732690, 820780,
842199, 848340, 848390,
850110, 851590, 853650,
853690, 820411, 846693,
854442
CLASS 2.1 / UN1950
IMO GROSS WEIGHT: 375,00
KGS
IMO NET WEIGHT: 350,00
KGS
4 PALLET GROSS WEIGHT: 853.200 KGS MEASUREMENT: 1.561 CBM
SITREN AIRVOID 601
HS-CODE: 340290
4 DRUM
6 PALLETS GROSS WEIGHT: 5464.800 KGS MEASUREMENT: 9.480 CBM
S.T.C. 216 PAPERBAGS
HEUCODUR YELLOW 152
(P) (HARMLESS)
HEUCOPHOS ZCP-PLUS
HEUCOPHOS ZPA
HS CODE: 28352990,
32064970
IMO CLASS: 9
UN NO.: 3077

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

PACKAGING GROUP: III
NET WEIGHT: 4400 KG
MARINE POLLUTANT
UN 3077/CLASS 9/PG III
IMO GROSS WEIGHT: 4552,800
KGS
IMO NET WEIGHT : 4400,000
KGS
12 PKG GROSS WEIGHT: 7320.000 KGS MEASUREMENT: 10.281 CBM
COLOR CONCENTRATE
HS CODE: 32041700
1 PALLET GROSS WEIGHT: 222.000 KGS MEASUREMENT: 0.576 CBM
ISOLATION MATERIAL
HS: 39219010
INVOICE:
1 PALLET GROSS WEIGHT: 99.000 KGS MEASUREMENT: 0.278 CBM
SPLIT LOCK WASHERS
HS: 73182100
INVOICE: 2026-134348
4 PKG GROSS WEIGHT: 946.000 KGS MEASUREMENT: 5.125 CBM
ABRASIVES HS CODE:
680520,
340530
4 PACKAGES GROSS WEIGHT: 1788.000 KGS MEASUREMENT: 2.940 CBM
METALBAND SAW BLADES
HS CODE: 8202 2000
1 PALLET GROSS WEIGHT: 557.000 KGS MEASUREMENT: 0.549 CBM
BALL BEARING
HS: 84821090
INVOICE: 94676178
1 PALLET GROSS WEIGHT: 101.000 KGS MEASUREMENT: 0.960 CBM
FITTING RING
HS: 85119000
INVOICE:
592767
3 CARTONS GROSS WEIGHT: 76.150 KGS MEASUREMENT: 0.173 CBM

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

ARAMID TWIST
HS: 54021100
INVOICE:
39334
2 PKG GROSS WEIGHT: 315.410 KGS MEASUREMENT: 1.558 CBM
SYNTHETIC SEWING THREAD
HS
CODE: 500500, 500600,
540110
HSCODE: 500500
1 PALLET GROSS WEIGHT: 175.730 KGS MEASUREMENT: 0.311 CBM
SCREWS
HS: 73181595
INVOICE NO. R2604168
1 PACKAGE GROSS WEIGHT: 200.000 KGS MEASUREMENT: 2.797 CBM
NICKEL SCREEN
HS-CODE: 844820
EXPRESS RELEASE

MRSU4968408 40 DRY 9'6 54 PACKAGE 21383.690 KGS 48.231 CBM
Shipper Seal : B136337
IMO Class: 8
UN Number: 3265
IMO Class: 9
UN Number: 3077
IMO Class: 2.1
UN Number: 1950

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by any such entity or person identified, on the U.S. Treasury Departments Office of Foreign Asset Control (OFAC) list of Specially Designated Nationals and Blocked Persons, or any other similar list maintained by the European Union, or as promulgated by the United Nations

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

Security Council (Designated Person). If, in the Carriers reasonable opinion, this shipment and/or Goods are in violation of the Carriers policy on Russia [<https://www.maersk.com/news/articles/2022/02/24/russia-ukraine-situation-update>], Sanctions Laws or involves any Designated Person, the shipment and/or Goods will be returned to the origin at Carriers sole and unfettered discretion, and the Merchant(s) shall indemnify and hold harmless the Carrier, its servants and agents, for any breach of this clause. The Merchant(s) agree that the Carrier may stop the shipment and/or Goods in transit or withhold release of the shipment and/or Goods pending any investigation into compliance with this clause by the Merchant(s).

SHIPPER'S LOAD, STOW, WEIGHT AND COUNT

FREIGHT PREPAID
CY/CY

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

**MAERSK****NON-NEGOTIABLE WAYBILL**

SCAC MAEU

B/L No. 721347505

Shipper (As principal, where "care of", "c/o", or other variants used.)

SACO SHIPPING GMBH
AS AGENT OF SACO SHIPPING LINE LTD
BGM.-SMIDT-STR.128
D-28195 BREMEN
GERMANY / DE118597456

Booking No.

721347505

Export references

6/03/BRE/5267

Svc Contract

299542652

Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer".
As principal, where "care of", "c/o", or other variants used.)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

This contract is subject to the terms, conditions and exceptions, including the law & jurisdiction clause and limitation of liability & declared value clauses, of the current Maersk Bill of Lading (available from the Carrier, its agents and at terms.maersk.com/carriage), which are applicable with logical amendments (mutatis mutandis). To the extent necessary to enable the Consignee to sue and to be sued under this contract, the Shipper on entering into this contract does so on his own behalf and as agent for and on behalf of the Consignee and warrants that he has the authority to do so. The shipper shall be entitled to change the Consignee at any time before delivery of the goods provided he gives the Carrier reasonable notice in writing.

Delivery will be made to the Consignee or his authorised agent on production of reasonable proof of identity (and, in the case of an agent, reasonable proof of authority) without production of this waybill. The Carrier shall be under no liability whatsoever for misdelivery unless caused by the Carrier's negligence.

Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)

Vessel

CLEMENS SCHULTE

Voyage No.

611W

Place of Receipt. Applicable only when document used as Multimodal Waybill

Port of Loading

Hamburg

Port of Discharge

Veracruz *

Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.

1 Container Said to Contain 54 PACKAGE

MRSU 496840-8 40/DRY 9'6
6 PALLETS GROSS WEIGHT: 1315.400 KGS MEASUREMENT: 2.512 CBM
REWOCOROS AL 200
HS-CODE: 340239
IMO: 8, UN 3265
4 DRUM
REWOCOROS AC 101
HS-CODE: 382499
2 DRUM
UN 3265/CLASS 8/PG II
IMO GROSS WEIGHT: 834,400
KGS
IMO NET WEIGHT : 800,000
KGS
3 PACKAGES GROSS WEIGHT: 480.000 KGS MEASUREMENT: 4.848 CBM
40 PIEZAS CALEFACTOR

Weight

21383.690 KGS

Measurement

48.231 CBM

COPY

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Carrier's Receipt. Total number of containers or packages received by Carrier.

1 container

Place of Issue of Waybill

Hamburg

Shipped on Board Date (Local Time)

2026-03-22

Date Issue of Waybill

2026-03-22

Declared Value Charges (see clause 7.3 of the Maersk Bill of Lading) for Declared Value of US\$

Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"

Signed for the Carrier Maersk A/S

This transport document has one or more numbered pages

Maersk Deutschland A/S & Co.KG
As Agent(s)

ELECTRICO
MHS-SP2800AB.100 HEATSCOPE
SPOT
NOS. DE SERIES:
01N350R077709,
-77711, -77715, -77718,
-77722,
-77726, -77727, -77724,
-77723,
-77720, -77719, -77716,
-77713,
-77712, -77708, -77710,
-77714,
-77717, -77721, -77725,
-77746,
-77735, -77724, -77739,
-77732,
-77729, -77731, -77733,
-77736,
-77738, -77740, -77743,
-77744,
-77747, -77745, -77741,
-77737,
-77734, -77730, -77728
15 PIEZAS CALEFACTOR
ELECTRICO
MHS-PE3000AB.100 HEATSCOPE
PURE
NOS. DE SERIES:
02N110W077789,
-77786, -77793, -77790,
-77797,
-77796, -77799, -77792,
-77785,
-77788, -77787, -77794, -

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

77791,
-77798, -77795
HS CODE: 85162999
1 PKG GROSS WEIGHT: 188.000 KGS MEASUREMENT: 1.517 CBM
ELECTRICAL PARTS HS-CODE:
391740, 401693, 741220
3 PACKAGES GROSS WEIGHT: 1282.000 KGS MEASUREMENT: 2.765 CBM
WELDING TORCHES AND
SPAREPARTS
REF#REF#32600626+
32600814
HS-CODES: 381090, 391739,
392330, 392690, 481910,
731815, 732690, 820780,
842199, 848340, 848390,
850110, 851590, 853650,
853690, 820411, 846693,
854442
CLASS 2.1 / UN1950
IMO GROSS WEIGHT: 375,00
KGS
IMO NET WEIGHT: 350,00
KGS
4 PALLET GROSS WEIGHT: 853.200 KGS MEASUREMENT: 1.561 CBM
SITREN AIRVOID 601
HS-CODE: 340290
4 DRUM
6 PALLETS GROSS WEIGHT: 5464.800 KGS MEASUREMENT: 9.480 CBM
S.T.C. 216 PAPERBAGS
HEUCODUR YELLOW 152
(P) (HARMLESS)
HEUCOPHOS ZCP-PLUS
HEUCOPHOS ZPA
HS CODE: 28352990,
32064970

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

IMO CLASS: 9
UN NO.: 3077
PACKAGING GROUP: III
NET WEIGHT: 4400 KG
MARINE POLLUTANT
UN 3077/CLASS 9/PG III
IMO GROSS WEIGHT: 4552,800
KGS
IMO NET WEIGHT : 4400,000
KGS
12 PKG GROSS WEIGHT: 7320.000 KGS MEASUREMENT: 10.281 CBM
COLOR CONCENTRATE
HS CODE: 32041700
1 PALLET GROSS WEIGHT: 222.000 KGS MEASUREMENT: 0.576 CBM
ISOLATION MATERIAL
HS: 39219010
INVOICE:
1 PALLET GROSS WEIGHT: 99.000 KGS MEASUREMENT: 0.278 CBM
SPLIT LOCK WASHERS
HS: 73182100
INVOICE: 2026-134348
4 PKG GROSS WEIGHT: 946.000 KGS MEASUREMENT: 5.125 CBM
ABRASIVES HS CODE:
680520,
340530
4 PACKAGES GROSS WEIGHT: 1788.000 KGS MEASUREMENT: 2.940 CBM
METALBAND SAW BLADES
HS CODE: 8202 2000
1 PALLET GROSS WEIGHT: 557.000 KGS MEASUREMENT: 0.549 CBM
BALL BEARING
HS: 84821090
INVOICE: 94676178
1 PALLET GROSS WEIGHT: 101.000 KGS MEASUREMENT: 0.960 CBM
FITTING RING
HS: 85119000

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

INVOICE:

592767

3 CARTONS GROSS WEIGHT: 76.150 KGS MEASUREMENT: 0.173 CBM

ARAMID TWIST

HS: 54021100

INVOICE:

39334

2 PKG GROSS WEIGHT: 315.410 KGS MEASUREMENT: 1.558 CBM

SYNTHETIC SEWING THREAD

HS

CODE: 500500, 500600,

540110

HSCODE: 500500

1 PALLET GROSS WEIGHT: 175.730 KGS MEASUREMENT: 0.311 CBM

SCREWS

HS: 73181595

INVOICE NO. R2604168

1 PACKAGE GROSS WEIGHT: 200.000 KGS MEASUREMENT: 2.797 CBM

NICKEL SCREEN

HS-CODE: 844820

EXPRESS RELEASE

MRSU4968408 40 DRY 9'6 54 PACKAGE 21383.690 KGS 48.231 CBM

Shipper Seal : B136337

IMO Class: 8

UN Number: 3265

IMO Class: 9

UN Number: 3077

IMO Class: 2.1

UN Number: 1950

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Manifest

Page: 1

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337
Vessel: SAC9999 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER282957	EVONIK OPERATIONS GMBH 3012262816 REWOCOROS AL 200 46498613 MADE IN %COUNTYOFORIGI EVONIK OPERATIONS GMBH 3012262780 REWOCOROS AC 101 46498613 MADE IN %COUNTYOFORIGI	6	PALLETS	REWOCOROS AL 200 HS-CODE: 340239 IMO: 8, UN 3265 4 DRUM REWOCOROS AC 101 HS-CODE: 382499 2 DRUM UN 3265/Class 8/PG II Imo Gross Weight: 834,400 KGS Imo Net Weight : 800,000 KGS	1315.400	2.512

Manifest

Page: 2

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337
 Vessel: SAC9999 / CLEMENS SCHULTE
 ETS:
 Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER282999	COMERCIALIZADOR SA DE CV RFC: CAL1506127T9 CAMPOS ELISEOS 247 PISO 3 COL. POLANCO V SECCION 11550 CDMX ALCALDA MIGUEL HIDALGO, MEXIKO CONTACT: JAVIER ESTEVEZ PHONE: +52 55 5257 3131 E-MAIL: COMPRAS@ALVEZ INVOICE NO.: RE26038	3	PACKAGES	40 PIEZAS CALEFACTOR ELECTRICO MHS-SP2800AB.100 HEATSCOPE SPOT NOS. DE SERIES: 01N350R077709, -77711, -77715, -77718, -77722, -77726, -77727, -77724, -77723, -77720, -77719, -77716, -77713, -77712, -77708, -77710, -77714, -77717, -77721, -77725, -77746, -77735, -77724, -77739, -77732, -77729, -77731, -77733, -77736, -77738, -77740, -77743, -77744, -77747, -77745, -77741, -77737, -77734, -77730, -77728 15 PIEZAS CALEFACTOR ELECTRICO MHS-PE3000AB.100 HEATSCOPE PURE NOS. DE SERIES: 02N110W077789, -77786, -77793, -77790, -77797, -77796, -77799, -77792, -77785, -77788, -77787, -77794, - 77791, -77798, -77795 HS CODE: 85162999	480.000	4.848

Manifest

Page: 3

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337
 Vessel: SAC9999 / CLEMENS SCHULTE
 ETS:
 Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER283011	ALTECH PROCESS& CONTROLS DE MEXICO S DE RL DE CV MEXICO INV.: 640363	1	PALLET	ELECTRICAL PARTS HS-CODE: 391740, 401693, 741220	188.000	1.517
VER283058	BINZEL S.A. DE C.BV. MUNICIPIO DE TEPEZAL #109 VALLE DE AGUASCALIENTES 20358 SAN FCA DE LOS ROMO MEXICO REF#32600626+ 32600814	3	PACKAGES	WELDING TORCHES AND SPAREPARTS REF#REF#32600626+ 32600814 HS-CODES: 381090, 391739, 392330, 392690, 481910, 731815, 732690, 820780, 842199, 848340, 848390, 850110, 851590, 853650, 853690, 820411, 846693, 854442 CLASS 2.1 / UN1950 IMO GROSS WEIGHT: 375,00 KGS IMO NET WEIGHT: 350,00 KGS	1282.000	2.765
VER283107	EVONIK OPERATIONS GMBH 3012287456 SITREN AIRVOID 601 46499783 MADE IN %COUNTYOFORIGI	4	PALLET	SITREN AIRVOID 601 HS-CODE: 340290 4 DRUM	853.200	1.561

Manifest

Page: 4

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337
 Vessel: SAC9999 / CLEMENS SCHULTE
 ETS:
 Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER283148	PO 4506980161, 4506979596, 4506979493 * MAIL TO: FABIOLA.SANCHEZ ACH.COM ATTENTION TO FIABIOLA SANCHEZ ** CONTACT BRIAN RENDON EMAIL: OPERACIONES5@T IERS.COM.MX PHONE: +52 55 53 58 94 13	6	PALLETS	S.T.C. 216 PAPERBAGS HEUCODUR YELLOW 152 (P) (HARMLESS) HEUCOPHOS ZCP-PLUS HEUCOPHOS ZPA HS CODE: 28352990, 32064970 IMO CLASS: 9 UN NO.: 3077 PACKAGING GROUP: III NET WEIGHT: 4400 KG MARINE POLLUTANT UN 3077/CLASS 9/PG III IMO GROSS WEIGHT: 4552,800 KGS IMO NET WEIGHT : 4400,000 KGS	5464.800	9.480
VER283153	APTAE QUERETARO	12	PALLETS	COLOR CONCENTRATE HS CODE: 32041700	7320.000	10.281
VER283155	SEG AUTOMOTIVE MEXICO 4103197	1	PALLET	ISOLATION MATERIAL HS: 39219010 INVOICE:	222.000	0.576
VER283159	SEG AUTOMOTVIE MEXICO 429575	1	PALLET	SPLIT LOCK WASHERS HS: 73182100 INVOICE: 2026-134348	99.000	0.278

Manifest

Page: 5

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337
Vessel: SAC9999 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER283171	STARCKE ABRASIVOS MEXICO P0748478+0784543- 748557 03560 CUIDAD DE MEXICO MEXICO MADE IN GERMANY	4	PALLETS	ABRASIVES HS CODE: 680520, 340530	946.000	5.125
VER283184	26002615, 26002921, 26003084 26003086 BEMAP INDUSTRIAL SA DE CV MX-GUADELAJARA	4	PACKAGES	METALBAND SAW BLADES HS CODE: 8202 2000	1788.000	2.940
VER283204	SEG AUTOMOTIVE MEXICO 94676178	1	PALLET	BALL BEARING HS: 84821090 INVOICE: 94676178	557.000	0.549
VER283212	SEG AUTOMOTIVE MEXICO 6338	1	PALLET	FITTING RING HS: 85119000 INVOICE: 592767	101.000	0.960
VER283213	SEG AUTOMOTIVE MEXICO 39334 PS00003778	3	CARTONS	ARAMID TWIST HS: 54021100 INVOICE: 39334	76.150	0.173
VER283219	GÜTERMANN MEXICO REF: 82329573	2	PALLETS	SYNTHETIC SEWING THREAD HS CODE: 500500, 500600, 540110 **HSCODE: 500500**	315.410	1.558

Manifest

Page: 6

Container-No.: MRSU4968408 40' HIGH CUBE CONTAINER Seal-No.: B136337

Vessel: SAC9999 / CLEMENS SCHULTE

ETS:

Master-B/L.: 721347505

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER283220	SEG AUTOMOTVIE MEXICO 26855251 991621382	1	PALLET	SCREWS HS: 73181595 INVOICE NO. R2604168	175.730	0.311
VER283225	POLIMEROS Y DERIVADOS VOYAGE NUMBER: 610W	1	PACKAGE	NICKEL SCREEN HS-CODE: 844820	200.000	2.797

Total

Quantity
54

Grossweight
21.383.690


Measurement
48.231

MSDS / DGD

FOLGT!

TRANSPORT DOCUMENT FOR DANGEROUS GOODS (IMO-DANGEROUS GOODS DECLARATION)

This form meets the requirements of SOLAS 74, chapter VII regulation 4; MARPOL 73/78, Annex III, regulation 4 and the IMDG-CODE, Chapter 5.4

Shipper (Name & Address) Evonik Operations GmbH Max-Wolf-Straße 7 36396 STEINAU AN DER STRASSE GERMANY		Reference number(s) 7001407224 Ocean Carrier Booking No	
Consignee LESCHACO MEXICANA S.A. DE C.V PASEO DE LA NIÑA 150 TORRE 1519 PISO 12-01 94298 FRACC. LAS AMERICAS, BOCA DEL RIO, VER MEXICO		Carrier Karl Gross Intern. Spedition GmbH Postfach 105360 28053 BREMEN GERMANY	
CONTAINER PACKING CERTIFICATE / VEHICLE DECLARATION DECLARATION ☐ not applicable It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1. TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES.		Container-/Vehicle-No. Seal-No. Name/status, company/organization of signatory Evonik Operations GmbH Place and date various seaports, Feb 18, 2026 Signature on behalf of packer (Reserved for text, instructions or other matter)	
Ship's name and voyage no. Port of loading dummy for various seaports		Port of discharge Veracruz	
Goods delivered as: ☐ Breakbulk cargo ☒ Unit loads ☐ Bulk packages Type of unit (container, trailer, tank, vehicle, etc.) ☐ Open ☒ Closed		Insert "X" in appropriate box (This column may be left empty apart from the heading, in which case insert appropriate description.)	
Goods:			
Item: 40 FU: 5001253091 Delivery: 3012262816 IMDG (Sea): UN 3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (fatty alcohol polyethoxi phosphoric acid ester), 8, II, flashpoint: 150,00 °C c.c., MARINE POLLUTANT, EmS-no.: F-A, EmS-no.: S-B Stowage category A - Clear of living quarters - Seg.Grp.: Acid 4 Plastic drum (1H1) Gross: 834.4 KG Net: 800 KG			
Additional Handling Information EMERGENCY CONTACT (24-Hour-Number): +49 2365 49 2232 Evonik Operations GmbH			
DECLARATION I hereby declare that the contents of this consignment are fully and accurately described by the Proper Shipping Name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to the applicable international and national governmental regulations.		Name/status, company/organization of signatory Evonik Operations GmbH Shipping manager Place and Date various seaports, Feb 18, 2026 Signature on behalf of shipper 	

MSDS / DGD

FOLGT!

Shipper
EVONIK OPERATIONS GMBH
WERK STEINAU, MAX-WOLF-STRASSE 7
36396 STEINAU A.D. STRASSE, GERMANY
TRANSPORTMANAGEMENT-STN@EVONIK.COM
TEL: +49 6181-59-12468
VAT# DE114138241

B/L No.
VER282957



SACO SHIPPING LINE LTD

Consigned to order of
LESCHACO MEXICANA SA DE CV.
BLVD. MANUEL AVILA CAMACHO NO. 88 PISO
5
COL. LOMAS DE CHAPULTEPEC
CP.11000, CIUDAD DE MEXICO, MEXICO
RFC. LME980116R15

Notify Party and address
EVONIK INDUSTRIES DE MEXICO
COL.GUADALUPE, DEL. TLALPAN
CALZADA MEXICO XOCHIMILCO 5149
14388 CIUDAD DE MEXICO, CDM
MEXICO

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526701

Copy

		Place of receipt BREMEN CFS			
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN			
Port of discharge VERACRUZ		Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO	
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m³
EVONIK OPERATIONS GMBH 3012262816 REWOCOROS AL 200 46498613 MADE IN %COUNTRYOFORIGIN EVONIK OPERATIONS GMBH 3012262780 REWOCOROS AC 101 46498613 MADE IN %COUNTRYOFORIGIN	6 PALLETS	REWOCOROS AL 200 HS-CODE: 340239 IMO: 8, UN 3265 4 DRUM REWOCOROS AC 101 HS-CODE: 382499 2 DRUM UN 3265/Class 8/PG II Imo Gross Weight: 834,400 KGS Imo Net Weight : 800,000 KGS		1315,400	2,512

STOWED INTO CONTAINER NO.: MRSU4968408

SEAL : B136337

TOTAL 6 PALLETS 1315,400 KGS 2,512 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
EMONS AIR & SEA GMBH
AM BRILL 18
28195 BREMEN
GERMANY C/O QRSL

B/L No.
VER282999



SACO SHIPPING LINE LTD

Consigned to order of
IMPORTCARGO MEXICO S.A DE C.V.
FEDERICO BAROCCI 129
COL. JARDINES DE ORIENTE
C.P.37257 LEON, GTO. MEXICO
TAX ID. IME 070228T40

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526702

Copy

		Place of receipt		
		GERETSRIED CFS		
Ocean vessel			Port of loading	
CLEMENS SCHULTE			HAMBURG	
Port of discharge	Place of delivery	Freight payable	Number of original Bills of Lading	
VERACRUZ	HIDALGO DAP	BREMEN	0/ZERO	
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg. Measurement, m ³
CARGO DETAILS AS PER ATTACHED STATEMENT				

FREIGHT PREPAID UPTO DAP – SHIPPED ON BOARD – EXPRESS B/L

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
COMERCIALIZADORAALVE Z SA DE CV RFC: CAL1506127T9 CAMPOS ELISEOS 247 PISO 3 COL. POLANCO V SECCION 11550 CDMX ALCALDA MIGUEL HIDALGO, MEXIKO CONTACT: JAVIER ESTEVEZ PHONE: +52 55 5257 3131 E-MAIL: COMPRAS@ALVEZ.MX INVOICE NO.: RE26038	3 PACKAGES	40 PIEZAS CALEFACTOR ELECTRICO MHS-SP2800AB.100 HEATSCOPE SPOT NOS. DE SERIES: 01N350R077709, -77711, -77715, -77718, -77722, -77726, -77727, -77724, -77723, -77720, -77719, -77716, -77713, -77712, -77708, -77710, -77714, -77717, -77721, -77725, -77746, -77735, -77724, -77739, -77732, -77729, -77731, -77733, -77736, -77738, -77740, -77743, -77744, -77747, -77745, -77741, -77737, -77734, -77730, -77728 15 PIEZAS CALEFACTOR ELECTRICO MHS-PE3000AB.100 HEATSCOPE PURE NOS. DE SERIES: 02N110W077789, -77786, -77793, -77790, -77797, -77796, -77799, -77792, -77785, -77788, -77787, -77794, - 77791, -77798, -77795 HS CODE: 85162999		480,000	4,848
STOWED INTO CONTAINER NO.: MRSU4968408			SEAL : B136337		
TOTAL	3 PACKAGES			480,000 KGS	4,848 CBM

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER283011



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526703

Copy

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM

Notify Party and address
SAME AS CONSIGNEE

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG, GERMANY	
Port of discharge VERACRUZ, MEXICO	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. ALTECH PROCESS& CONTROLS DE MEXICO S DE RL DE CV MEXICO INV.: 640363 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 1 PALLET	Description of Goods ELECTRICAL PARTS HS-CODE: 391740, 401693, 741220	Said to contain Gross weight, kg. 188,000 Measurement, m ³ 1,517

SEAL : B136337

TOTAL **1 PALLET** **188,000 KGS** **1,517 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



BEFÖRDERUNGSDOKUMENT FÜR GEFAHRLICHE GÜTER

nach § 6 GGvSee (IMO-Erklärung)
TRANSPORT DOCUMENT FOR DANGEROUS GOODS
(IMO-DANGEROUS GOODS DECLARATION)

Dieses Formular entspricht SOLAS 74, Kapitel VII Regel 4; MARPOL 73/78, Anlage III, Regel 4 und dem IMDG-Code, Kapitel 5.4
This form meets the requirements of SOLAS 74, chapter VII regulation 4; MARPOL 73/78, Annex III, regulation 4 and the IMDG-Code, Chapter 5.4

Versender (Name & Anschrift) Shipper (Name & Address) Alexander Binzel Schweisstechnik GmbH & Co. KG Kiesacker 35418 Buseck, FED. REPUBLIC OF GERMANY		Buchungsummer(n) Reference number(s) 11A14167025 - page 1/1	
Empfänger Consignee BINZEL, S.A. DE C.V. M. de Tepezalá 109 - P.I.V.A. Valle de Aguascalientes San Fco. de los Romo, Ags 20358 MEXICO R.F.C.: BSC 980824 R84.MEXICO		Beförderer Carrier GROUP 7 AG International Logistics Otto-Lilienthal-Str. 29 28199 Bremen	
CONTAINER FAHRZEUG-PACKZERTIFIKAT CONTAINER VEHICLE PACKING CERTIFICATE ERKLÄRUNG Es wird erklärt, dass das Packen der gefährlichen Güter in die oder auf die Beförderungseinheit gem. den Bestimmungen nach 5.4.2.1 durchgeführt wurde. DECLARATION It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1 AUSFÜLLEN FÜR SENDUNGEN IN CONTAINERN ODER FAHRZEUGEN TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES Schiffsname und Nummer der Reise Ship's name and voyage No. Ladeplan Port of loading Ladeplan Port of discharge			
Ladung Cargo MEXICO R.F.C.: BSC 98082			
UN-Mt. UN-No. Initial (richtiger technischer Name) Proper Shipping Name (Correct technical name)	Klassifizierung IMO Class/ Subsidiary Class group	Verschöpfung Filling IMO Class/ Subsidiary Class group	Handlung der Versandstelle Falls zutreffend, Identifikationsnummer oder amt. Kennzeichen Merkmal & No., if applicable, identification or registration number(s) of the Unit
UN1950 AEROSOLS LIMITED QUANTITY	2.1	-	84 boxes 4G =1008 metal cans
Bruttomenge (Volumen/Masse) Gross quantity (Volume/mass) Netto Explosivstoffmenge Net explosive mass *** 375.0 kg gross/350.0 kg net		Merkmale: für Umweltmaßnahmen Environmental Measures Control- and Notfallmaßnahmen Control- and emergency measures ** F-D S-U	
Eigenschaften/Properties Hauptgefahr/Principal Hazard Kontroll- und Notfallmaßnahmen Control- and emergency measures ** F-D S-U		Güter angeliefert als/ Goods delivered as: ☐ Stückgut/ Breakbulk cargo ☐ Ladungseinheiten (Unit Loads) ☐ Unverpacktes Bulkverpackungen/ Bulk packages ☐ Art der Einheit (Container, Anhänger, Tank, Fahrzeug usw.) Type of unit (Container, Trailer, tank, vehicle etc.) ☐ geschlossen/closed ☐ Zutreffendes ankreuzen/Insert "X" in appropriate box (Dieses Feld ist nur zu füllen, falls in der anstehenden Beschreibung angegeben.) (This column may be left empty, apart from the marking, in which case most appropriate description)	
ZUSÄTZLICHE ANGABEN Unter bestimmten Bedingungen sind besondere Angaben/Bezeichnungen erforderlich: siehe IMDG-Code, Kapitel 5.4 (Siehe Rückseite) ADDITIONAL INFORMATION In certain circumstances special information/certificates are required: see IMDG-Code, chapter 5.4 (see backside)			
ERKLÄRUNG DES VERSENDERS: Hiermit erkläre ich, dass der Inhalt dieser Sendung mit dem (den) richtigen technischen Namen vollständig und genau bezeichnet ist. Die Güter sind nach den geltenden internationalen und nationalen Vorschriften klassifiziert, verpackt, gekennzeichnet und beaufschlagt und befinden sich in jeder Hinsicht in einem für die Beförderung geeigneten Zustand SHIPPER'S DECLARATION: I hereby declare that the contents of this consignment are fully and accurately described by the proper shipping name, and are classified, packaged and labelled/labelled, and are in all respects in proper condition for transport according to the applicable international and national governmental regulations.			
Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory I.A. Magdalena Hauburger Ort und Datum Buseck, 23.02.2026 Unterschrift/In den Vertretung Signature on behalf of shipper			

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **Super pistol spray, silicone-free**
- UFI: NF00-Q070-D00N-40KE
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture: Coating
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Alexander BINZEL
Schweißtechnik GmbH & Co.KG
Postfach 10 01 53 / D-35331 Giessen
Tel.: +49 (0) 6408 / 59-0
Fax: +49 (0) 6408 / 59-191
Mail: technischdokumentation@binzel-abicor.com
- Further information obtainable from: Technical Documentation
- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen
Langenbeckstraße 1; Gebäude 601; 55131 Mainz
Tel. Nr.: +49 (0)6131 / 19 24 0
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms
- Signal word: Danger
- Hazard statements: H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- Precautionary statements: P210 Keep away from sparks. - No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.



GHS02

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture: consisting of the following components.

- Dangerous components:			
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32	butane	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	50-100%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	12.5-25%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-01-8 Reg.nr.: 01-2119485395-27	isobutane	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2.5-10%

- Additional information: For the wording of the listed hazard phrases refer to section 16.

EN-GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: **Super pistol spray, silicone-free**

(Contd. of page 1)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
Do not leave affected persons unattended.
Personal protection for the First Aider.
Take affected persons out of danger area and lay down.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment in case of complaints.
- **After eye contact:** Seek medical treatment.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Protect unharmed eye.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Nitrogen oxides (NOx)
Carbon monoxide (CO)
CO2
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information:** Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
Avoid contact with skin and eyes
Ensure adequate ventilation
Keep away from ignition sources.
- **6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
Prevent from spreading (e.g. by damming-in or oil barriers).
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: **Super pistol spray, silicone-free**

(Contd. of page 2)

- Further information about storage conditions:

Store in dry conditions.
Keep container tightly sealed.
Protect from heat and direct sunlight.
Recommended storage temperature: 5-30 °C
No further relevant information available.

- 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm
Long-term value: 1450 mg/m³, 600 ppm
Carc (if more than 0.1% of buta-1,3-diene)

- Regulatory information

WEL: EH40/2020

- Additional information:

The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Appropriate engineering controls

No further data; see item 7.

- Individual protection measures, such as personal protective equipment

- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- Respiratory protection:

When used properly and under normal conditions, breathing protection is not required.
Use suitable respiratory protective device in case of insufficient ventilation.
Filter A/P2

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

- Hand protection



Protective gloves

Check protective gloves prior to each use for their proper condition.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): < 10

- Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- Eye/face protection



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166
protective clothing (EN 13034)

- Body protection:

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Physical state

Aerosol

- Colour:

Opaque

- Odour:

Odourless

- Odour threshold:

Not determined.

- Melting point/freezing point:

Undetermined.

- Boiling point or initial boiling point and boiling range

Not applicable, as aerosol.*

- Flammability

Not applicable.

- Lower and upper explosion limit

- Lower:

1.5 Vol %

- Upper:

10.9 Vol %

- Flash point:

Not applicable, as aerosol.*

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: **Super pistol spray, silicone-free**

(Contd. of page 3)

- Auto-ignition temperature:	Product is not selfigniting.
- Decomposition temperature:	Not determined.
- pH	Not determined.
- Viscosity:	
- Kinematic viscosity	Not determined.
- Dynamic:	Not determined.
- Solubility	
- water:	Not miscible or difficult to mix.
- Partition coefficient n-octanol/water (log value)	Not determined.
- Density and/or relative density	
- Density at 20 °C:	0.59 g/cm³
- Relative density	Not determined.
- Vapour density	Not determined.

- 9.2 Other information	
- Appearance:	
- Form:	Aerosol
- Important information on protection of health and environment, and on safety.	
- Ignition temperature:	Not determined.
- Explosive properties:	Not determined.
- Change in condition	
- Evaporation rate	Not applicable.

- Information with regard to physical hazard classes	
- Explosives	Void
- Flammable gases	Void
- Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void
- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

EN-GB

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: Super pistol spray, silicone-free

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

106-97-8 butane

EC50 7.71 mg/l (ALGAE) (96h)

LC 50 27.98 mg/l (fish) (96h)

74-98-6 propane

EC50 7.71 mg/l (ALGAE) (96h)

LC50 27.98 mg/l (fish) (96h)

75-28-5 isobutane

LC50 27.98 mg/l (fish) (96h)

EC50 7.71 mg/l (ALGAE) (96h)

- 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects

- Additional ecological information:

- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal according to official regulations

- European waste catalogue

12 01 19* readily biodegradable machining oil

16 05 04* gases in pressure containers (including halons) containing hazardous substances

15 01 04 metallic packaging

(Contd. on page 6)

EN-GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: **Super pistol spray, silicone-free**

(Contd. of page 5)

- Uncleaned packaging:

- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN number or ID number

- ADR, IMDG, IATA

UN1950

- 14.2 UN proper shipping name

- ADR

- IMDG

- IATA

1950 AEROSOLS

AEROSOLS

AEROSOLS, flammable

- 14.3 Transport hazard class(es)

- ADR



- Class

2.1 5F Gases.

- Label

2.1

- IMDG, IATA



- Class

2.1

- Label

2.1

- 14.4 Packing group

- ADR, IMDG, IATA

Void

- 14.5 Environmental hazards:

- Marine pollutant:

No

- 14.6 Special precautions for user

- Hazard identification number (Kemler code):

- EMS Number:

- Stowage Code

Warning: Gases.

-

F-D,S-U

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class 2.

- 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

- Transport/Additional information:

- ADR

- Limited quantities (LQ)

- Excepted quantities (EQ)

1L

Code: E0

Not permitted as Excepted Quantity

- Transport category

2

- Tunnel restriction code

D

- IMDG

- Limited quantities (LQ)

- Excepted quantities (EQ)

1L

Code: E0

Not permitted as Excepted Quantity

- UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

EN-GB

D0006212 / Index j

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.05.2021

Version number 7

Revision: 20.05.2021

Trade name: **Super pistol spray, silicone-free**

(Contd. of page 6)

- **Seveso category** P3a FLAMMABLE AEROSOLS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **National regulations:**

- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
Employment restrictions concerning women of child-bearing age must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- **Relevant phrases** H220 Extremely flammable gas.
H280 Contains gas under pressure; may explode if heated.
- **Department issuing SDS:** Technical Documentation
- **Contact:** Technical Documentation
- **Date of previous version:** 20.05.2021
- **Version number of previous version:** 6
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Gas 1A: Flammable gases – Category 1A
 - Aerosol 1: Aerosols – Category 1
 - Press. Gas (Comp.): Gases under pressure – Compressed gas
- **Sources**
 - www.echa.europa.eu
 - www.baua.de
 - IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:
 - www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp
 - www.dguv.de/ifa/gestis/gestis-dnel-liste
- *** Data compared to the previous version altered.**

EN-GB

Shipper
ALEXANDER BINZEL
SCHWEISSTECHNIK GMBH & CO. KG
KIESACKER 3 - 9
DE - 35418 BUSECK

B/L No.
VER283058



SACO SHIPPING LINE LTD

Consigned to order of
BINZEL, S.A. DE C.V.
MUNICIPIO DE TEPEZAL #109
VALLE DE AGUASCALIENTES (P.I.V.A.
20358 SAN FCO. DE LOS ROMO, AGS MEXI
TAX ID: BSC 980824 R84

Notify Party and address
SAME AS CONSIGNEE
LOZANO@BINZEL.COM.MX
MR HECTOR LOZANO
TEL. + 52(440)9730116

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526704

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE	Port of loading BREMERHAVEN		
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
BINZEL S.A. DE C.BV. MUNICIPIO DE TEPEZAL #109 VALLE DE AGUASCALIENTES 20358 SAN FCA DE LOS ROMO MEXICO REF#32600626+ 32600814	3 PACKAGES	WELDING TORCHES AND SPAREPARTS REF#REF#32600626+ 32600814 HS-CODES: 381090, 391739, 392330, 392690, 481910, 731815, 732690, 820780, 842199, 848340, 848390, 850110, 851590, 853650, 853690, 820411, 846693, 854442 CLASS 2.1 / UN1950 IMO GROSS WEIGHT: 375,00 KGS IMO NET WEIGHT: 350,00 KGS		1282,000	2,765

STOWED INTO CONTAINER NO.: MRSU4968408

SEAL : B136337

TOTAL **3 PACKAGES** **1282,000 KGS** **2,765 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
EVONIK OPERATIONS GMBH
WERK STEINAU, MAX-WOLF-STRASSE 7
36396 STEINAU A.D. STRASSE, GERMANY
TRANSPORTMANAGEMENT-STN@EVONIK.COM
TEL: +49 6181-59-12468
VAT# DE114138241

B/L No.
VER283107



SACO SHIPPING LINE LTD

Consigned to order of
LESCHACO MEXICANA SA DE CV.
BLVD. MANUEL AVILA CAMACHO NO. 88 PISO
5
COL. LOMAS DE CHAPULTEPEC
CP.11000, CIUDAD DE MEXICO, MEXICO
RFC. LME980116R15

Notify Party and address
SAME AS CONSIGNEE

CONTACT: ANTONIO MORALES
E-MAIL: ANTONIO.MORALES@LESCHACO.COM

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526705

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. EVONIK OPERATIONS GMBH 3012287456 SITREN AIRVOID 601 46499783 MADE IN %COUNTRYOFORIGIN STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 4 PALLET	Description of Goods SITREN AIRVOID 601 HS-CODE: 340290 4 DRUM	Said to contain Gross weight, kg. 853,200 Measurement, m ³ 1,561

SEAL : B136337

TOTAL 4 PALLET 853,200 KGS 1,561 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

nach § 6 GGVSee (IMO-ERKLÄRUNG)

TRANSPORT DOCUMENT FOR DANGEROUS GOODS

(IMO-DANGEROUS GOODS DECLARATION)

Dieses Formular entspricht SOLAS 74, Kapitel VII Regel 4.2; MARPOL 73/78, Anlage III, Regel 5 Absatz 2 und dem IMDG-Code, Kapitel 5.4
 This form meets the requirements of SOLAS 74, chapter VII regulation 4.2; MARPOL 73/78, Annex III, regulation 5.2 and the IMDG-Code, Chapter 5.4

Versender (Name & Anschrift) Shipper (Name & Address) Sudarshan Langelsheim PLT GmbH Heubachstraße 7 38685 Langelsheim GERMANY		Buchungsnummer(n) Reference number(s)			
Empfänger Consignee Sudarshan Mexico MFG S.A. de C.V. Plásticos No. 28, Col. Santa Clara Coatitla, 55540 Ecatepec de Morelos, Edo de México MEXICO		Beförderer Carrier			
CONTAINER / FAHRZEUG-PACKZERTIFIKAT CONTAINER / VEHICLE PACKING CERTIFICATE ERKLÄRUNG Es wird erklärt, dass das Packen der gefährlichen Güter in die oder auf die Beförderungseinheit gem. den Bestimmungen nach 5.4.2.1 durchgeführt wurde. DECLARATION It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1. AUSFÜLLEN FÜR SENDUNGEN IN CONTAINERN ODER FAHRZEUGEN TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES		Container-/Fahrzeug-Nr.: Container-/Vehicle-Nr.: Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory Ort und Datum Place and date Unterschrift für den Packer Signature on behalf of packer			
Schiffsname und Nummer der Reise Ship's name and voyage No. MAERSK FELIXTOWE		Ladehafen Port of loading Bremerhaven			
Löschhafen Port of discharge Veracruz		(Frei für Text, Anweisungen und sonstige Angaben) (Reserved for text, instructions or other matter) Emergency-Contact-Phone / CHEMTREC - Day or Night / Reg. no. CCN200555 Outside Continental USA: 703-527-3887 / Within USA: 1-800-424-9300			
UN-Nr. UN-No.	Inhalt (richtiger technischer Name) * Proper Shipping Name (Correct technical name) *	Klasse/Unterklasse nach IMO IMO Class/ Subsidiary Class	Verpackungsgruppe Packing group	Markierung der Versandstücke Falls zutreffend, Identifikations-Nummer oder amt. Kennzeichen Marks & Nos, if applicable, identification or registration number(s) of the Unit	Anzahl und Verp.-Art No. and kind of packages
UN3077	Environmentally hazardous substance, solid, n.o.s. (TRIZINCBIS(ORTHO-PHOSPHATE)) IMDG CODE SEGERATION GROUP: NONE	9	III	HEUCOPHOS ZCP-PLUS HEUCOPHOS ZPA ref #210868+210869	176 paper bags (5M2) of 25 kg net each
Bruttomenge (Volumen/Masse) Gross quantity (volume/mass) Nettomenge/Volumen/Masse · Net quantity/volume/mass Netto Explosivstoffmasse *** Net explosive mass ***		Merkblatt-Nr. für Unfall-Maßnahmen EmS-No.	Eigenschaften / Properties Flammpunkt / Flashpoint ** MARINE POLLUTANT ** Kontroll- und Notfalltemperatur ** Control- and emergency temperature **		Güter angeliefert als / Goods delivered as: ☒ Stückgut / Breakbulk cargo ☐ Ladungseinheiten (Unit Loads) Unitized cargo ☐ Bulkverpackungen / Bulk packages Art der Einheit (Container, Anhänger, Tank, Fahrzeug usw.) Type of unit (container, trailer, tank, vehicle etc.) ☐ offen / open ☒ geschlossen / closed Zutreffendes ankreuzen Insert "X" in appropriate box (Diese Spalte kann bis auf die Überschrift freigelassen werden; in diesem Fall ist die zutreffende Beschreibung einzusetzen.) (This column may be left empty apart from the heading, in which case insert appropriate description.)
4.552,8 kg gross 4.400,0 kg net		F-A, S-F	MARINE POLLUTANT		
* Marken- oder Handelsnamen allein sind nicht ausreichend. Falls zutreffend: (1) das Wort „ABFALL“ vor den Namen setzen; (2) „LEER UNGEREINIGT“ oder „RÜCKSTÄNDE - ZULETZT ENTHALTEN“ hinzufügen; (3) „BEGRENZTE MENGE“ hinzufügen. ** Falls nach Kapitel 5.4 IMDG-Code erforderlich; *** Nur bei Stoffen der Klasse 1; *** Proprietary/trade names alone are not sufficient. If applicable: (1) the word "WASTE" should precede the name; (2) "EMPTY UNCLEANED" or "RESIDUE - LAST CONTAINED" should be added; (3) "LIMITED QUANTITY" should be added. ** When required in chapter 5.4 of the IMDG-Code; *** Class 1 only;					
ZUSÄTZLICHE ANGABEN Unter bestimmten Bedingungen sind besondere Angaben/Bescheinigungen erforderlich; siehe IMDG-Code, Kapitel 5.4 (siehe Rückseite). ADDITIONAL INFORMATION In certain circumstances special information/certificates are required, see IMDG-Code, chapter 5.4 (see backside).					
ERKLÄRUNG DES VERSENDERS: Hiermit erkläre ich, dass der Inhalt dieser Sendung mit dem (den) richtigen technischen Namen vollständig und genau bezeichnet ist. Die Güter sind nach den geltenden internationalen und nationalen Vorschriften klassifiziert, verpackt, gekennzeichnet und bezettelt/plakatiert und befinden sich in jeder Hinsicht in einem für die Beförderung geeigneten Zustand. SHIPPER'S DECLARATION: I hereby declare that the contents of this consignment are fully and accurately described by the proper shipping name, and are classified, packaged and labelled/placarded and are in all respects in proper condition for transport according to the applicable international and national government regulations.			Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory i. A. Appelt / Deputy Manager Logistics Ort und Datum Place and date Langelsheim, 2026-02-27 Unterschrift für den Versender Signature on behalf of shipper Sudarshan Langelsheim PLT GmbH Heubachstraße 7 38685 Langelsheim Deutschland / Germany		

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name **HEUCOPHOS ZCP-PLUS**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Anticorrosion additive

1.3 Details of the supplier of the safety data sheet

Company designation Heubach GmbH
Heubachstrasse 7
D-38685 Langelsheim
Telephone: +49(0)5326-52-0
FAX: +49(0)5326-52-213
Email: -
Internet: www.heubachcolor.com

Responsible Department Email: DE.Product-Safety@heubachcolor.com

1.4 Emergency telephone number

Emergency telephone number CHEMTREC international: +1 703-741-5970

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Aquatic Chronic 1; H410

2.2 Label elements

Hazard pictogram



GHS09

Signal word

Warning

H-statement(s)

H410: Very toxic to aquatic life with long lasting effects.

P-statement(s)

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container to hazardous or special waste collection point, in accordance with local / regional / national or international regulations..

2.3 Other hazards

Results of PBT and vPvB assessment not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



SECTION 3: Composition/information on ingredients *

3.2 Mixtures

Information on ingredients

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
trizinc bis(orthophosphate)	CAS No.: 7779-90-0 EC-No.: 231-944-3 Index-No.: 030-011-00-6 REACH No.: 01-2119485044-40-0000	Aquatic Acute 1; H400 (M=1) Aquatic Chronic 1; H410 (M=1)	25.0 - 50.0 % by weight
zinc oxide	CAS No.: 1314-13-2 EC-No.: 215-222-5 Index-No.: 030-013-00-7 REACH No.: 01-2119463881-32	Aquatic Acute 1; H400 (M=1) Aquatic Chronic 1; H410 (M=1)	< 10.0 % by weight

Other data

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
If inhaled	In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical advice/attention if you feel unwell.
In case of skin contact	After contact with skin, wash immediately with plenty of water and soap.
In case of eye contact	In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. If eye irritation persists: Get medical advice/attention.
If swallowed	When in doubt or if symptoms are observed, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No significant reactions of the human body to the product known.
----------	--

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguishing powder Water spray jet In case of major fire and large quantities: alcohol resistant foam
Extinguishing media which must not be used for safety reasons	Full water jet Carbon dioxide

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself,	Co-ordinate fire-fighting measures to the fire surroundings. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Hazardous decomposition byproducts may form with exposure to high temperatures.: Gases/vapours, toxic.
--	--

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



its combustion products, or released gases

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Dispose of waste according to applicable legislation.

5.3 Advice for firefighters

Special protective equipment for fire-fighting

Use personal protection equipment.
In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions

Avoid generation of dust. Wear personal protection equipment (refer to section 8). Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 Environmental precautions

Environmental precautions

Do not allow to enter into surface water or drains.
If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Avoid generation of dust.
Wet clean or vacuum up solids.
Collect in closed and suitable containers for disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4 Reference to other sections

Reference to other sections

Observe protective provisions (see chapter 7 and 8).
Disposal: see section 13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling

Avoid generation of dust.
Wear suitable protective clothing.
If the formation of dust is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used.
Wear eye glasses with side protection according to EN 166.
When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements

Store in a dry place.
Keep/Store only in original container.

TRGS 510

Storage class 13

7.3 Specific end use(s)

Specific use(s)

For the relevant identified uses listed in section 1 the advice in this section 7 is to be observed.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



SECTION 8: Exposure controls/personal protection *

8.1 Control parameters

trizinc bis(orthophosphate)

DNEL	Target group	Exposure route	Source
5 mg/m ³	DNEL worker	DNEL long-term inhalative (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL worker	DNEL long-term dermal (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL Consumer	DNEL long-term dermal (systemic)	REACH Dossier
2,5 mg/m ³	DNEL Consumer	DNEL long-term inhalative (systemic)	REACH Dossier
0,83 mg/kg bw/day	DNEL Consumer	DNEL long-term oral (repeated)	REACH Dossier

PNEC	Exposure route	Source
20,6 µgZn/L	PNEC aquatic, freshwater	REACH Dossier
6,1 µgZn/L	PNEC aquatic, marine water	REACH Dossier
117,8 mgZn/kg sediment dw	PNEC sediment, freshwater	REACH Dossier
56,5 mgZn/kg sediment dw	PNEC sediment, marine water	REACH Dossier
35,6 mgZn/kg soil dw	PNEC soil	REACH Dossier
100 µgZn/L	PNEC sewage treatment plant (STP)	REACH Dossier

zinc oxide

DNEL	Target group	Exposure route	Source
5 mg/m ³	DNEL worker	DNEL long-term inhalative (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL worker	DNEL long-term dermal (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL Consumer	DNEL long-term dermal (systemic)	REACH Dossier
2,5 mg/m ³	DNEL Consumer	DNEL long-term inhalative (systemic)	REACH Dossier
0,83 mg/kg bw/day	DNEL Consumer	DNEL long-term oral (repeated)	REACH Dossier
0,5 mg/m ³	DNEL worker	DNEL long-term inhalative (local)	Company data

PNEC	Exposure route	Source
20,6 µgZn/L	PNEC aquatic, freshwater	REACH Dossier
6,1 µgZn/L	PNEC aquatic, marine water	REACH Dossier
117,8 mgZn/kg sediment dw	PNEC sediment, freshwater	REACH Dossier

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



56,5 mgZn/kg sediment dw	PNEC sediment, marine water	REACH Dossier
35,6 mgZn/kg soil dw	PNEC soil	REACH Dossier
100 µgZn/L	PNEC sewage treatment plant (STP)	REACH Dossier

8.2 Exposure controls

Respiratory protection	With normal handling, no respiratory personal protection (breathing apparatus) is necessary. If risk for exceedance of OEL/DNEL, use e.g.: dust filter-half mask P1 (DIN EN 149)(efficiency 75%) dust filter-half mask P2 (DIN EN 149)(efficiency 90%) dust filter-half mask P3 (DIN EN 149)(efficiency 95%) dust filter-full mask P1 (DIN EN 149)(efficiency 75%) dust filter-full mask P2 (DIN EN 149)(efficiency 90 %) dust filter-full mask P3 (DIN EN 149)(efficiency 97.5%)
Hand protection	Chemical proof protective gloves (EN 374) e.g. nitrile rubber (0.4mm), chloroprene rubber (0.5mm), polyvinylchloride (0.7mm), among others. Due to a large variety of types the manufacturer's instructions should be followed.
Eye protection	Wear eye glasses with side protection according to EN 166.
Skin and body protection	Wear suitable protective clothing.
General protective and hygiene measures	Common employment protection rules and the usual precautions for handling chemicals are to be observed.
Information on environmental protection regulations	Environmental exposure controls. Avoid release to the environment. Do not allow to enter into surface water or drains. Collect spillage. Observe in addition any national regulations!
Consumer exposure controls	See section 7. No additional measures necessary.
Engineering measures	If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
Other information (chapter 8.)	Dust control: dust and Zn in dust needs to be measured in the workplace air (static or individual) according to national regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Powder
Colour	white
Odour	odourless
Odour threshold	not determined
pH	6,5 - 8,0
Melting point [°C] / Freezing point [°C]	not determined
Boiling point [°C]	not applicable
Boiling range [°C]	not applicable
Flash point [°C]	not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



Evaporation rate [kg/(s*m²)]	not applicable
Flammability (solid, gas)	not determined
Explosion limits [Vol-%]	
Lower limit	not applicable
Upper limit	not applicable
Vapour pressure [kPa]	not applicable
Density [g/cm³]	3,2
Relative density	not determined
Water solubility [g/l]	< 5
Measuring method	ISO 787-3
Partition coefficient n-octanol /water (log P O/W)	not applicable
Autoignition temperature [°C]	not determined
Autoinflammability	not determined
Decomposition temperature [°C]	not determined
Viscosity, dynamic [kg/(m*s)]	not applicable
Viscosity, kinematic [mm²/s]	not applicable
Risk of explosion.	not explosive.
Oxidising properties	The product does not contain substances classified as oxidising.

9.2 Other information

Other data	No information available.
Other information	average particle size (µm): 2,0 - 3,5
Measuring method	Coulter Multisizer 3

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactivity	No hazardous reaction when handled and stored according to provisions.
------------	--

10.2 Chemical stability

Chemical stability	Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.
--------------------	---

10.3 Possibility of hazardous reactions

Hazardous reactions	No hazardous reactions when stored and handled according to instructions.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid	Avoid generation of dust.
---------------------	---------------------------

10.5 Incompatible materials

Materials to avoid	No incompatible materials known. Not expected based on the composition.
--------------------	---

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



10.6 Hazardous decomposition products

Hazardous decomposition products No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information *

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

Information on ingredients

trizinc bis(orthophosphate)			
Value	Test criterion	Test species	Source
> 5000 mg/kg	LD50:	Rat	Company data

zinc oxide			
Value	Test criterion	Test species	Source
> 15000 mg/kg	LD50:	Rat	Company data
7950 mg/kg	LD50:	Mouse	Company data

Dermal toxicity [mg/kg]

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Inhalative toxicity [mg/l]

Information on ingredients

trizinc bis(orthophosphate)				
Value	Test criterion	Test species	Exposure duration	Source
> 5,7 mg/L	LC50:	Rat	4h	Company data

zinc oxide				
Value	Test criterion	Test species	Exposure duration	Source
> 5,7 mg/L	LC50:	Rat	4h	Company data

Irritant effect on skin

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Irritant effect on eyes

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Irritant effect on the respiratory tract

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Sensitization

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Carcinogenic effects

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Mutagenicity

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Reproduction toxicity

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



Caustic effect	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Specific target organ toxicity (single exposure) [mg/kg]	
Remarks	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Specific target organ toxicity (repeated exposure) [mg/kg]	
Remarks	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Aspiration hazard	not applicable

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish [mg/l]	> 1000
Test criterion	LC50:
Test species	Oncorhynchus mykiss (Rainbow trout)
Exposure duration	96h
Remarks	The statement is derived from products of similar structure or composition.
Toxicity to daphnia [mg/l]	> 1000
Test criterion	EC50
Test species	Daphnia magna
Exposure duration	48h
Remarks	The statement is derived from products of similar structure or composition.
Toxicity to algae [mg/l]	> 100
Test criterion	ErC50:
Test species	Desmodesmus subspicatus.
Exposure duration	72h
Remarks	The statement is derived from products of similar structure or composition.
Aquatic toxicity [mg/l]	Chronic (long-term) toxicity: Very toxic to aquatic life with long lasting effects.
Remarks	Calculation method.

12.2 Persistence and degradability

Biodegradability	No information available.
------------------	---------------------------

12.3 Bioaccumulative potential

Bioaccumulation	No information available.
-----------------	---------------------------

12.4 Mobility in soil

Mobility	
Mobility	No information available.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment not applicable

12.6 Other adverse effects

Further information on ecology Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Dispose of waste according to applicable legislation. Check for possible recycling. Disposal via wastewater is not recommended.

Uncleaned empty packaging Contaminated packages must be completely emptied and can be re-used following proper cleaning.
Handle contaminated packages in the same way as the substance itself.
Packing which cannot be properly cleaned must be disposed of.

SECTION 14: Transport information *

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	3077	3077	3077
14.2 Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	UMWELTGEFÄHRDENDER STOFF, FEST, N.A.G.	Umweltgefährdender Stoff, fest, n.a.g.
UN proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.
14.3 Transport hazard class(es)	9	9	9
14.4 Packaging group	III	III	III
Danger releasing substance	trizinc bis(orthophosphate)	trizinc bis (orthophosphate)	trizinc bis (orthophosphate)
Labels	9 	9 	9 - Miscellaneous Dangerous Goods 
Risk No.	90		
Category	3		
Classification Code	M7		
Name affix	mixture	mixture	mixture
14.5 Environmental hazards	U - Environmentally hazardous	U - marine pollutant	U - Environmentally hazardous
EmS		F-A;S-F	
Stowage category		A	

14.6 Special precautions for user

Precautions Avoid release to the environment.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Additional regulations	No information available.
References to substance in ordinances, regulations and information sheets	REACH ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES Number 3

15.2 Chemical safety assessment

Safety assessment	For the following substances of this mixture a chemical safety assessment has been carried out: trizinc bis(orthophosphate) zinc oxide
-------------------	--

SECTION 16: Other information

Modifications since last version	Modifications of the previous version are denoted with an asterisk (*).
Abbreviations and acronyms	ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) PP: Severe Marine Pollutant P: Marine Pollutant GHS: Globally Harmonized System of Classification and Labelling of Chemicals VCI: Verband der chemischen Industrie, Deutschland (German chemical industry association) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organization for Standardization DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Relevant H-phrases	H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZCP-PLUS

Article-No.: 1001705

Revision Date: 28.01.2021

Replaces version from: 26.11.2020

Version: 2.7/en

Print date: 24.08.2021



Wording of the hazard classes

Aquatic Acute: Hazardous to the aquatic environment
Aquatic Chronic: Hazardous to the aquatic environment

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Evaluation	Classification
Calculation method.	Aquatic Chronic 1; H410

Training advice

Workers should be instructed according to the contents of this MSDS. Workers should be trained on the common employment protection rules and the usual precautions when handling chemicals.

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**Commercial Product Name **HEUCOPHOS ZPA****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses Anticorrosion additive

1.3 Details of the supplier of the safety data sheet

Company designation Heubach GmbH
 Heubachstrasse 7
 D-38685 Langelsheim
 Telephone: +49(0)5326-52-0
 FAX: +49(0)5326-52-213
 Email: -
 Internet: www.heubachcolor.com

Responsible Department Email: DE.Product-Safety@heubachcolor.com

1.4 Emergency telephone number

Emergency telephone number CHEMTREC international: +1 703-741-5970

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**Classification according to Regulation Aquatic Chronic 1; H410
(EC) No. 1272/2008**2.2 Label elements**

Hazard pictogram



GHS09

Signal word

Warning

H-statement(s)

H410: Very toxic to aquatic life with long lasting effects.

P-statement(s)

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container to hazardous or special waste collection point, in accordance with local / regional / national or international regulations..

2.3 Other hazards

Results of PBT and vPvB assessment not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022

**SECTION 3: Composition/information on ingredients *****3.2 Mixtures****Information on ingredients**

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
trizinc bis(orthophosphate)	CAS No.: 7779-90-0 EC-No.: 231-944-3 Index-No.: 030-011-00-6 REACH No.: 01-2119485044-40-0000	Aquatic Acute 1; H400 (M=1) Aquatic Chronic 1; H410 (M=1)	50.0 - 80.0 % by weight
zinc oxide	CAS No.: 1314-13-2 EC-No.: 215-222-5 Index-No.: 030-013-00-7 REACH No.: 01-2119463881-32	Aquatic Acute 1; H400 (M=1) Aquatic Chronic 1; H410 (M=1)	1.0 - 2.5 % by weight

Other data

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice	Get medical advice/attention if you feel unwell.
If inhaled	In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical advice/attention if you feel unwell.
In case of skin contact	After contact with skin, wash immediately with plenty of water and soap.
In case of eye contact	In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. If eye irritation persists: Get medical advice/attention.
If swallowed	When in doubt or if symptoms are observed, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No significant reactions of the human body to the product known.
----------	--

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media	Extinguishing powder Water spray jet In case of major fire and large quantities: alcohol resistant foam
Extinguishing media which must not be used for safety reasons	Full water jet Carbon dioxide

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself,	Co-ordinate fire-fighting measures to the fire surroundings. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Hazardous decomposition byproducts may form with exposure to high temperatures.: Gases/vapours, toxic.
--	--

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



its combustion products, or released gases

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Dispose of waste according to applicable legislation.

5.3 Advice for firefighters

Special protective equipment for fire-fighting

Use personal protection equipment.
In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid generation of dust. Wear personal protection equipment (refer to section 8). Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 Environmental precautions

Environmental precautions

Do not allow to enter into surface water or drains.
If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Avoid generation of dust.
Wet clean or vacuum up solids.
Collect in closed and suitable containers for disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4 Reference to other sections

Reference to other sections

Observe protective provisions (see chapter 7 and 8).
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid generation of dust.
Wear suitable protective clothing.
If the formation of dust is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used.
Wear eye glasses with side protection according to EN 166.
When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements

Store in a dry place.
Keep/Store only in original container.

TRGS 510

Storage class 13

7.3 Specific end use(s)

Specific use(s)

For the relevant identified uses listed in section 1 the advice in this section 7 is to be observed.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022

**SECTION 8: Exposure controls/personal protection *****8.1 Control parameters**

trizinc bis(orthophosphate)

DNEL	Target group	Exposure route	Source
5 mg/m ³	DNEL worker	DNEL long-term inhalative (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL worker	DNEL long-term dermal (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL Consumer	DNEL long-term dermal (systemic)	REACH Dossier
2,5 mg/m ³	DNEL Consumer	DNEL long-term inhalative (systemic)	REACH Dossier
0,83 mg/kg bw/day	DNEL Consumer	DNEL long-term oral (repeated)	REACH Dossier

PNEC	Exposure route	Source
20,6 µgZn/L	PNEC aquatic, freshwater	REACH Dossier
6,1 µgZn/L	PNEC aquatic, marine water	REACH Dossier
117,8 mgZn/kg sediment dw	PNEC sediment, freshwater	REACH Dossier
56,5 mgZn/kg sediment dw	PNEC sediment, marine water	REACH Dossier
35,6 mgZn/kg soil dw	PNEC soil	REACH Dossier
100 µgZn/L	PNEC sewage treatment plant (STP)	REACH Dossier

zinc oxide

DNEL	Target group	Exposure route	Source
5 mg/m ³	DNEL worker	DNEL long-term inhalative (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL worker	DNEL long-term dermal (systemic)	REACH Dossier
83 mg/kg bw/day	DNEL Consumer	DNEL long-term dermal (systemic)	REACH Dossier
2,5 mg/m ³	DNEL Consumer	DNEL long-term inhalative (systemic)	REACH Dossier
0,83 mg/kg bw/day	DNEL Consumer	DNEL long-term oral (repeated)	REACH Dossier
0,5 mg/m ³	DNEL worker	DNEL long-term inhalative (local)	Company data

PNEC	Exposure route	Source
20,6 µgZn/L	PNEC aquatic, freshwater	REACH Dossier
6,1 µgZn/L	PNEC aquatic, marine water	REACH Dossier
117,8 mgZn/kg sediment dw	PNEC sediment, freshwater	REACH Dossier

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



56,5 mgZn/kg sediment dw	PNEC sediment, marine water	REACH Dossier
35,6 mgZn/kg soil dw	PNEC soil	REACH Dossier
100 µgZn/L	PNEC sewage treatment plant (STP)	REACH Dossier

8.2 Exposure controls

Respiratory protection

With normal handling, no respiratory personal protection (breathing apparatus) is necessary.

If risk for exceedance of OEL/DNEL, use e.g.:

dust filter-half mask P1 (DIN EN 149)(efficiency 75%)

dust filter-half mask P2 (DIN EN 149)(efficiency 90%)

dust filter-half mask P3 (DIN EN 149)(efficiency 95%)

dust filter-full mask P1 (DIN EN 149)(efficiency 75%)

dust filter-full mask P2 (DIN EN 149)(efficiency 90 %)

dust filter-full mask P3 (DIN EN 149)(efficiency 97.5%)

Hand protection

Chemical proof protective gloves (EN 374) e.g. nitrile rubber (0.4mm), chloroprene rubber (0.5mm), polyvinylchloride (0.7mm), among others. Due to a large variety of types the manufacturer's instructions should be followed.

Eye protection

Wear eye glasses with side protection according to EN 166.

Skin and body protection

Wear suitable protective clothing.

General protective and hygiene measures

Common employment protection rules and the usual precautions for handling chemicals are to be observed.

Information on environmental protection regulations

Environmental exposure controls. Avoid release to the environment. Do not allow to enter into surface water or drains. Collect spillage. Observe in addition any national regulations!

Consumer exposure controls

See section 7. No additional measures necessary.

Engineering measures

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Other information (chapter 8.)

Dust control: dust and Zn in dust needs to be measured in the workplace air (static or individual) according to national regulations.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	solid
Form	Powder
Colour	white
Odour	odourless
Odour threshold	not determined
pH	
Temperature	20 °C
PH	5,5 - 6,5
Melting point [°C] / Freezing point [°C]	not determined

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



Boiling point [°C]	not applicable
Boiling range [°C]	not applicable
Flash point [°C]	not applicable
Evaporation rate [kg/(s*m²)]	not applicable
Flammability (solid, gas)	not determined
Explosion limits [Vol-%]	
Lower limit	not applicable
Upper limit	not applicable
Vapour pressure [kPa]	not applicable
Density [g/cm³]	2,8
Relative density	not determined
Water solubility [g/l]	< 5
Remarks	ISO 787-3
Partition coefficient n-octanol /water (log P O/W)	not applicable
Autoignition temperature [°C]	not determined
Autoinflammability	not determined
Decomposition temperature [°C]	not determined
Viscosity, dynamic [kg/(m*s)]	not applicable
Viscosity, kinematic [mm²/s]	not applicable
Risk of explosion.	not explosive.
Oxidising properties	The product does not contain substances classified as oxidising.

9.2 Other information

Other information	average particle size (µm): 2,0 - 3,5
Measuring method	Coulter Multisizer 3

SECTION 10: Stability and reactivity**10.1 Reactivity**

Reactivity	No hazardous reaction when handled and stored according to provisions.
------------	--

10.2 Chemical stability

Chemical stability	Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.
--------------------	---

10.3 Possibility of hazardous reactions

Hazardous reactions	No hazardous reactions when stored and handled according to instructions.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid	Avoid generation of dust.
---------------------	---------------------------

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022

**10.5 Incompatible materials**

Materials to avoid

No incompatible materials known. Not expected based on the composition.

10.6 Hazardous decomposition products

Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information ***11.1 Information on toxicological effects**

Oral toxicity [mg/kg]

Information on ingredients

trizinc bis(orthophosphate)			
Value	Test criterion	Test species	Source
> 5000 mg/kg	LD50:	Rat	Company data

* zinc oxide			
Value	Test criterion	Test species	Source
> 5000 mg/kg	LD50:	rat	Manufacturer data

Dermal toxicity [mg/kg]

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Inhalative toxicity [mg/l]

Information on ingredients

trizinc bis(orthophosphate)				
Value	Test criterion	Test species	Exposure duration	Source
> 5,7 mg/L	LC50:	Rat	4h	Company data

zinc oxide				
Value	Test criterion	Test species	Exposure duration	Source
> 5,7 mg/L	LC50:	Rat	4h	Manufacturer data

Irritant effect on skin

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Irritant effect on eyes

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Irritant effect on the respiratory tract

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Sensitization

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Carcinogenic effects

The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



Mutagenicity	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Reproduction toxicity	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Caustic effect	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Specific target organ toxicity (single exposure) [mg/kg]	
Remarks	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Specific target organ toxicity (repeated exposure) [mg/kg]	
Remarks	The product has not been tested. Applying the calculation method available data of the ingredients do not result in classification of the product.
Aspiration hazard	not applicable

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish [mg/l]	6,3 mg/L
Test criterion	LC50:
Test species	Oncorhynchus mykiss (Rainbow trout)
Exposure duration	96h
Toxicity to daphnia [mg/l]	63,1 mg/L
Test criterion	EC50
Test species	Daphnia magna (Big water flea)
Exposure duration	48h
Toxicity to algae [mg/l]	91,2 mg/L
Test criterion	ErC50:
Test species	Desmodesmus subspicatus.
Exposure duration	72h
Aquatic toxicity [mg/l]	Chronic (long-term) toxicity: Very toxic to aquatic life with long lasting effects.
Remarks	Calculation method.

12.2 Persistence and degradability

Biodegradability	No information available.
------------------	---------------------------

12.3 Bioaccumulative potential

Bioaccumulation	No information available.
-----------------	---------------------------

12.4 Mobility in soil

Mobility	
Mobility	No information available.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment not applicable

12.6 Other adverse effects

Further information on ecology Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Disposal considerations Dispose of waste according to applicable legislation. Check for possible recycling. Disposal via wastewater is not recommended.

Uncleaned empty packaging Contaminated packages must be completely emptied and can be re-used following proper cleaning.
Handle contaminated packages in the same way as the substance itself.
Packing which cannot be properly cleaned must be disposed of.

SECTION 14: Transport information *

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	3077	3077	3077
14.2 Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	UMWELTGEFÄHRDENDER STOFF, FEST, N.A.G.	Umweltgefährdender Stoff, fest, n.a.g.
UN proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.
14.3 Transport hazard class(es)	9	9	9
14.4 Packaging group	III	III	III
Danger releasing substance	trizinc bis(orthophosphate)	trizinc bis(orthophosphate)	trizinc bis(orthophosphate)
Labels	9 	9 	9 - Miscellaneous Dangerous Goods 
Risk No.	90		
Category	3		
Classification Code	M7		
Tunnel restriction code	-		
Name affix	mixture	mixture	mixture
14.5 Environmental hazards	U - Umweltgefährdend	U - marine pollutant	U - Environmentally hazardous
EmS		F-A;S-F	
Stowage category		A	

14.6 Special precautions for user

Precautions Avoid release to the environment.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations	No information available.
References to substance in ordinances, regulations and information sheets	REACH ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES Number 3, 75

15.2 Chemical safety assessment

Safety assessment	For the following substances of this mixture a chemical safety assessment has been carried out: trizinc bis(orthophosphate) zinc oxide
-------------------	--

SECTION 16: Other information

Modifications since last version	Modifications of the previous version are denoted with an asterisk (*).
Abbreviations and acronyms	ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) PP: Severe Marine Pollutant P: Marine Pollutant GHS: Globally Harmonized System of Classification and Labelling of Chemicals VCI: Verband der chemischen Industrie, Deutschland (German chemical industry association) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organization for Standardization DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Relevant H-phrases	H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: HEUCOPHOS ZPA

Article-No.: 1001710

Revision Date: 03.01.2022

Replaces version from: 28.01.2021

Version: 2.11/en

Print date: 14.02.2022



Wording of the hazard classes

Aquatic Acute: Hazardous to the aquatic environment
Aquatic Chronic: Hazardous to the aquatic environment

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Evaluation	Classification
Calculation method.	Aquatic Chronic 1; H410

Training advice

Workers should be instructed according to the contents of this MSDS. Workers should be trained on the common employment protection rules and the usual precautions when handling chemicals.

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.

Shipper
SUDARSHAN LANGELSHEIM PLT GMBH
DE4514611019

HEUBACHSTR. 7
38685 LANGELSHEIM

B/L No.
VER283148



SACO SHIPPING LINE LTD

Consigned to order of
SUDARSHAN MEXICO MFG SA DE CV
PLASTICOS NO. 28, COL SANTA CLARA
COATITLA ECATEPEC DE MORELOS 55540
EDO DE MEXICO, MEXICO
RFC CPA150831D6A*

Notify Party and address
TOP CARRIERS SA DE CV
HACIENDA DE TEMIXCO 28, INT. 46
BOSQUE DE ECHEGARAY
53310, NAUCALPAN DE JUAREZ
MEXICO, TAX ID: TCA110203IC7**

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526706

Copy

		Place of receipt				
		HAMBURG CFS				
Ocean vessel	Port of loading					
CLEMENS SCHULTE	HAMBURG					
Port of discharge	Place of delivery	Freight payable	Number of original Bills of Lading			
VERACRUZ	VERACRUZ CFS	BREMEN	0/ZERO			
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³	
CARGO DETAILS AS PER ATTACHED STATEMENT						

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
PO 4506980161, 4506979596, 4506979493 * MAIL TO: FABIOLA.SANCHEZ@HEUB ACH.COM ATTENTION TO FIABIOLA SANCHEZ ** CONTACT BRIAN RENDON EMAIL: OPERACIONES5@TOPCARR IERS.COM.MX PHONE: +52 55 53 58 94 13	6 PALLETS	S.T.C. 216 PAPERBAGS HEUCODUR YELLOW 152 (P) (HARMLESS) HEUCOPHOS ZCP-PLUS HEUCOPHOS ZPA HS CODE: 28352990, 32064970 IMO CLASS: 9 UN NO.: 3077 PACKAGING GROUP: III NET WEIGHT: 4400 KG MARINE POLLUTANT UN 3077/CLASS 9/PG III IMO GROSS WEIGHT: 4552,800 KGS IMO NET WEIGHT : 4400,000 KGS		5464,800	9,480
STOWED INTO CONTAINER NO.: MRSU4968408				SEAL : B136337	
TOTAL		6 PALLETS		5464,800 KGS	9,480 CBM

Shipper
SAVINO DEL BENE GMBH
AN DER REEPERBAHN 6
28217 BREMEN
GERMANY

B/L No.
VER283153



SACO SHIPPING LINE LTD

Consigned to order of
SAVINO DEL BENE MEXICO S.A DE C.V
INSURGENTES SUR 800 P 15 1-2 COL.
DEL VALLE. DELEG BENITO JUAREZ,D.F.
CIUDAD DE MEXICO, C.P. 03100,
MEXICO, RFC: SBM000609616

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526707

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. APTAE QUERETARO	Quantity of Goods 12 PALLETS	Description of Goods COLOR CONCENTRATE HS CODE: 32041700	Said to contain Gross weight, kg. 7320,000 Measurement, m ³ 10,281
STOWED INTO CONTAINER NO.: MRSU4968408			SEAL : B136337

TOTAL	12 PALLETS	7320,000 KGS	10,281 CBM
-------	------------	--------------	------------

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283155



SACO SHIPPING LINE LTD

Consigned to order of

SGL TRANSGROUP DE MEXICOSA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526708

Copy

		Place of receipt KUPPENHEIM CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. SEG AUTOMOTIVE MEXICO 4103197 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 1 PALLET	Description of Goods ISOLATION MATERIAL HS: 39219010 INVOICE:	Said to contain Gross weight, kg. 222,000 Measurement, m ³ 0,576
TOTAL		1 PALLET	222,000 KGS 0,576 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283159



SACO SHIPPING LINE LTD

Consigned to order of
SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address
SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526709

Copy

		Place of receipt SPROCKHOVEL CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. SEG AUTOMOTVIE MEXICO 429575 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 1 PALLET	Description of Goods SPLIT LOCK WASHERS HS: 73182100 INVOICE: 2026-134348	Said to contain Gross weight, kg. 99,000 Measurement, m ³ 0,278
		SEAL : B136337	

TOTAL **1 PALLET** **99,000 KGS** **0,278 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER283171



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALITA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526710

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG, GERMANY	
Port of discharge VERACRUZ, MEXICO	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. STARCKE ABRASIVOS MEXICO P0748478+0784543-4+0 748557 03560 CUIDAD DE MEXICO MEXICO MADE IN GERMANY STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 4 PALLETS	Description of Goods ABRASIVES HS CODE: 680520, 340530	Said to contain Gross weight, kg. 946,000 Measurement, m ³ 5,125

SEAL : B136337

TOTAL **4 PALLETS** **946,000 KGS** **5,125 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
J.N. EBERLE & CIEGMBH
EBERLESTR. 28
86157 AUGSBURG, GERMANY

B/L No.
VER283184



SACO SHIPPING LINE LTD

Consigned to order of
BEMAP INDUSTRIAL S.A. DE C.V.
MANUEL ACUNA NO. 965 COL. JESUS
GUADALAJARA, JALISCO 44200, MEXICO
TAX ID:BIN10919655

Notify Party and address
SAME AS CONSIGNEE
MR. LUIS ALMADA
TEL: +52 33 38270314
LUIS.ALMADA@BEMAP.COM.MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526711

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery GUADALAJARA, JALISCO DAP		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. 26002615, 26002921, 26003084 26003086 BEMAP INDUSTRIAL SA DE CV MX-GUADELAJARA STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 4 PACKAGES	Description of Goods METALBAND SAW BLADES HS CODE: 8202 2000	Said to contain Gross weight, kg. 1788,000 Measurement, m ³ 2,940

SEAL : B136337

TOTAL **4 PACKAGES** **1788,000 KGS** **2,940 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283204



SACO SHIPPING LINE LTD

Consigned to order of

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526712

Copy

		Place of receipt ERKRATH CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. SEG AUTOMOTIVE MEXICO 94676178 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 1 PALLET	Description of Goods BALL BEARING HS: 84821090 INVOICE: 94676178	Said to contain Gross weight, kg. 557,000 Measurement, m ³ 0,549
TOTAL		1 PALLET	557,000 KGS 0,549 CBM

SEAL : B136337

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283212



SACO SHIPPING LINE LTD

Consigned to order of

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526713

Copy

		Place of receipt CHEMNITZ CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. SEG AUTOMOTIVE MEXICO 6338	Quantity of Goods 1 PALLET	Description of Goods FITTING RING HS: 85119000 INVOICE: 592767	Said to contain Gross weight, kg. 101,000 Measurement, m ³ 0,960

STOWED INTO CONTAINER NO.: MRSU4968408

SEAL : B136337

TOTAL **1 PALLET** **101,000 KGS** **0,960 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283213



SACO SHIPPING LINE LTD

Consigned to order of
SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address
SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526714

Copy

		Place of receipt GREIZ CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Number of original Bills of Lading 0/ZERO
Marks and Nos. SEG AUTOMOTIVE MEXICO 39334 PS00003778 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 3 CARTONS	Description of Goods ARAMID TWIST HS: 54021100 INVOICE: 39334	Said to contain Gross weight, kg. 76,150 Measurement, m ³ 0,173

SEAL : B136337

TOTAL 3 CARTONS 76,150 KGS 0,173 CBM

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER283219



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZA VALETA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526715

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG, GERMANY	
Port of discharge VERACRUZ, MEXICO	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. GÜTERMANN MEXICO REF: 82329573	Quantity of Goods 2 PALLETS	Description of Goods SYNTHETIC SEWING THREAD HS CODE: 500500, 500600, 540110 **HSCODE: 500500**	Said to contain Gross weight, kg. 315,410 Measurement, m ³ 1,558
STOWED INTO CONTAINER NO.: MRSU4968408		SEAL : B136337	

TOTAL **2 PALLETS** **315,410 KGS** **1,558 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SCAN GLOBAL LOGISTICS GMBH
VIOLENSTRASSE 27
28195 BREMEN

B/L No.
VER283220



SACO SHIPPING LINE LTD

Consigned to order of

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

Notify Party and address

SGL TRANSGROUP DE MEXICO SA DE CV.
AV. PASEO DE LAS PALMAS,405 INT 501
COL. LOMAS DE CHAPULTEPEC,
CP 11000 CIUDAD DE MEXICO.
TAX ID STM2012087C3 ++
++ OPERATIONS.MTY@SCANGL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526716

Copy

		Place of receipt HILCHENBACH CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. SEG AUTOMOTVIE MEXICO 26855251 991621382 STOWED INTO CONTAINER NO.: MRSU4968408	Quantity of Goods 1 PALLET	Description of Goods SCREWS HS: 73181595 INVOICE NO. R2604168	Said to contain Gross weight, kg. 175,730 Measurement, m ³ 0,311

SEAL : B136337

TOTAL **1 PALLET** **175,730 KGS** **0,311 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SKYLINE EXPRESS INTERNATIONAL GMBH
IM SELENKAMP 23-25
32791 LAGE
GERMANY
TAX ID:DE812937775

B/L No.
VER283225



SACO SHIPPING LINE LTD

Consigned to order of
HAF LOGISTICA INTERNACIONAL, SA DE CV
ORIENTE 33 NO. 119, COL. MOCTEZUMA 2DA
SECCION,
VENUSTIANO CARRANZA, CIUDAD DE MEXICO,
CP 15530
RFC HLI070202GCA

Notify Party and address
- SAME AS CONSIGNEE -
ATN: CARLO CERVANTES
TRAFICOMEX@HAFLOGISTICA.COM

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/03/BRE/526717

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading HAMBURG	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. POLIMEROS Y DERIVADOS VOYAGE NUMBER: 610W	Quantity of Goods 1 PACKAGE	Description of Goods NICKEL SCREEN HS-CODE: 844820	Said to contain Gross weight, kg. 200,000 Measurement, m ³ 2,797

STOWED INTO CONTAINER NO.: MRSU4968408

SEAL : B136337

TOTAL **1 PACKAGE** **200,000 KGS** **2,797 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 22.03.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL

