

Ships Bag for MB/L 721705214

Container: MRSU2263527	1
SACO RG5699448 60207847.pdf	1
Aktuellstes MEXICO PL SHEET.pdf	2
721705214 Waybill.pdf	4
01616 MANIFEST 5033337.pdf	12
HB/L: VER285503	16
TYP: Dangerous Goods Declaration	16
VER285503 DGD 17.pdf	16
TYP: MSDS	17
VER285503 MSD 5.pdf	17
VER285503 MSD 7.pdf	30
TYP: B/L	41
SACO Shipping Line Ltd. B/L VER285503 VER28550	41
HB/L: VER286032	42
TYP: B/L	42
SACO Shipping Line Ltd. B/L VER286032 VER28603	42
HB/L: VER286171	43
TYP: B/L	43
SACO Shipping Line Ltd. B/L VER286171 VER28617	43
HB/L: VER286181	44
TYP: Dangerous Goods Declaration	44
'VER286181 DGD 1.pdf'	44
TYP: B/L	45
SACO Shipping Line Ltd. B/L VER286181 VER28618	45
HB/L: VER286187	46
TYP: B/L	46
SACO Shipping Line Ltd. B/L VER286187 VER28618	46
HB/L: VER286198	47
TYP: B/L	47
SACO Shipping Line Ltd. B/L VER286198 VER28619	47
HB/L: VER286214	48
TYP: B/L	48
SACO Shipping Line Ltd. B/L VER286214 VER28621	48

HB/L: VER286224	49
TYP: B/L	49
SACO Shipping Line Ltd. B/L VER286224 VER28622	49
HB/L: VER286236	50
TYP: B/L	50
SACO Shipping Line Ltd. B/L VER286236 VER28623	50
HB/L: VER286243	51
TYP: B/L	51
SACO Shipping Line Ltd. B/L VER286243 VER28624	51
HB/L: VER286261	52
TYP: B/L	52
SACO Shipping Line Ltd. B/L VER286261 VER28626	52
HB/L: VER286279	53
TYP: B/L	53
SACO Shipping Line Ltd. B/L VER286279 VER28627	53
HB/L: VER286285	54
TYP: B/L	54
SACO Shipping Line Ltd. B/L VER286285 VER28628	54
TYP: Quotes	55
VER286285 QUO 9.pdf	55
HB/L: VER286314	58
TYP: B/L	58
SACO Shipping Line Ltd. B/L VER286314 VER28631	58

SACO Shipping GmbH · Bürgermeister-Smidt-Str. 128 · 28195 Bremen

NVOCC Services worldwide

Bremen, 07. October 2026

Interteam S.A. de C.V.
Servicios Int.
Calle Colima #114 Desp. 201, Colonia Roma,
06700 C.P.MEXICO D.F
MX MEXICO

RECHNUNG/INVOICE EXPORT

lbr / lbr / lbr

CUSTOMER-Ref.: 18312606797

Leistungsdatum : 02.10.2026

INVOICE-No	INVOICE-Date	CUSTOMER-No	SACO-Ref.	B/L-Ref.	Your VAT-ID	R.O.E
5699448	07.10.2026	020896	6/10/BRE/525100	6/10/BRE/5251		0.8715

Vessel:

Destination:

Online-Ref:

Delivery:

Pieces

Gross KOS

Volumen CBM

SACO REF.: VESSEL: PORT: ETA: CONTAINER:
6/10/BRE/5251 CLEMENS SCHULTE VERACRUZ 20.10.2026 MRSU2263527

Pos.	Description	Rate	Amount	Tax
1	AS PER ATTACHED PL SHEET	345.85 USD	345.85	

NO VAT ON	VAT ON	TOTAL VAT	VAT	TOTAL AMOUNT USD
345.85	0	0	19%	345.85

SACO Shipping GmbH
Wollkämmerstraße 1
21107 Hamburg
Telefon: +49 40 311706-0
Telefax: +49 40 311706-100

Buchhaltung
Telefon: +49 421 52016 315
Telefax: +49 421 52016 317
VAT-ID: DE-118597456
account@saco.de

**Volksbank Lüneburger Heide eG
US Dollar Account**
BLZ 240 603 00, Kto-Nr. 4 600 360 605
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 19 2406 0300 4600 3606 05

**Volksbank Lüneburger Heide eG
Euro Account**
BLZ 240 603 00, Kto-Nr. 4 600 360 600
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 57 2406 0300 4600 3606 00

**Commerzbank AG
Euro Account**
BLZ 200 800 00, Kto-Nr. 6 510 954 00
SWIFT-BIC: DRES DE FF 200
IBAN DE 96 2008 0000 0651 0954 00

Internet: <https://sacoshipping.com> · E-Mail: info@saco.de · Geschäftsführer: Harald Pahl, Andrea Briks, Kevin Pahl, Jannik Pahl, Sönke Briks · Gerichtsstand: Hamburg · Sitz Hamburg · HRB 40128 · Finanzamt: Hamburg-Harburg
SACO Shipping GmbH handelt bei Seetransporten einschließlich Vorlauf- und Nachlauftransporten ausschließlich als Agent von SACO Shipping Line Limited, Limassol/Zypern.
SACO Shipping Line Limited Limassol arbeitet ausschließlich nach ihren jeweils gültigen Konnossements-Bedingungen, auch wenn kein Konnossement ausgestellt wurde.
Diese Bedingungen können bei den jeweiligen Büros und/oder unter sacoshipping.com eingesehen werden.

amended on: 20.02.2026 by ECH

Mexico PL-Sheet 2026

valid from March 1st 2026

SACO Ref.: 6/10/BRE/5251 Vessel: CLEMENS SCHULTE Port: VERACRUZ
ETA: 20.10.2026 Container: MRSU2263527



B/L	COLLECT	Incl.Special charges	Doc fee	Unstuffing	Admin Fee	Transm.Fee	Port Transf	On Carriage	0,00 USD	Quote No.:
VER285503										
VER286032										
VER286171										
VER286181										
VER286187										
VER286198										
VER286214										
VER286224										
VER286236										
VER286243	80,74									
VER286261										
VER286279										
VER286285			50,00	194,18				QUERETARO DAP	791,37	IN-LND-08146
VER286314										
	80,74		50,00	194,18	0,00	0,00	0,00		791,37	

COLLECT FREIGHT TOTAL

RELEASE FEE	80,74 USD	80,74 USD	debit to Intert
UNSTUFFING	50,00 USD		
ADMIN FEE	194,18 USD		
TRANSMISSION FEE	0,00 USD		
CREDIT FOR ON CARRIAGE	0,00 USD	1.035,55 USD	credit to Inter
PORT TRANSFER	791,37 USD		
	0,00 USD		

kickback as agreed USD 24,00 w/m from B/L	date 01.10.2023 FRT:	54,194	1.300,66 USD	1.300,66 USD	debit to Intert
Hartrodt Kickback USD 4,50 w/m	FRT:		0,00 USD	0,00 USD	debit to Intert
Quick Cargo Kickback USD 3,- w/m	FRT:		0,00 USD		
BDP / ED Forwarding Kickback USD 3,- w/m	FRT:		0,00 USD		
Linkin / Europartner/XPD Kickback USD 4 w/m	FRT:		0,00 USD		
DHL compensation VER canceled 2026	FRT:				
DHL compensation ALM canceled 2026	FRT:			0,00 USD	credit to Inter
K&N compensation canceled 2026	FRT:				
Ceva compensation canceled 2026	FRT:		0,00 USD		
TOTAL AMOUNT			345,85 USD	CREDIT OR DEBIT TO INTERTAEM	

Agreed special PLC :

SHIPPER	Consignee	Doc fee	Unstuffing	Admin	Transmiss.	Port Transfer
Würth	Knipping/Globaltranz	USD 50,-	USD 28,-w/m			
Hansa Gateway	all	USD 70,-	USD 33,-w/m			

 MAERSK		NON-NEGOTIABLE WAYBILL	SCAC MAEU B/L No. 721705214
Shipper (As principal, where "care of", "c/o", or other variants used.) SACO SHIPPING GMBH AS AGENT OF SACO SHIPPING LINE LTD BGM.-SMIDT-STR.128 D-28195 BREMEN GERMANY / DE118597456		Booking No. 721705214	
Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer". As principal, where "care of", "c/o", or other variants used.) INTERTEAM, S.A. DE C.V. COLIMA 114, INT 201 COLONIA ROMA, C.P. 06700 MEXICO CITY. TEL: +525555149897 TAX ID: INT961206ES7 CTC: MARCELA GODINEZ		Export references 610BRE5251 ARA	
Notify Party (see clause 22) INTERTEAM, S.A. DE C.V. COLIMA 114, INT 201 COLONIA ROMA, C.P. 06700 MEXICO CITY. TEL: +525555149897 TAX ID: INT961206ES7 CTC: MARCELA GODINEZ		Svc Contract 299542652	
Vessel CLEMENS SCHULTE		Voyage No. 639W	
Port of Loading Bremerhaven		Port of Discharge Veracruz *	
		Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)	
		Place of Receipt. Applicable only when document used as Multimodal Waybill	
		Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)	

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No. 1 Container Said to Contain 51 PACKAGE MRSU 226352-7 40/DRY 9'6 1 PKG GROSS WEIGHT: 1039.880 KGS MEASUREMENT: 1.416 CBM CHEMICALS FOR ELECTROPLATING HS CODE:29041000,39072999, 28269080,38249950,29053995 UN 2810/CLASS 6.1/PG III IMO GROSS WEIGHT: 1039,900 KGS IMO NET WEIGHT : 986,000 KGS 7 PALLETS GROSS WEIGHT: 5749.440 KGS MEASUREMENT: 3.347 CBM STEEL PLATES HS CODE: 73269098 1 PALLET GROSS WEIGHT: 126.750 KGS MEASUREMENT: 0.672 CBM	Weight 25861.070 KGS	Measurement 49.148 CBM
--	--------------------------------	----------------------------------

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect
Carrier's Receipt. Total number of containers or packages received by Carrier. 1 container					
Place of Issue of Waybill Hamburg					
Shipped on Board Date (Local Time) 2026-10-02					
Date Issue of Waybill 2026-10-02					
Declared Value Charges (see clause 7.3 of the Maersk Bill of Lading) for Declared Value of US\$					
Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"					
Signed for the Carrier Maersk A/S 					
Maersk Deutschland A/S & Co.KG As Agent(s)					

WALL CALENDARS
HS CODE: 491000
2 PKG GROSS WEIGHT: 1104.500 KGS MEASUREMENT: 3.269 CBM
PACKED ON 2 PALLETS PAINT
AND
PAINTING INK.
RELATED MATERIAL
HS CODE: 321519, 381400
UN 1210/CLASS 3/PG III
IMO GROSS WEIGHT: 699,500
KGS
IMO NET WEIGHT : 601,280
KGS
5 CASE GROSS WEIGHT: 5160.000 KGS MEASUREMENT: 2.516 CBM
ENGINEERING STEEL
HS CODE: 72285040
1 PALLET GROSS WEIGHT: 345.000 KGS MEASUREMENT: 0.557 CBM
BOLTS, NUTS, WASHER

HS 731815, 731816, 731822
4 PKG GROSS WEIGHT: 301.600 KGS MEASUREMENT: 5.149 CBM
ELECTRICAL PARTS
HS-CODE: 820340, 391740,
391732,
392690
2 PKG GROSS WEIGHT: 517.000 KGS MEASUREMENT: 1.394 CBM
COMPONENTS FOR SERVOPRO
23H83620
HS CODE: 39174000
4 CASES GROSS WEIGHT: 1401.000 KGS MEASUREMENT: 9.611 CBM
S.T.C.
ELECTRIC GAS MIXERS,
CONNECTION SETS,
STAINLESS STEEL
RECEIVER
HS: 73110091,

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

74122000, 90328900
1 PKG GROSS WEIGHT: 455.000 KGS MEASUREMENT: 1.392 CBM
PRECISION BALL
HS CODE: 84829190
1 PKG GROSS WEIGHT: 249.000 KGS MEASUREMENT: 0.787 CBM
CLAMPING SYSTEMS HS-CODE:
392690, 730451, 843139,
847990, 851762, 853669,
853710
, 853890
HSCODE: 392690
12 PKG GROSS WEIGHT: 4437.000 KGS MEASUREMENT: 11.981 CBM
KNIFE SHARPENER /
SHARPENING
STEEL
HS CODE: 82055100
7 PACKAGES GROSS WEIGHT: 4947.000 KGS MEASUREMENT: 6.935 CBM
CONVEYOR BELTING,
KRAFT PAPER AND
PAPERBOARD,
PROFILES AND FOILS
HS CODES: 59100000
48103210, 39204390
3 PKG GROSS WEIGHT: 27.900 KGS MEASUREMENT: 0.122 CBM
MOLDED RUBBER PARTS
HS-CODE:
401699
HSCODE: 401699
EXPRESS RELEASE

MRSU2263527 40 DRY 9'6 51 PACKAGE 25861.070 KGS 49.148 CBM
Shipper Seal : B149525
IMO Class: 6.1
UN Number: 2810
IMO Class: 3
UN Number: 1210

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by any such entity or person identified, on the U.S. Treasury Departments Office of Foreign Asset Control (OFAC) list of Specially Designated Nationals and Blocked Persons, or any other similar list maintained by the European Union, or as promulgated by the United Nations Security Council (Designated Person). If, in the Carriers reasonable opinion, this shipment and/or Goods are in violation of the Carriers policy on Russia [<https://www.maersk.com/news/articles/2022/02/24/russia-ukraine-situation-update>], Sanctions Laws or involves any Designated Person, the shipment and/or Goods will be returned to the origin at Carriers sole and unfettered discretion, and the Merchant(s) shall indemnify and hold harmless the Carrier, its servants and agents, for any breach of this clause. The Merchant(s) agree that the Carrier may stop the shipment and/or Goods in transit or withhold release of the shipment and/or Goods pending any investigation into compliance with this clause by the Merchant(s).

SHIPPER'S LOAD, STOW, WEIGHT AND COUNT

FREIGHT PREPAID
CY/CY

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

**MAERSK****NON-NEGOTIABLE WAYBILL**

SCAC MAEU

B/L No. 721705214

Shipper (As principal, where "care of", "c/o", or other variants used.)

SACO SHIPPING GMBH
AS AGENT OF SACO SHIPPING LINE LTD
BGM.-SMIDT-STR.128
D-28195 BREMEN
GERMANY / DE118597456

Booking No.

721705214

Export references

610BRE5251 ARA

Svc Contract

299542652

Consignee (Negotiable only if consigned "to order", "to order of" a named Person or "to order of bearer".
As principal, where "care of", "c/o", or other variants used.)

INTERTEAM, S.A. DE C.V. COLIMA 114,
INT 201 COLONIA ROMA, C.P. 06700
MEXICO CITY. TEL: +525555149897
TAX ID: INT961206ES7
CTC: MARCELA GODINEZ

This contract is subject to the terms, conditions and exceptions, including the law & jurisdiction clause and limitation of liability & declared value clauses, of the current Maersk Bill of Lading (available from the Carrier, its agents and at terms.maersk.com/carriage), which are applicable with logical amendments (mutatis mutandis). To the extent necessary to enable the Consignee to sue and to be sued under this contract, the Shipper on entering into this contract does so on his own behalf and as agent for and on behalf of the Consignee and warrants that he has the authority to do so. The shipper shall be entitled to change the Consignee at any time before delivery of the goods provided he gives the Carrier reasonable notice in writing.

Delivery will be made to the Consignee or his authorised agent on production of reasonable proof of identity (and, in the case of an agent, reasonable proof of authority) without production of this waybill. The Carrier shall be under no liability whatsoever for misdelivery unless caused by the Carrier's negligence.

Onward inland routing (Not part of Carriage as defined in clause 1. For account and risk of Merchant)

Vessel

CLEMENS SCHULTE

Voyage No.

639W

Place of Receipt. Applicable only when document used as Multimodal Waybill

Port of Loading

Bremerhaven

Port of Discharge

Veracruz *

Place of Delivery. Applicable only when document used as Multimodal Transport B/L. (see clause 1)

PARTICULARS FURNISHED BY SHIPPER

Kind of Packages; Description of goods; Marks and Numbers; Container No./Seal No.

1 Container Said to Contain 51 PACKAGE

MRSU 226352-7 40/DRY 9'6

1 PKG GROSS WEIGHT: 1039.880 KGS MEASUREMENT: 1.416 CBM

CHEMICALS FOR
ELECTROPLATING

HS

CODE:29041000,39072999,

28269080,38249950,29053995

UN 2810/CLASS 6.1/PG III

IMO GROSS WEIGHT: 1039,900

KGS

IMO NET WEIGHT : 986,000

KGS

7 PALLETS GROSS WEIGHT: 5749.440 KGS MEASUREMENT: 3.347 CBM

STEEL PLATES

HS CODE: 73269098

1 PALLET GROSS WEIGHT: 126.750 KGS MEASUREMENT: 0.672 CBM

Weight

25861.070 KGS

Measurement

49.148 CBM

COPY

Above particulars as declared by Shipper, but without responsibility of or representation by Carrier.

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

Carrier's Receipt. Total number of containers or
packages received by Carrier.

1 container

Place of Issue of Waybill

Hamburg

Shipped on Board Date (Local Time)

2026-10-02

Date Issue of Waybill

2026-10-02

Declared Value Charges (see clause 7.3 of the Maersk Bill of
Lading) for Declared Value of US\$

Shipped, as far as ascertained by reasonable means of checking, in apparent good order and condition unless otherwise stated herein the total number or quantity of Containers or other packages or units indicated in the box opposite entitled "Carrier's Receipt"

Signed for the Carrier Maersk A/S

This transport document has one or more numbered pages

Maersk Deutschland A/S & Co.KG
As Agent(s)

WALL CALENDARS
HS CODE: 491000
2 PKG GROSS WEIGHT: 1104.500 KGS MEASUREMENT: 3.269 CBM
PACKED ON 2 PALLETS PAINT
AND
PAINTING INK.
RELATED MATERIAL
HS CODE: 321519, 381400
UN 1210/CLASS 3/PG III
IMO GROSS WEIGHT: 699,500
KGS
IMO NET WEIGHT : 601,280
KGS
5 CASE GROSS WEIGHT: 5160.000 KGS MEASUREMENT: 2.516 CBM
ENGINEERING STEEL
HS CODE: 72285040
1 PALLET GROSS WEIGHT: 345.000 KGS MEASUREMENT: 0.557 CBM
BOLTS, NUTS, WASHER

HS 731815, 731816, 731822
4 PKG GROSS WEIGHT: 301.600 KGS MEASUREMENT: 5.149 CBM
ELECTRICAL PARTS
HS-CODE: 820340, 391740,
391732,
392690
2 PKG GROSS WEIGHT: 517.000 KGS MEASUREMENT: 1.394 CBM
COMPONENTS FOR SERVOPRO
23H83620
HS CODE: 39174000
4 CASES GROSS WEIGHT: 1401.000 KGS MEASUREMENT: 9.611 CBM
S.T.C.
ELECTRIC GAS MIXERS,
CONNECTION SETS,
STAINLESS STEEL
RECEIVER

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

HS: 73110091,
74122000, 90328900
1 PKG GROSS WEIGHT: 455.000 KGS MEASUREMENT: 1.392 CBM
PRECISION BALL
HS CODE: 84829190
1 PKG GROSS WEIGHT: 249.000 KGS MEASUREMENT: 0.787 CBM
CLAMPING SYSTEMS HS-CODE:
392690, 730451, 843139,
847990, 851762, 853669,
853710
, 853890
HSCODE: 392690
12 PKG GROSS WEIGHT: 4437.000 KGS MEASUREMENT: 11.981 CBM
KNIFE SHARPENER /
SHARPENING
STEEL
HS CODE: 82055100
7 PACKAGES GROSS WEIGHT: 4947.000 KGS MEASUREMENT: 6.935 CBM
CONVEYOR BELTING,
KRAFT PAPER AND
PAPERBOARD,
PROFILES AND FOILS
HS CODES: 59100000
48103210, 39204390
3 PKG GROSS WEIGHT: 27.900 KGS MEASUREMENT: 0.122 CBM
MOLDED RUBBER PARTS
HS-CODE:
401699
HSCODE: 401699
EXPRESS RELEASE

MRSU2263527 40 DRY 9'6 51 PACKAGE 25861.070 KGS 49.148 CBM
Shipper Seal : B149525
IMO Class: 6.1
UN Number: 2810

Freight & Charges

Rate

Unit

Currency

Prepaid

Collect

IMO Class: 3

UN Number: 1210

The Merchant(s) warrant and represent that this shipment and/or Goods will comply at all times with European Union, United States and United Nations sanctions and/or export control laws (Sanctions Laws), and that this shipment and/or Goods do not involve, whether directly or indirectly, any entity or person identified, or owned or controlled by any such entity or person identified, on the U.S. Treasury Departments Office of Foreign Asset Control (OFAC) list of Specially Designated Nationals and Blocked Persons, or any other similar list maintained by the European Union, or as promulgated by the United Nations Security Council (Designated Person). If, in the Carriers reasonable opinion, this shipment and/or Goods are in violation of the Carriers policy on Russia [<https://www.maersk.com/news/articles/2022/02/24/russia-ukraine-situation-update>], Sanctions Laws or involves any Designated Person, the shipment and/or Goods will be returned to the origin at Carriers sole and unfettered discretion, and the Merchant(s) shall indemnify and hold harmless the Carrier, its servants and agents, for any breach of this clause. The Merchant(s) agree that the Carrier may stop the shipment and/or Goods in transit or withhold release of the shipment and/or Goods pending any investigation into compliance with this clause by the Merchant(s).

SHIPPER'S LOAD, STOW, WEIGHT AND COUNT

FREIGHT PREPAID

CY/CY

Freight & Charges	Rate	Unit	Currency	Prepaid	Collect

Manifest

Page: 1

Container-No.: MRSU2263527 40' HIGH CUBE CONTAINER Seal-No.: B149525
Vessel: SAC2204 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721705214

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER285503	MACDERMID DE MEXICO S.A. DE C.V. 01043597 01043593	1	PALLETS	CHEMICALS FOR ELECTROPLATING HS CODE:29041000,39072 28269080,38249950,29 UN 2810/CLASS 6.1/PG III IMO GROSS WEIGHT: 1039,900 KGS IMO NET WEIGHT : 986,000 KGS	1039.880	1.416
VER286032	GENI DE MEXICO S.A. DE C.V. CUARTO BARRIO CARRETERA AL AEROPUERTO KM 2.700 74160 HUEJOTZINGO PUEBLA MEXICO	7	PALLETS	STEEL PLATES HS CODE: 73269098	5749.440	3.347
VER286171	SAPPI TRADING MEXICO ALEJANDRA GUERRERO GALLO RIO MISSISSIPPI 49 PISO 6 06500 COL CUAHUTEMOC MX	1	PALLET	WALL CALENDARS HS CODE: 491000	126.750	0.672

Manifest

Page: 2

Container-No.: MRSU2263527 40' HIGH CUBE CONTAINER Seal-No.: B149525
Vessel: SAC2204 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721705214

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER286181	SEFAR S.A. DE C.V CARR. TEPOTZOTLAN, LA AURORA, KM1 NAVE 3, MODULO A S/, J. SAN MIGUEL 54719 CUAUTITLAN IZCALLI, ESTADO DE MEXICO MEXICO	2	PACKAGES	PACKED ON 2 PALLETS PAINT AND PAINTING INK. RELATED MATERIAL HS CODE:321519, 381400 UN 1210/CLASS 3/PG III IMO GROSS WEIGHT: 699,500 KGS IMO NET WEIGHT : 601,280 KGS	1104.500	3.269
VER286187	AMAPARTS PRECISION MACHINING S.A DE C.V CIRCUITO DE IA INDUS. NORTE 71 52000 PRQUE INDUSTRIAL, LERMA MEXIKO	5	CASE	ENGINEERING STEEL HS CODE: 72285040	5160.000	2.516
VER286198	ZINKPOWER MONTERREY S.A.DEC.V. RIO MISSISSIPPI ORIENTE NO. EXT.30 COL DEL VALLE SAN PEDRO GARZA GARCIA NUEVO LOEON, MEXICO	1	PALLET	BOLTS, NUTS, WASHER NOT STACKABLE HS 731815, 731816, 731822	345.000	0.557
VER286214	ALTECH MEXICO DN: 24001718 + 24000313	4	PACKAGES	ELECTRICAL PARTS HS-CODE: 820340, 391740, 391732, 392690	301.600	5.149

Manifest

Page: 3

Container-No.: MRSU2263527 40' HIGH CUBE CONTAINER Seal-No.: B149525
Vessel: SAC2204 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721705214

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER286224	LOGISTICS INTEROCEANICA DE CARGA, S.A. DE C.V. AV. CONCEPCION BEISTEGUI NO. EXT. 2009 MEX 38020 CELAYA, GUA	2	PACKAGES	COMPONENTS FOR SERVOPRO 23H83620 HS CODE: 39174000	517.000	1.394
VER286236	62651221 / 62651223 PRAXAIR MEXICO 62651221/62651223 REF: 26008973/ 26008937 INVOICE-NO.: 61660782 ANGEBOT: 2602875	4	CASES	S.T.C. ELECTRIC GAS MIXERS, CONNECTION SETS, STAINLESS STEEL RECEIVER HS: 73110091, 74122000, 90328900	1401.000	9.611
VER286243	APTAR QUERETARO, S. DE RL DE C. V.	1	PALLET	PRECISION BALL HS CODE: 84829190	455.000	1.392
VER286261	TUNKERS DE MEXICO DN 362525 / O2066	1	PALLET	CLAMPING SYSTEMS HS-CODE: 392690, 730451, 843139, 847990, 851762, 853669, 853710 , 853890 **HSCODE: 392690**	249.000	0.787
VER286279	VICTORINOX P1-P12 PUEBLA PUE MEXICO	12	PALLETS	KNIFE SHARPENER / SHARPENING STEEL HS CODE: 82055100	4437.000	11.981

Manifest

Page: 4

Container-No.: MRSU2263527 40' HIGH CUBE CONTAINER Seal-No.: B149525
Vessel: SAC2204 / CLEMENS SCHULTE
ETS:
Master-B/L.: 721705214


BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
VER286285	LINARAND BELTECH, S.A. DE C.V DN145978	7	PACKAGES	CONVEYOR BELTING, KRAFT PAPER AND PAPERBOARD, PROFILES AND FOILS HS CODES: 59100000 48103210, 39204390	4947.000	6.935
VER286314	VER286314 EISSMANN MX DN 897071	3	CARTONS	MOLDED RUBBER PARTS HS-CODE: 401699 **HSCODE: 401699**	27.900	0.122

Total	Quantity 51	Grossweight 25.861.070	Measurement 49.148
--------------	------------------------------	---	-------------------------------------

BEFÖRDERUNGSDOKUMENT FÜR GEFÄHRLICHE GÜTER
nach §6 GGVSee (IMO-ERKLÄRUNG)
TRANSPORT DOCUMENT FOR DANGEROUS GOODS
(IMO-DANGEROUS GOODS DECLARATION)

Dieses Formular entspricht SOLAS 74, Kapitel VII Regel 4, MARPOL 73/78, Anlage III, Regel 4 und dem IMDG-Code, Kapitel 5.4
This form meets the requirements of SOLAS 74, chapter VII regulation 4, MARPOL 73/78, Annex III, regulation 4 and the IMDG-Code, Chapter 5.4

Versender (Name & Anschrift) Shipper (Name & Address) Macdermid Enthone GmbH Elisabeth-Selbert-Strasse 4 40764 Langenfeld Federal Rep. of Germany		Buchungsnummer(n) Reference number(s) 61520923	
Empfänger Consignee MACDERMID DE MEXICO, S.A. de C.V NOTRE 59 NO. 896 COL. INDUSTRIAL VALLEJO 02300 MEXICO D.F., MEXICO		Beauforder Carrier	
CONTAINER/FAHRZEUG-PACKING CERTIFIKAT CONTAINER/VEHICLE PACKING CERTIFICATE			
ERKLÄRUNG Es wird erklärt, dass das Packen der gefährlichen Güter in die oder auf die DECLARATION It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1. AUSFÜLLEN FÜR SENDUNGEN IN CONTAINERN ODER FAHRZEUGEN TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES		Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory	
Ort und Datum Place and date		Unterschrift für den Packier Signature on behalf of packer	
Schiffsnamen und Nummer der Reise Ship's name and voyage No.		Ladehafen Port of loading	
Ladehafen Port of discharge			
UN-Nr. UN-No.	Initial (pflichtig technischer Name) Proper Shipping Name (Correct technical name)	Klassen/Unter- klassen nach IMO-Code IMO Class	Verpackungs- gruppe Packing group
UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (HEX-3-YNE-2,5-DIOL)	6.1	III
IMDG Code, segregation group 1 - acids		Markierung der Versandstücke Falls zutreffend, Identifikations-Nummer Markierung, identification or registration number(s) of the Unit	
		Anzahl und Verp.-Art No. and kind of packages	
		1 IBC (31HA1)	
Bruttomenge (Volumen/Masse) Gross quantity (Volume/mass) Nettomenge (Volumen/Masse) Net quantity (Volume/mass) Nettoexplosivstoffmasse Net explosive mass		Merkblatt Nr. für Umfeld-Maßnahmen Ems. No. Eigenschaften/Eigenschaften Flammpunkt/Frostpunkt Marine-POLLUTANT Kontroll- und Notfalltemperatur Control- and emergency temperature	
Gross wgt 1039,9 kg Net gty 980,0 L Net wgt 986,0 kg		Flashpoint: 100°C MARINE POLLUTANT	
* Marken- oder Handelsnamen allein sind nicht ausreichend. Falls zutreffend: (1) das Wort „ABFALL“ vor den Namen setzen; (2) „LEER UNGEFÄHRLICH“ oder „RÜCKSTÄNDE“ ZULETZT ENTHALTEN hinzusetzen; (3) BEGRENZTE MENGE“ hinzusetzen; * Proprietärsnamen alleine sind nicht ausreichend. If applicable: (1) the word „WASTE“ should precede the name; (2) „EMPTY UNCONTAINED“ or „RESIDUE - LAST CONTAINER“ should be added; (3) „LIMITED QUANTITY“ should be added. * When required in chapter 5.4 of the IMDG-Code, Class 1 only;		Güter angeordnet als: Goods delivered as: ☐ Stückgut/Discrete cargo ☐ Ladungseinheiten (Unit Loads) ☐ Unfilled cargo ☐ Be- und/oder verpackte Flüssigkeiten Art der Einheit Type of unit (Container, trailer, tank, vehicle etc.) ☐ off-tight ☐ geschlossenen/enclosed Zusätzliche erforderliche Hinweise: „X“ in appropriate box Additional information to be provided in appropriate box Bezeichnung (auszudeuten) Description (to be explained) In which cases insert appropriate description	
ZUSÄTZLICHE ANGABEN Unter bestimmten Bedingungen sind besondere Angaben/Bezeichnungen erforderlich: siehe IMDG-Code, Kapitel 5.4 (siehe Rückseite). ADDITIONAL INFORMATION In certain circumstances Special Information/Certificates are required, see IMDG-Code, chapter 5.4 (see backside).			
ERKLÄRUNG Hiermit erkläre ich, dass der Inhalt dieser Sendung mit dem (den) richtigen technischen Namen vollständig und genau bezeichnet ist. Die Güter sind nach den geltenden internationalen und nationalstaatlichen Vorschriften, verpackt, geladen und getrennt und getrennt und befinden sich in jeder Hinsicht in einem für die Beförderung geeigneten Zustand. DECLARATION I hereby declare that the Contents of this consignment are fully and accurately described by the name(s) and are properly packed, loaded, segregated and secured in accordance with and are in all respects in proper condition for transport according to the applicable international and national governmental regulations.		Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory Macdermid Enthone GmbH Ort und Datum Place and date LANGENFELD, 29.07.2026 Unterschrift für den Versender Signature on behalf of shipper M. Lerski	



MacDermid Enthone

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Germany

SAFETY DATA SHEET

3-HEXYNE-2,5-DIOL 80% SOLN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : 3-HEXYNE-2,5-DIOL 80% SOLN
Product code : 805446

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial use
Material uses
Surface Treatment.
Uses advised against
Not applicable.

1.3 Details of the supplier of the safety data sheet

e-mail address of person responsible for this SDS : Regulatory.DE@Macdermid.com

Supplier : MacDermid Enthone GmbH
 Elisabeth-Selbert-Straße 4
 40764 Langenfeld
 Germany

Information contact : Tel.: (+49) 21739948446
 Fax: (+49) 21739948404
 Regulatory.DE@Macdermid.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number :

Supplier

Telephone number : (+49) 80 000 07801

Hours of operation : 24/7

Date of issue/Date of revision : 11 June 2020 **Version** : 3.2
Date of previous issue : No previous validation

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] *

Acute Tox. 3, H301

Skin Irrit. 2, H315

Eye Dam. 1, H318

Skin Sens. 1, H317

Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

(*) See full text of phrases in section 16

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H301 - Toxic if swallowed.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention :

- P280 - Wear eye or face protection.
- P273 - Avoid release to the environment.

Response :

- P391 - Collect spillage.
- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : hex-3-yne-2,5-diol

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP] *	Type
hex-3-yne-2,5-diol	REACH #: 01-2119965136-34 EC: 221-209-5 CAS: 3031-66-1	≥75 - ≤90	Acute Tox. 3, H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411 (*) See full text of phrases in section 16	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
 [2] Substance with a workplace exposure limit
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 [5] Substance of equivalent concern
 [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SECTION 4: First aid measures

- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : Toxic if swallowed.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
- Ingestion** : Adverse symptoms may include the following:
stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, alcohol-resistant foam or water spray (fog).
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SECTION 5: Firefighting measures

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Industrial use

Surface Treatment.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
hex-3-yne-2,5-diol	DNEL	Long term Inhalation	0.5 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	0.14 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0.125 mg/m ³	General population [Consumers]	Systemic
	DNEL	Long term Dermal	0.08 mg/kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Oral	0.04 mg/kg bw/day	General population [Consumers]	Systemic

PNECs

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Compartment Detail	Value	Method Detail
hex-3-yne-2,5-diol	Fresh water	9 µg/l	Assessment Factors
	Marine water	1 µg/l	Assessment Factors
	Sewage Treatment Plant	70.9 mg/l	Assessment Factors
	Fresh water sediment	35 µg/kg dwt	Equilibrium Partitioning
	Marine water sediment	4 µg/kg dwt	Equilibrium Partitioning
	Soil	1 µg/kg dwt	Equilibrium Partitioning

8.2 Exposure controls**Appropriate engineering controls**

- : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures**Hygiene measures**

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection**Hand protection**

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 1 - 4 hours (breakthrough time): butyl rubber, fluorinated rubber, thickness: 0.5 mm.
< 1 hour (breakthrough time): nitrile rubber, Chloroprene, thickness: 0.5 mm.

Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: chemical-resistant protective suit (EN 14605).

Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

- : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: full face mask (EN 136), Combination filtering device (EN 141) A3-P2.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Liquid. [Viscous liquid.]
Colour	: Yellowish.
Odour	: Characteristic.
Odour threshold	: There are no data available on the mixture itself.
pH	: 5 [Conc. (% w/w): 9%]
Melting point/freezing point	: 6°C
Initial boiling point and boiling range	: 115°C
Flash point	: Closed cup: >100°C
Evaporation rate	: There are no data available on the mixture itself.
Flammability (solid, gas)	: There are no data available on the mixture itself.
Upper/lower flammability or explosive limits	: There are no data available on the mixture itself.
Vapour pressure	: 2 kPa [room temperature] 10 kPa [50°C]
Vapour density	: There are no data available on the mixture itself.
Density	: 1.02 g/cm ³ [23°C]
Solubility(ies)	: Easily soluble in the following materials: cold water.
Partition coefficient: n-octanol/water	: There are no data available on the mixture itself.
Auto-ignition temperature	: >200°C
Decomposition temperature	: 150°C
Viscosity	: Kinematic (room temperature): <1 cm ² /s
Explosive properties	: There are no data available on the mixture itself.
Oxidising properties	: There are no data available on the mixture itself.

9.2 Other information

Solubility in water : There are no data available on the mixture itself.

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Highly reactive or incompatible with the following materials: oxidising materials and acids. Reactive or incompatible with the following materials: organic materials. Slightly reactive or incompatible with the following materials: alkalis. Keep away from heat and direct sunlight. Incompatible with lead and silver salts.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: See Section 10.1.

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
hex-3-yne-2,5-diol	LD50 Oral	Rat	140 mg/kg	-

Conclusion/Summary : There are no data available on the mixture itself.

Acute toxicity estimates

Route	ATE value
Oral	175 mg/kg

Irritation/Corrosion**Conclusion/Summary**

Skin : There are no data available on the mixture itself.

Sensitisation**Conclusion/Summary**

Skin : Based on available data, the classification criteria are not met.

Mutagenicity**Conclusion/Summary**

: Based on available data, the classification criteria are not met.

Carcinogenicity**Conclusion/Summary**

: There are no data available on the mixture itself.

Reproductive toxicity**Conclusion/Summary**

: There are no data available on the mixture itself.

Teratogenicity**Conclusion/Summary**

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : There are no data available on the mixture itself.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur

Ingestion : Adverse symptoms may include the following:
stomach pains

SECTION 11: Toxicological information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Not available.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	
14.1 UN number	UN2810	UN2810	
14.2 UN proper shipping name	TOXIC LIQUID, ORGANIC, N. O.S. (hex-3-yne-2,5-diol)	TOXIC LIQUID, ORGANIC, N. O.S. (hex-3-yne-2,5-diol)	
14.3 Transport hazard class(es)	6.1  	6.1  	
14.4 Packing group	III	III	
14.5 Environmental hazards	Yes.	Yes. Marine pollutant	
Additional information	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. Tunnel code E Classification code T1	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. Emergency schedules F-A, S-A	

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.
on the manufacture,
placing on the market
and use of certain
dangerous substances,
mixtures and articles

Other EU regulations

Europe inventory : All components are listed or exempted.

Seveso Directive (2012/18/EU)

This product is controlled under the Seveso Directive.

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
H2	50	200
E2	200	500

EU - Restriction of Hazardous Substances Directive (RoHS)

Ingredient name	CAS no.	Status
Not listed.		

National regulations

Hazard class for water : 3

International regulations

International lists

National inventory

Canada : All components are listed or exempted.
China : All components are listed or exempted.
Japan : **Japan inventory (ENCS)**: All components are listed or exempted.
Japan inventory (ISHL): Not determined.
Malaysia : Not determined
New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.
Republic of Korea : All components are listed or exempted.
Taiwan : All components are listed or exempted.
Turkey : Not determined.
United States : All components are active or exempted.

15.2 Chemical safety assessment

: Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DMEL = Derived Minimal Effect Level
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PBT = Persistent, Bioaccumulative and Toxic
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number
 vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Acute Tox. 3, H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411	Calculation method Calculation method Calculation method Calculation method Calculation method

Full text of abbreviated H statements

H301 H315 H317 H318 H411	Toxic if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
--------------------------------------	--

Full text of classifications [CLP/GHS]

Acute Tox. 3 Aquatic Chronic 2 Eye Dam. 1 Skin Irrit. 2 Skin Sens. 1	ACUTE TOXICITY - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1
--	---

Date of printing : 29-Sep-20

Date of issue/ Date of revision : 11-Jun-20

Date of previous issue : No previous validation

Version : 3.2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

MacDermid Enthone SDS CLP Europe



We create chemistry

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29

Versión: 2.0

Página: 1/11

(30042696/SDS_GEN_MX/ES)

1. Identificación

Identificador del producto utilizado en la etiqueta

Golpanol® HD

Uso recomendado del producto químico y restricciones de uso

Utilización adecuada*: Materia prima

* El 'Uso recomendado' identificado para este producto se facilita únicamente para cumplir con un requerimiento federal y no es parte de las especificaciones publicadas por el vendedor. Los términos de esta Ficha de Datos de Seguridad (FDS) no crean ni generan ninguna garantía, expresa o implícita, incluida por incorporación en el acuerdo de venta con el vendedor o en referencia al mismo.

Datos del proveedor de la ficha de datos de seguridad

Empresa:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes, C.P. 03710,
MEXICO

Teléfono: +52 55 5325 2600

Teléfono de emergencia

Tel.: +1-800-849-5204 or +1-833-229-1000

CHEMTREC Int.: +1-703-527-3887

Otros medios de identificación

Familia química: dioles

2. Identificación de los peligros

Según la reglamentación 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Clasificación del producto

Acute Tox.	3 (Por ingestión)	Toxicidad aguda
Skin Corr./Irrit.	2	Corrosión/Irritación en la piel
Eye Dam./Irrit.	1	Lesión grave/Irritación ocular
Skin Sens.	1	Sensibilizante para la piel
Aquatic Chronic	3	Peligroso para el medio ambiente acuático - crónico

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 2/11
(30042696/SDS_GEN_MX/ES)

Elementos de la etiqueta

Pictograma:



Palabra de advertencia:
Peligro

Indicaciones de peligro:

H318	Provoca lesiones oculares graves.
H315	Provoca irritación cutánea.
H301	Tóxico en caso de ingestión.
H317	Puede provocar una reacción alérgica en la piel.
H412	Nocivo para los organismos acuáticos, con efectos nocivos duraderos.

Consejos de prudencia (prevención):

P280	Llevar guantes/gafas/máscara de protección.
P261	Evitar respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol.
P273	Evitar su liberación al medio ambiente.
P264	Lavar con agua y jabón concienzudamente tras la manipulación.
P272	Las prendas de trabajo contaminadas no podrán sacarse del lugar de trabajo.

Consejos de prudencia (respuesta):

P305 + P351 + P338	EN CASO DE CONTACTO CON LOS OJOS: Aclarar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando.
P310	Llamar inmediatamente a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico
P303+ P352	EN CASO DE CONTACTO CON LA PIEL (o con el cabello): Lavar abundantemente con agua y jabón.
P330	Enjuagarse la boca.
P362 + P364	Quitarse las prendas contaminadas y lavarlas antes de volver a usarlas.

Consejos de prudencia (almacenamiento):

P405	Guardar bajo llave.
------	---------------------

Consejos de prudencia (eliminación):

P501	Eliminar el contenido/el recipiente en un punto de recogida de residuos especiales.
------	---

Sustancias peligrosas no clasificadas de otra manera

Ningún riesgo específico conocido, respetando las reglamentaciones/indicaciones para el almacenamiento y la manipulación.

Etiquetado de preparados especiales (GHS):

El siguiente porcentaje de la mezcla consiste en componente (s) con peligros desconocidos respecto a la toxicidad aguda. 1 % dérmica

El siguiente porcentaje de la mezcla consiste en componente (s) con peligros desconocidos respecto a la toxicidad aguda. 1 % Por ingestión

El siguiente porcentaje de la mezcla consiste en componente (s) con peligros desconocidos respecto a la toxicidad aguda. 1 % Inhalación - vapor

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 3/11
(30042696/SDS_GEN_MX/ES)

El siguiente porcentaje de la mezcla consiste en componente (s) con peligros desconocidos respecto a la toxicidad aguda. 1 % Inhalación - niebla

Según la Reglamentación 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Indicaciones - Urgencia

ADVERTENCIA:
TÓXICO - ORAL.
TÓXICO POR INGESTIÓN.
Provoca lesiones oculares graves.
Provoca irritación cutánea.
PUEDE PROVOCAR REACCIÓN ALÉRGICA CUTÁNEA.
PUEDE PROVOCAR IRRITACIÓN EN LAS VÍAS RESPIRATORIAS.
Utilizar con sistema local con ventilación.
Utilice un respirador para vapores orgánicos y de partículas certificado por NIOSH (Instituto Nacional de Salud y Seguridad Ocupacional) (o equivalente).
Utilice lentes de seguridad para productos químicos certificadas por NIOSH (Instituto Nacional de Salud y Seguridad Ocupacional).
Utilizar equipo de protección corporal.
Utilice guantes protectores resistentes a químicos
Evitar el contacto con la piel, ojos y vestimenta.
Las fuentes para lavado de ojos y las duchas de seguridad deben ser fácilmente accesibles.

3. Composición / Información Sobre los Componentes

Según la reglamentación 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>Número CAS</u>	<u>Peso %</u>	<u>Nombre químico</u>
3031-66-1	>= 75.0 - <= 100.0%	Hex-3-ino-2,5-diol

Según la Reglamentación 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>Número CAS</u>	<u>Peso %</u>	<u>Nombre químico</u>
3031-66-1	60.0 - 100.0%	Hex-3-ino-2,5-diol

4. Medidas de primeros auxilios

Descripción de los primeros auxilios

Indicaciones generales:

Cambiarse inmediatamente la ropa contaminada.

En caso de inhalación:

Reposo, respirar aire fresco, buscar ayuda médica.

En caso de contacto con la piel:

Lavar a fondo con agua y jabón la zona afectada de la piel. Buscar ayuda médica. Quitarse la ropa contaminada.

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 4/11
(30042696/SDS_GEN_MX/ES)

En caso de contacto con los ojos:

Lavar los ojos abundantemente durante 15 minutos con agua corriente y los párpados abiertos.
Buscar ayuda médica.

En caso de ingestión:

Lavar inmediatamente la boca y beber posteriormente abundante agua, evitar el vómito, buscar ayuda médica.

Principales síntomas y efectos, agudos y retardados

Síntomas: Los efectos y síntomas conocidos más importantes se describen en la etiqueta (ver sección 2) y/o en la sección 11.

Indicación de cualquier atención médica inmediata y de los tratamientos especiales que se requieran.Indicaciones para el médico

Tratamiento: Tratamiento sintomático (descontaminación, funciones vitales), no es conocido ningún antídoto específico.

5. Medidas de lucha contra incendios

Medios de extinción

Medios de extinción adecuados:
agua pulverizada, extintor de polvo, espuma

Peligros específicos derivados de la sustancia o la mezcla

Peligro al luchar contra incendio:

Vapores nocivos

Formación de humo/niebla. En caso de incendio las sustancias/grupos de sustancias citadas pueden desprenderse.

Recomendaciones para el personal de lucha contra incendios

Equipo de Protección personal en caso de fuego:

Protéjase con un equipo respiratorio autónomo.

Utilizar traje de bombero completo y equipo de protección de respiración de autocontenido.

Información adicional:

El riesgo depende de las sustancias que se estén quemando y de las condiciones del incendio. El agua de extinción contaminada debe ser eliminada respetando las legislaciones locales vigentes.

6. Indicaciones en caso de fuga o derrame

Notas adicionales para caso liberación:

En caso de derrame de producto, peligro extremo de resbalones.

Precauciones personales, equipo de protección y procedimientos de emergencia

Utilizar ropa de protección personal. Indicaciones relativas a protección personal: véase sección 8.

Precauciones relativas al medio ambiente

Evitar que penetre en el alcantarillado, aguas superficiales o subterráneas.

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 5/11
(30042696/SDS_GEN_MX/ES)

Métodos y material de contención y de limpieza

Para pequeñas cantidades: Recoger con material absorbente (p. ej. arena, serrín, absorbente universal). Eliminar el material recogido teniendo en consideración las disposiciones locales.

Para grandes cantidades: Bombear el producto.

Coloque el material absorbido en el mismo contenedor que la sustancia/producto vertidos para su eliminación.

7. Manipulación y almacenamiento

Precauciones para una manipulación segura

No se recomienda ninguna medida especial, si se utiliza el producto adecuadamente.

Protección contra incendio/explosión:

Evítese la acumulación de cargas electroestáticas.

Condiciones de almacenamiento seguro, incluidas posibles incompatibilidades

Separar de ácidos fuertes. Separar de álcalis fuertes. Separar de las sales de metales pesados.

Separar de agentes oxidantes fuertes.

Otras especificaciones sobre condiciones almacenamiento: Mantener los envases cerrados herméticamente y en un lugar seco; almacenar en un lugar fresco.

8. Controles de exposición/Protección personal

No hay límites de exposición profesional conocidos

Equipo de protección personal

Protección de las vías respiratorias:

Utilice un respirador para vapores orgánicos y de partículas certificado por NIOSH (Instituto Nacional de Salud y Seguridad Ocupacional) (o equivalente).

Protección de las manos:

Guantes de protección resistentes a productos químicos

Protección de los ojos:

Gafas de seguridad con cierre hermético (Gafas cesta).

Medidas generales de protección y de higiene:

Manipular de acuerdo con las normas de seguridad para productos químicos.

9. Propiedades físicas y químicas

Estado físico:	líquido	
Olor:	específico del producto	
Color:	amarillento	
Valor pH:	3.5 - 6.5	(DIN ISO 976)
	(100 g/l, 23 °C)	
Temperatura de	aprox. 6 °C	(DIN ISO 3013)
solidificación:	(1,013 hPa)	
Punto de ebullición:	115 °C	
	(1,013 hPa)	

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 6/11
(30042696/SDS_GEN_MX/ES)

Punto de inflamación:	> 100 °C	(DIN EN 22719; ISO 2719)
Autoinflamación:	> 200 °C	(DIN 51794)
Presión de vapor:	20 mbar (20 °C) 100 mbar (50 °C)	
Densidad:	1.01 - 1.03 g/cm3 (23 °C)	(DIN 51757)
Coeficiente de reparto n-octanol/agua (log Pow):	-0.24	
Descomposición térmica:	150 °C Es posible la descomposición térmica por encima de la temperatura indicada.	
Viscosidad, cinemático:	< 100 mm2/s (20 °C)	
Solubilidad en agua:	soluble	
Velocidad de evaporación:	No hay datos disponibles.	

10. Estabilidad y reactividad

Reactividad

Ninguna reacción peligrosa, si se tienen en consideración las normas/indicaciones sobre almacenamiento y manipulación.

Corrosión metal:
No es corrosivo para metales.

Estabilidad química

El producto es estable si se tienen en consideración las normas/indicaciones sobre almacenamiento y manipulación.

Posibilidad de reacciones peligrosas

Reacciones con álcalis (bases). Reacciones con ácidos. Reacciones con sales de metales pesados.
Reacciones con agentes oxidantes.

Condiciones que deben evitarse

Materiales incompatibles

ácidos, sales de metales pesados, sales de mercurio, álcalis, bases, medios oxidantes

Productos de descomposición peligrosos

Productos de la descomposición:
Productos peligrosos de descomposición: No se presenta ningún producto de descomposición.

Descomposición térmica:
150 °C
Es posible la descomposición térmica por encima de la temperatura indicada.

11. Información sobre toxicología

vías primarias de la exposición

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 7/11
(30042696/SDS_GEN_MX/ES)

Las rutas de entrada para sólidos y líquidos son la ingestión y la inhalación pero puede incluirse contacto con la piel o los ojos. Las rutas de entrada para gases incluye la inhalación y el contacto con los ojos. El contacto con la piel puede ser una ruta de entrada para gases licuados.

Toxicidad aguda/Efectos

Toxicidad aguda

Indicaciones para: Hex-3-ino-2,5-diol

Valoración de toxicidad aguda: Muy tóxico tras una sola ingestión. Prácticamente no tóxico por un único contacto cutáneo.

Oral

Indicaciones para: Hex-3-ino-2,5-diol

Tipo valor: DL50

Especies: rata

valor: aprox. 140 mg/kg (ensayo BASF)

Inhalación

Indicaciones para: Hex-3-ino-2,5-diol

Tipo valor: CL0

Especies: rata

valor: 0.005 mg/l (ensayo BASF)

Duración de exposición: 8 h

Test del riesgo de inhalación (IRT): tras la inhalación de una mezcla vapor/aire altamente concentrada y respecto a su volatilidad no existe ningún riesgo agudo (ninguna mortalidad durante 8 horas).

Dérmica

Tipo valor: ATE

valor: > 5,000 mg/kg

Irritación/ Corrosión

Valoración de efectos irritantes: Provoca lesiones oculares graves. Provoca irritación cutánea. Puede causar irritaciones en las vías respiratorias.

piel

Indicaciones para: Hex-3-ino-2,5-diol

Especies: conejo

Resultado: Irritante.

Método: ensayo BASF

ojo

Indicaciones para: Hex-3-ino-2,5-diol

Especies: conejo

Resultado: Riesgo de lesiones oculares graves.

Método: ensayo BASF

Sensibilización

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 8/11
(30042696/SDS_GEN_MX/ES)

Indicaciones para: Hex-3-ino-2,5-diol

Valoración de sensibilización:

Efecto sensibilizante en la piel en experimentación animal.

Toxicidad crónica/Efectos

Toxicidad en caso de aplicación frecuente

Indicaciones para: Hex-3-ino-2,5-diol

Valoración de toxicidad en caso de aplicación frecuente: La ingestión repetida puede causar efectos estomacales que pueden manifestarse como destrucción de la membrana del estómago.

En caso de exposiciones repetidas, la sustancia puede afectar ciertos órganos específicos. Daña las células de la sangre Dañino para el bazo Daños en el hígado. Daños en el estómago. Causa lesiones en los riñones.

Síntomas de la exposición

Los efectos y síntomas conocidos más importantes se describen en la etiqueta (ver sección 2) y/o en la sección 11.

12. Información ecológica

Toxicidad

Toxicidad en peces

Indicaciones para: Hex-3-ino-2,5-diol

CL50 (96 h) > 100 mg/l, Leuciscus idus (DIN 38412 Parte 15, estático)

Concentración nominal.

Invertebrados acuáticos

Indicaciones para: Hex-3-ino-2,5-diol

CE50 (48 h) 169 mg/l, Daphnia magna (DIN 38412 Parte 11, estático)

Concentración nominal.

Plantas acuáticas

Indicaciones para: Hex-3-ino-2,5-diol

CE10 (48 h) 0.35 mg/l (tasa de crecimiento), Pseudokirchneriella subcapitata (test inhibición del crecimiento de algas, estático)

Indicación bibliográfica. La indicación del efecto tóxico se refiere a la concentración nominal.

CE50 (48 h) 9.5 mg/l (tasa de crecimiento), Pseudokirchneriella subcapitata (test inhibición del crecimiento de algas, estático)

Indicación bibliográfica. La indicación del efecto tóxico se refiere a la concentración nominal.

Microorganismos/Efectos sobre el lodo activado

Toxicidad en microorganismos

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 9/11
(30042696/SDS_GEN_MX/ES)

Indicaciones para: Hex-3-ino-2,5-diol
DIN 38412 Parte 8 acuático
bacterias/CE10 (7 h): 70.9 mg/l
Concentración nominal.
DIN 38412 Parte 8 acuático
CE50 (7 h): 1,160 mg/l
Concentración nominal.

Persistencia y degradabilidad

Indicaciones para la eliminación

Indicaciones para: Hex-3-ino-2,5-diol
< 10 % (28 Días) (Directiva 302 B de la OCDE) (aerobio, odo activado, industrial)
< 10 % (60 Días) (OCDE 301B; ISO 9439; 92/69/CEE, C.4-C) (aerobio, lodo activado, doméstico, no adaptado)
Condiciones mejoradas: incubación prolongada

Movilidad en el suelo

Evaluación del transporte entre compartimentos medioambientales

La sustancia no se evapora a la atmósfera, desde la superficie del agua.
No es previsible una absorción en las partículas sólidas del suelo.

Indicaciones adicionales

Parámetros adicionales

Demanda química de oxígeno (DQO): 1,780 mg/g

13. Consideraciones relativas a la eliminación / disposición de residuos

Eliminación de la sustancia (residuos):

Elimine en conformidad con los reglamentos nacionales, estatales y locales. Es responsabilidad del generador de los residuos determinar si un determinado residuo es peligroso conforme a la RCRA (SEMARNAT in Mexico).

depósitos de envases:

Elimine en una instalación autorizada. Se recomienda el prensado, la perforación u otras medidas para prevenir el uso no autorizado de contenedores usados.

14. Información relativa al transporte

Transporte por tierra

TDG

Clase de peligrosidad:	6.1
Grupo de embalaje:	III
Número ID:	UN 2810
Etiqueta de peligro:	6.1
Denominación técnica de expedición:	LÍQUIDO ORGÁNICO TÓXICO, N.E.P. (contiene HEX-3-INO-2,5-DIOL)

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29
Versión: 2.0

Página: 10/11
(30042696/SDS_GEN_MX/ES)

Transporte marítimo por barco

IMDG

Clase de peligrosidad: 6.1
Grupo de embalaje: III
Número ID: UN 2810
Etiqueta de peligro: 6.1
Contaminante marino: NO
Denominación técnica de expedición:
LÍQUIDO ORGÁNICO TÓXICO, N.E.P.
(contiene HEX-3-INO-2,5-DIOL)

Sea transport IMDG

Hazard class: 6.1
Packing group: III
ID number: UN 2810
Hazard label: 6.1
Marine pollutant: NO
Proper shipping name:
TOXIC LIQUID, ORGANIC, N.O.S. (contains
HEX-3-YNE-2,5-DIOL)

Transporte aéreo

IATA/ICAO

Clase de peligrosidad: 6.1
Grupo de embalaje: III
Número ID: UN 2810
Etiqueta de peligro: 6.1
Denominación técnica de expedición:
LÍQUIDO ORGÁNICO TÓXICO, N.E.P.
(contiene HEX-3-INO-2,5-DIOL)

Air transport

IATA/ICAO

Hazard class: 6.1
Packing group: III
ID number: UN 2810
Hazard label: 6.1
Proper shipping name:
TOXIC LIQUID, ORGANIC, N.O.S. (contains
HEX-3-YNE-2,5-DIOL)

15. Reglamentaciones

Reglamentaciones federales

No aplicable

NFPA Código de peligro:

Salud : 3 Fuego: 1 Reactividad: 0 Especial:

16. Otra información

FDS creado por:

BASF NA Producto Regularizado
FDS creado en: 2015/05/29

Respaldamos las iniciativas Responsible Care® a nivel mundial. Valoramos la salud y seguridad de nuestros empleados, clientes, suministradores y vecinos, y la protección del medioambiente. Nuestro compromiso con el Responsible Care es integral llevando a cabo a nuestro negocio y operando nuestras fábricas de forma segura y medioambientalmente responsable, ayudando a nuestros clientes y suministradores a asegurar la manipulación segura y respetuosa con el medioambiente de nuestros productos, y minimizando el impacto de nuestras actividades en la sociedad y en el medioambiente durante la producción, almacenaje, transporte uso y eliminación de nuestros productos.

Golpanol® HD es una marca registrada de BASF Mexicana o BASF SE
IMPORTANTE: MIENTRAS QUE LAS DESCRIPCIONES, LOS DISEÑOS, LOS DATOS Y LA INFORMACIÓN CONTENIDA ADJUNTO SE PRESENTAN EN LA BUENA FE, SE CREEN QUE PARA SER EXACTOS, SE PROPORCIONA SU DIRECCIÓN SOLAMENTE. PORQUE MUCHOS

Hoja de Seguridad

Golpanol® HD

Fecha de revisión : 2015/05/29

Página: 11/11

Versión: 2.0

(30042696/SDS_GEN_MX/ES)

FACTORES PUEDEN AFECTAR EL PROCESO O APLICACIONES EN USO, RECOMENDAMOS QUE USTED HAGA PRUEBAS PARA DETERMINAR LAS CARACTERÍSTICAS DE UN PRODUCTO PARA SU PROPÓSITO PARTICULAR ANTES DEL USO. NO SE HACE NINGUNA CLASE DE GARANTÍA, EXPRESADA O IMPLICADA, INCLUYENDO GARANTÍAS MERCANTILES O PARA APTITUD DE UN PROPÓSITO PARTICULAR, CON RESPECTO A LOS PRODUCTOS DESCRITOS O LOS DISEÑOS, LOS DATOS O INFORMACIÓN DISPUESTOS, O QUE LOS PRODUCTOS, LOS DISEÑOS, LOS DATOS O LA INFORMACIÓN PUEDEN SER UTILIZADOS SIN LA INFRACCIÓN DE LOS DERECHOS DE OTROS. EN NINGÚN CASO LAS DESCRIPCIONES, INFORMACIÓN, LOS DATOS O LOS DISEÑOS PROPORCIONADOS SE CONSIDEREN UNA PARTE DE NUESTROS TÉRMINOS Y CONDICIONES DE LA VENTA. ADEMÁS, ENTIENDE Y CONVIENE QUE LAS DESCRIPCIONES, LOS DISEÑOS, LOS DATOS, Y LA INFORMACIÓN EQUIPADA POR NUESTRA COMPAÑÍA ABAJO DESCRITOS ASUME NINGUNA OBLIGACIÓN O RESPONSABILIDAD POR LA DESCRIPCIÓN, LOS DISEÑOS, LOS DATOS E INFORMACIÓN DADOS O LOS RESULTADOS OBTENIDOS, TODOS LOS QUE SON DADOS Y ACEPTADOS EN SU RIESGO.

Final de la Ficha de Datos de Seguridad

Shipper
EMO TRANS GMBH
OBER DER MUEHLE 30
DE-42699 SOLINGEN
AS AGENTS FOR EM-LINES LTD.
VAT/UST-IDNR.: DE147851839
TEL: +49 212 221680

B/L No.
VER285503



SACO SHIPPING LINE LTD

Consigned to order of
SEA CARGO LOGISTICS S.A. DE C.V.
RFC SCL090414QE0
CALLE LEIBNITZ NO. 117, OFICINA
401, COL. ANZURES MIGUEL HIDALGO
11590 CIUDAD DE MEXICO, MEX MEXICO

Notify Party and address
EMO TRANS INC.
920 (B) RIVER STREET
WINDSOR, CT 06095
UNITED STATES

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525101

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. MACDERMID DE MEXICO S.A. DE C.V. 01043597 01043593	Quantity of Goods 1 PALLETS	Description of Goods CHEMICALS FOR ELECTROPLATING HS CODE:29041000,39072999, 28269080,38249950,29053995 UN 2810/CLASS 6.1/PG III IMO GROSS WEIGHT: 1039,900 KGS IMO NET WEIGHT : 986,000 KGS	Said to contain Gross weight, kg. 1039,880 Measurement, m ³ 1,416

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL **1 PALLETS** **1039,880 KGS** **1,416 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
VOESTALPINE AUTOMOTIVE
COMPONENTS LINZ GMBH
STAHLSTRASSE 47 4020 LINZ
AUSTRIA
VAT: ATU62278699

B/L No.
VER286032



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525102

Copy

Consigned to order of
GENI DE MEXICO S.A. DE C.V.
CUARTO BARRIO
CARRETERA AL AEROPUERTO KM 2.700
74160 HUEJOTZINGO PUEBLA
MEXICO HERNANDEZ OGARCIA, SOCORRO
+ 52 (227) 2759 176
S.HERNANDEZ2@GENI.COM.MX

Notify Party and address
MITSUI DE MEXICO S DE RL DE CV
AV. PASEO DE LA REFORMA 505,
PISO 33, 06500 CUAUHTEMOC, DF
MEXICO
TX-ID: MME-730306-3L2
FLORES, CYNTHIA TEL; +81 1001 7560

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. GENI DE MEXICO S.A. DE C.V. CUARTO BARRIO CARRETERA AL AEROPUERTO KM 2.700 74160 HUEJOTZINGO PUEBLA MEXICO STOWED INTO CONTAINER NO.: MRSU2263527	Quantity of Goods 7 PALLETS	Description of Goods STEEL PLATES HS CODE: 73269098	Said to contain Gross weight, kg. 5749,440 Measurement, m ³ 3,347

SEAL : B149525

TOTAL 7 PALLETS 5749,440 KGS 3,347 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
TERMINIC GMBH
EUROPAALLEE 15
28309 BREMEN
GERMANY

B/L No.
VER286171



SACO SHIPPING LINE LTD

Consigned to order of
SAPPI TRADING MEXICO
RIO MISSISSIPPI 49 PISO 6
06500 COL CUAHUTEMOC
MX
TAX ID:???????
E-MAIL:??????

Notify Party and address
SAPPI TRADING MEXICO
RIO MISSISSIPPI 49 PISO 6
06500 COL CUAHUTEMOC
MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525103

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. SAPPI TRADING MEXICO ALEJANDRA GUERRERO GALLO RIO MISSISSIPPI 49 PISO 6 06500 COL CUAHUTEMOC MX	Quantity of Goods 1 PALLET	Description of Goods WALL CALENDARS HS CODE: 491000	Said to contain Gross weight, kg. 126,750 Measurement, m ³ 0,672

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL **1 PALLET** **126,750 KGS** **0,672 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper

NTG AIR & OCEAN GMBH AS AGENT FOR AND ON
BEHALF OF GOLDEN OCEAN LINE LTD.
HABENHAUSER LANDSTRASSE 263
BREMEN HB 28279 GERMANY
EORI+DE2621975

B/L No.
VER286181



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

6/10/BRE/525104

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

Copy

Consigned to order of

SEFAR S.A DE C.V
CARRETERA TEPOTZOTLÁN-LA AURORA KM. 1,
S/N,NAVE 3, MODULO A,
COL. AXOTLÁN, CUAUTITLÁN IZCALLI,
ESTADO DE MÉXICO, C.P. 54719
TAX ID:SFM070228759

Notify Party and address

SEFAR S.A DE C.V
CARRETERA TEPOTZOTLÁN-LA AURORA KM. 1,
S/N,NAVE 3, MODULO A,
COL. AXOTLÁN, CUAUTITLÁN IZCALLI,
ESTADO DE MÉXICO, C.P. 54719
TAX ID:SFM070228759

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN, GERMANY	
Port of discharge VERACRUZ, MEXICO	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. SEFAR S.A. DE C.V CARR. TEPOTZOTLAN, LA AURORA, KM1 NAVE 3, MODULO A S/, J. SAN MIGUEL 54719 CUAUTITLAN IZCALLI, ESTADO DE MEXICO MEXICO	Quantity of Goods 2 PACKAGES	Description of Goods PACKED ON 2 PALLETS PAINT AND PAINTING INK. RELATED MATERIAL HS CODE:321519, 381400 UN 1210/CLASS 3/PG III IMO GROSS WEIGHT: 699,500 KGS IMO NET WEIGHT : 601,280 KGS	Said to contain Gross weight, kg. 1104,500 Measurement, m ³ 3,269

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL 2 PACKAGES 1104,500 KGS 3,269 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
O.T.S. ASTRACON
INTL. AIR+SEA FORWARDER GMBH
KONSUL-SMIDT-STRASSE 68 A
28217 BREMEN
GERMANY

B/L No.
VER286187



SACO SHIPPING LINE LTD

Consigned to order of
UNIVERSAL CARGO M, S.A. DE C.V
AV. XOLA NO.535 PISO 12
COL. DEL VALLE CENTRO ALCALDIA
BENITO JUAREZ, CDMX
CP. 03100 TAXID.UCM980421HF5
CONTACT:TEL: 52(55)5784-2584
CAMILO.MARTINEZ@UNIVERSALCARGO.MX

Notify Party and address
UNIVERSAL CARGO M, S.A. DE C.V
AV. XOLA NO.535 PISO 12
COL. DEL VALLE CENTRO ALCALDIA
BENITO JUAREZ, CDMX
CP. 03100 TAXID.UCM980421HF5
CONTACT:TEL: 52(55)5784-2584
CAMILO.MARTINEZ@UNIVERSALCARGO.MX

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525105

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. AMAPARTS PRECISION MACHINING S.A DE C.V CIRCUITO DE IA INDUS. NORTE 71 52000 PRQUE INDUSTRIAL, LERMA MEXIKO STOWED INTO CONTAINER NO.: MRSU2263527	Quantity of Goods 5 CASE	Description of Goods ENGINEERING STEEL HS CODE: 72285040	Said to contain Gross weight, kg. 5160,000 Measurement, m ³ 2,516

SEAL : B149525

TOTAL 5 CASE 5160,000 KGS 2,516 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
HBH LOGISTICS GMBH & CO. KG
EDISONSTRASSE 9

28816 STUHR

B/L No.
VER286198



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525106

Copy

Consigned to order of
CARGO Y SERVICIOS INTERNACIONALES S
DE C.V.
CALLE NORTE 176 NR. 436
COL. PENSADOR MEXICANO
CP. 15510, CIUDAD DE MXICO
RFC: CSI010716Q89
E-MAIL:?????????

Notify Party and address
CARGOY SERVICIOS INTERNACIONALES S
DE C.V.
CALLE NORTE 176 NR. 436
COL. PENSADOR MEXICANO
CP. 15510, CIUDAD DE MXICO
RFC: CSI010716Q89

		Place of receipt BREMEN CFS			
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN			
Port of discharge VERACRUZ		Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO	
Marks and Nos. ZINKPOWER MONTERREY S.A.DEC.V. RIO MISSISSIPPI ORIENTE NO. EXT.30 COL DEL VALLE SAN PEDRO GARZA GARCIA NUEVO LOEON, MEXICO STOWED INTO CONTAINER NO.: MRSU2263527		Quantity of Goods 1 PALLET	Description of Goods BOLTS, NUTS, WASHER NOT STACKABLE HS 731815, 731816, 731822	Said to contain 	

SEAL : B149525

TOTAL **1 PALLET** **345,000 KGS** **0,557 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER286214



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525107

Copy

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

Notify Party and address
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

Place of receipt
BREMEN CFS

Ocean vessel
CLEMENS SCHULTE
Port of loading
BREMERHAVEN

Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
-------------------------------	-----------------------------------	---------------------------	--

Marks and Nos. ALTECH MEXICO DN: 24001718 + 24000313	Quantity of Goods 4 PACKAGES	Description of Goods ELECTRICAL PARTS HS-CODE: 820340, 391740, 391732, 392690	Said to contain	Gross weight, kg. 301,600	Measurement, m ³ 5,149
--	---------------------------------	---	-----------------	------------------------------	--------------------------------------

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL	4 PACKAGES	301,600 KGS	5,149 CBM
-------	------------	-------------	-----------

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper

EMO TRANS GMBH
OBER DER MUEHLE 30
DE-42699 SOLINGEN
AS AGENTS FOR EM-LINES LTD.
VAT/UST-IDNR.: DE147851839
TEL: +49 212 221680

B/L No.
VER286224



SACO SHIPPING LINE LTD

Consigned to order of

TIBA MEXICOS.A. DE C.V.
JAIME BALMES 8 201 LOS MORALES
POLANCO, RFC: TME970213946
11510 MIGUEL HIDALGO CIUDAD DE
MEXICO C.P., MEX MEXICO
E-MAIL:??????????

Notify Party and address

TIBA MEXICO S.A. DE C.V.
JAIME BALMES 8 201 LOS MORALES
POLANCO, RFC: TME970213946
11510 MIGUEL HIDALGO CIUDAD DE
MEXICO C.P., MEX MEXICO
E-MAIL:????????????

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525108

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. LOGISTICS INTEROCEANICA DE CARGA, S.A. DE C.V. AV. CONCEPCION BEISTEGUI NO. EXT. 2009 MEX 38020 CELAYA, GUA STOWED INTO CONTAINER NO.: MRSU2263527	Quantity of Goods 2 PACKAGES	Description of Goods COMPONENTS FOR SERVOPRO 23H83620 HS CODE: 39174000	Said to contain Gross weight, kg. 517,000 Measurement, m ³ 1,394

SEAL : B149525

TOTAL 2 PACKAGES 517,000 KGS 1,394 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
WITT-GASETECHNIK GMBH & CO. KG

B/L No.
VER286236

SALINGER FELD 4-8
58454 WITTEN



SACO SHIPPING LINE LTD

Consigned to order of
PRAXAIR MEXICO / WELLDEX INTL.
AEROPUERTO INTL DE LA CUIDAD MEXICO
DELEGACION VE
NORTE 33, NO. 161, COL. MOCTEZUMA 2
DASE. - 15530 CIUDAD DE MEXICO
RFC: PME 960701 GG0
EMAIL: GUSTAVO.MONTES@LINDE.COM

Notify Party and address
PRAXAIR MEXICO / WELLDEX INTL.
AEROPUERTO INTL DE LA CUIDAD MEXICO
DELEGACION VE
NORTE 33, NO. 161, COL. MOCTEZUMA 2
DASE. - 15530 CIUDAD DE MEXICO
RFC: PME 960701 GG0
EMAIL: GUSTAVO.MONTES@LINDE.COM

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525109

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. 62651221 / 62651223 PRAXAIR MEXICO 62651221/62651223 REF: 26008973/ 26008937	Quantity of Goods 4 CASES	Description of Goods S.T.C. ELECTRIC GAS MIXERS, CONNECTION SETS, STAINLESS STEEL RECEIVER HS: 73110091, 74122000, 90328900	Said to contain Gross weight, kg. 1401,000 Measurement, m ³ 9,611

INVOICE-NO.:
61660782
ANGEBOT: 2602875
STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL 4 CASES 1401,000 KGS 9,611 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
SAVINO DEL BENE GMBH
AN DER REEPERBAHN
28217 BREMEN
GERMANY

B/L No.
VER286243



SACO SHIPPING LINE LTD

Consigned to order of
SAVINO DEL BENE MEXICO S.A DE C.V
INSURGENTES SUR 800
P 15 1-2 COL. DEL VALLE.
DELEG BENITO JUAREZ, D.F.
CIUDAD DE MEXICO, C.P. 03100, MEXICO
MAIL: ALEXIS.LOPEZ@SAVINODELBENE.COM
TAX ID: SBM000609616

Notify Party and address
SAVINO DEL BENE MEXICO S.A DE C.V
INSURGENTES SUR 800
P 15 1-2 COL. DEL VALLE.
DELEG BENITO JUAREZ, D.F.
CIUDAD DE MEXICO, C.P. 03100, MEXICO
MAIL: ALEXIS.LOPEZ@SAVINODELBENE.COM
TAX ID: SBM000609616

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525110

Copy

		Place of receipt HAMBURG CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable VERACRUZ
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. APTAR QUERETARO, S. DE RL DE C. V. STOWED INTO CONTAINER NO.: MRSU2263527	Quantity of Goods 1 PALLET	Description of Goods PRECISION BALL HS CODE: 84829190	Said to contain Gross weight, kg. 455,000 Measurement, m ³ 1,392
		SEAL : B149525	

TOTAL **1 PALLET** **455,000 KGS** **1,392 CBM**

FREIGHT COLLECT - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER286261



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525111

Copy

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

Notify Party and address
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. TUNKERS DE MEXICO DN 362525 / O2066	Quantity of Goods 1 PALLET	Description of Goods CLAMPING SYSTEMS HS-CODE: 392690, 730451, 843139, 847990, 851762, 853669, 853710 , 853890 **HSCODE: 392690**	Said to contain Gross weight, kg. 249,000 Measurement, m ³ 0,787

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL **1 PALLET** **249,000 KGS** **0,787 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
FLÜGEL CSS GMBH & CO. KG
AN DEN EICHEN 10
42699 SOLINGEN
GERMANY

B/L No.
VER286279



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525112

Copy

Consigned to order of
VICTORINOX MEXICO S.A. DE C.V.
TAX ID: VME940114DU8
BLVD. HERMANOS SERDAN 717
COLONIA SAN RAFAEL PONIENTE
72029 PUEBLA, PUE MEXICO
LORENA.PEREZ@VICTORINOX.COM
TEL: +52 222 912 6751

Notify Party and address
VICTORINOX MEXICO S.A. DE C.V.
TAX ID: VME940114DU8
BLVD. HERMANOS SERDAN 717
COLONIA SAN RAFAEL PONIENTE
72029 PUEBLA, PUE MEXICO
LORENA.PEREZ@VICTORINOX.COM
TEL: +52 222 912 6751

Place of receipt
HAMBURG CFS

Ocean vessel
CLEMENS SCHULTE
Port of loading
BREMERHAVEN

Port of discharge VERACRUZ	Place of delivery VERACRUZ CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
-------------------------------	-----------------------------------	---------------------------	--

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
VICTORINOX P1-P12 PUEBLA PUE MEXICO	12 PALLETS	KNIFE SHARPENER / SHARPENING STEEL HS CODE: 82055100		4437,000	11,981

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL	12 PALLETS	4437,000 KGS	11,981 CBM
--------------	-------------------	---------------------	-------------------

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper

AMMERAAL BELTECH MANUFACTURING B.V.
MARCONISTRAAT 15
1704 RH HEERHUGOWAARD
THE NETHERLANDS

B/L No.
VER286285



SACO SHIPPING LINE LTD

Consigned to order of

LINARAND BELTECH S.A. DE C.V.
AVENIDA JESUS REYES HEROLES
NO. 6 MODULO 4, SAN PABLO XALPA (PU
54090 TLALNEPANTLA DE BAZ
MEXIKO
TAX ID: LBE1812065H7
EMAIL: ESPERANZA.CHAVEZ@AMMEGA.COM

Notify Party and address

LINARAND BELTECH S.A. DE C.V.
AVENIDA JESUS REYES HEROLES
NO. 6 MODULO 4, SAN PABLO XALPA (PU
54090 TLALNEPANTLA DE BAZ
MEXIKO
TAX ID: LBE1812065H7
EMAIL: ESPERANZA.CHAVEZ@AMMEGA.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525113

Copy

		Place of receipt BREMEN CFS	
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN	
Port of discharge VERACRUZ	Place of delivery QUERTARO DAP	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. LINARAND BELTECH, S.A. DE C.V DN145978	Quantity of Goods 7 PACKAGES	Description of Goods CONVEYOR BELTING, KRAFT PAPER AND PAPERBOARD, PROFILES AND FOILS HS CODES: 59100000 48103210, 39204390	Said to contain Gross weight, kg. 4947,000 Measurement, m ³ 6,935

STOWED INTO CONTAINER NO.: MRSU2263527

SEAL : B149525

TOTAL **7 PACKAGES** **4947,000 KGS** **6,935 CBM**

FREIGHT PREPAID UPTO DAP - SHIPPED ON BOARD - EXPRESS B/L

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 02.10.2026

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL





INLAND SERVICE COORDINATION ON-CARRIAGE

Agent: SACO SHIPPING GMBH, HAMBURG
Contact: JOSEFINE LANGE e-mail: josefine.lange@saco.de Phone:
Product: FAK / Dry Cargo Estimated Cargo Value:
Total Packages: 7 Total Gross weight: 4,947.00 Volume: 7.396
Chargeable Vol: 7.396 Dangerous: NO Stackable: NO

Dear:
The following quote applies only to the details provided (origin, destination, routing, weight, volume, type of commodity, etc.) If any of these concepts change the costs may vary, so it will be necessary to request an update of the quotation.

Service ON-CARRIAGE T.T 3 Days
Pick up Port: VERACRUZ Delivery Place: Ranchería Dolores, El Marqués, Querétaro, México

Dimensions in meters

No. of Packages	Length m	Width m	Height m	Volume	Weight per packageKgs	Total weight Kgs
1	1.20	0.80	0.70	0.67	209.00	209.00
1	3.10	0.80	0.90	2.23	1,192.00	1,192.00
1	2.08	0.85	0.85	1.50	1,221.00	1,221.00
1	2.13	0.50	0.50	0.53	380.00	380.00
1	2.07	0.48	0.48	0.48	355.00	355.00
1	2.08	0.85	0.85	1.50	1,225.00	1,225.00
1	2.07	0.48	0.48	0.48	365.00	365.00
7 Packages				7.396 m ³		4947 Kgs

Inland freight

Concept	Currency	Rate	Unit	Subtotal	VAT	Amount
Inland Service Coordination (Pick up & Delivery)	USD	791.370	LS	791.370	0.000	791.370
Total Inland freight: 791.37 USD						

SUBTOTAL	791.37 USD
(IVA / VAT)	0.00 USD
TOTAL	791.37 USD

VALIDITY: 2026-09-30
EXCHANGE RATE: 17.15

We thank you for your preference! In case you should have any questions, please do not hesitate to contact us.
Best regards.

Quotation sent by: VJASSO
vanessa.jasso@interteam.com.mx
Office phone +52 +55 55149897
www.interteam.com.mx

Print Date: 2026/09/20 14:31:15

All contracted services with INTERTEAM, S.A. de C.V. are subject to the Standard Trading Conditions (STC) established by the Mexican Association of Freight Forwarders (AMACARGA) which can be found here: [STC y T&C](#)

1. THE CUSTOMER acknowledges that the operations carried out by INTERTEAM are subject to the Standard Trading Conditions (STC) prepared and published by the Asociación Mexicana de Agentes de Carga, A.C., except for the clauses relating to forms of payment and documentation delivery deadlines for the operation, which can be consulted on the following page: (Clause 13). However, the transportation document applicable to the operation and the terms and conditions of the operational documents sent by INTERTEAM will also be subject to the corresponding contract.
2. For the purposes of the STC, the term LOADING AGENT will be understood to refer to INTERTEAM as a service provider in its capacity of NVOCC (Non-Vessel Operating Common Carrier) (consolidator) and the term CUSTOMER will refer to freight agents or customers in general who request the service from INTERTEAM.
3. The clauses of the STC will be applicable in those cases that are consistent with the specific service contracted.
4. For the purposes of clause 17.4 of STC, THE CUSTOMER will have a maximum of 1 (one) day after the collection of the goods to deliver the necessary data, documents, and information for that specific service.
5. INTERTEAM may request additional documents to those indicated in clauses 17.4.1 to 17.4.6. of the STC.
6. The goods travel at the expense and risk of THE CUSTOMER and it will be solely responsible for contracting and accepting the terms and conditions of the insurance policy, even when the INCOTERM quoted includes insurance, it will be the responsibility of THE CUSTOMER to expressly request it.
7. THE CUSTOMER declares that it has sufficient legal resources to cover its obligations to INTERTEAM.
8. THE CUSTOMER will be required to immediately inform INTERTEAM of any instruction on the insurance policy contracted on its own so that it is fulfilled; otherwise, INTERTEAM will be released from any responsibility. Likewise, if INTERTEAM contracts the insurance policy, it will not be required to know the conditions of said policy, so any additional service indicated by the policy will be quoted separately and at the express request of THE CUSTOMER.
9. INTERTEAM is not responsible for delays in the delivery of goods since the delivery is made based on estimated delivery and arrival times.
10. THE CUSTOMER acknowledges that the conditions and form of payment will be determined in the quotation or, where appropriate, in accordance with the credit agreement granted by INTERTEAM.
11. The deadline to deliver the documentation of the operation will be up to 24 hours after the booking is made. Otherwise, if the change cannot be made or if there are delays, it will be the responsibility of THE CUSTOMER.
12. For DAP (Delivered-at-Place) services, in local transfers and to and from distribution centers (centros de distribución, CEDIS), THE CUSTOMER will be solely responsible for contracting the goods insurance.
13. INTERTEAM must send the invoice within a period of no more than 24 hours after receiving the customer's instructions; consequently, THE CUSTOMER will have a period of 24 hours to review and request clarification or corrections. Once this period has elapsed, THE CUSTOMER must pay the invoice within 72 hours after receiving the invoice.
14. All shipments are booked as stackable unless expressly mentioned otherwise. If THE CUSTOMER desires to change the shipment to NON-STACKABLE, it will be quoted again; any expense or delay that this request causes will be attributable to THE CUSTOMER.
15. THE CUSTOMER will be responsible for the damage caused to the container, so THE CUSTOMER must have an insurance policy that covers this type of loss.
16. THE CUSTOMER acknowledges that the process and delivery of VGM (Verified Gross Mass) (cargo weighing) will be mandatory to be able to ship its goods in the case of maritime transport.
17. If THE CUSTOMER has credit, and the service exceeds the limit granted, THE CUSTOMER must pay the total debt to proceed to releasing the goods; the foregoing, even if a part of the debt is subject to credit.
18. The pandemic caused by the SARS-COV-2 virus (COVID-19) has caused a shortage of containers, port congestion, lack of space, lag times and/or changes in itineraries, which can represent additional costs, such as delays, storage, etc., so INTERTEAM will NOT absorb for any reason the payment of any type of extra costs, since their origin is beyond INTERTEAM's control.
19. If the quoted service is a ROUTING ORDER of an INTERTEAM's counterparty, we inform you that charging for delays will apply in cases where the goods cannot be imported or exported.
20. INTERTEAM DOES NOT carry out procedures with warehouses or authorities of any kind in case the goods cannot be cleared through customs.
21. THE CUSTOMER is responsible for delivering the applicable customs information to comply with the issuance of the corresponding transfer-type CFDI (Comprobante Fiscal Digital por Internet, digital tax receipt).

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
EORI+DE6702740

B/L No.
VER286314



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

Notify Party and address
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
RFC+NNG201012KD4

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON-WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

6/10/BRE/525114

Copy

		Place of receipt BREMEN CFS			
Ocean vessel CLEMENS SCHULTE		Port of loading BREMERHAVEN			
Port of discharge VERACRUZ		Place of delivery VERACRUZ CFS			
		Freight payable BREMEN			
		Number of original Bills of Lading 0/ZERO			
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
VER286314	3 CARTONS	MOLDED RUBBER PARTS	HS-CODE:	27,900	0,122
EISSMANN MX DN		401699			
897071		**HSCODE: 401699**			
STOWED INTO CONTAINER NO.: MRSU2263527				SEAL : B149525	
TOTAL		3 CARTONS		27,900 KGS	0,122 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to: INTERTEAM, S.A. DE C.V. SERVIC. INTERNACION. DE COMERCIO COLIMA 114 DESPACHO 201 COLONIA ROMA,C.P.06700, MEXICO DF PH: 514-69 15 FX: 208-79-8 INT-961206-ES7		RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above. The Carrier in accordance with the provisions contained on this side and on the reverse side of this document; a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and b) assumes liability as prescribed in this document for such transport. One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order. IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.
Declared Value of the Goods (see clause 12) US\$ Ad valorem freight paid:		Place and date of issue BREMEN 02.10.2026
Note: The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay		Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED SACO Shipping GmbH Bürgermeister-Smidt-Str. 128 28195 Bremen Germany As agent only for SACO SHIPPING LINE LIMITED LIMASSOL

