

Ships Bag for MB/L ONEYHAME18763500

Container: GAOU6630862	1
SACO RG5562278 51482705.pdf	1
GAOU6630862.pdf	2
01616 MANIFEST 5027615.pdf	3
ME18763500 seaway 20240223213712.pdf	7
HB/L: ALM251706	11
TYP: Dangerous Goods Declaration	11
ALM251706 DGD 9.pdf	11
TYP: MSDS	12
ALM251706 MSD 16.pdf	12
TYP: B/L	13
SACO Shipping Line Ltd. B/L ALM251706 ALM25170	13
HB/L: ALM251887	15
TYP: B/L	15
SACO Shipping Line Ltd. B/L ALM251887 ALM25188	15
HB/L: ALM251949	16
TYP: B/L	16
SACO Shipping Line Ltd. B/L ALM251949 ALM25194	16
HB/L: ALM251953	17
TYP: B/L	17
SACO Shipping Line Ltd. B/L ALM251953 ALM25195	17
HB/L: ALM251955	18
TYP: B/L	18
SACO Shipping Line Ltd. B/L ALM251955 ALM25193	18
HB/L: ALM251962	19
TYP: B/L	19
SACO Shipping Line Ltd. B/L ALM251962 ALM25196	19
HB/L: ALM251975	20
TYP: B/L	20
SACO Shipping Line Ltd. B/L ALM251975 ALM25197	20
HB/L: ALM251979	21
TYP: B/L	21
SACO Shipping Line Ltd. B/L ALM251979 ALM25197	21

HB/L: ALM251987	22
TYP: Dangerous Goods Declaration	22
'ALM251987 DGD 1.pdf'	22
TYP: MSDS	23
'ALM251987 MSDS 1.pdf'	23
TYP: B/L	36
SACO Shipping Line Ltd. B/L ALM251987 ALM25198	36
 HB/L: ALM252014	 38
TYP: B/L	38
SACO Shipping Line Ltd. B/L ALM252014 ALM25201	38

SACO Shipping GmbH · Bürgermeister-Smidt-Str. 128 · 28195 Bremen

NVOCC Services worldwide

Bremen, 26. February 2024

Interteam S.A. de C.V.
Servicios Int.
Calle Colima #114 Desp. 201, Colonia Roma,
06700 C.P.MEXICO D.F
MX MEXICO

RECHNUNG/INVOICE EXPORT

lbr / lbr / lbr

CUSTOMER-Ref.: SE240331504BRE

Leistungsdatum : 23.02.2024

INVOICE-No	INVOICE-Date	CUSTOMER-No	SACO-Ref.	B/L-Ref.	Your VAT-ID	R.O.E
5562278	26.02.2024	020896	4/02/BRE/527500	4/02/BRE/5275		0.9331

Vessel:

Destination:

Online-Ref:

Delivery:

Pieces	Gross KOS	Volumen CBM
--------	-----------	-------------

SACO REF.: VESSEL: PORT: ETA: CONTAINER:
4/02/BRE/5275 LE HAVRE EXPRESS ALTAMIRA 11.03.2024 GAOU6630862

Pos.	Description	Rate	Amount	Tax
1	AS PER ATTACHED PL SHEET	1423.92 USD	1423.92	

NO VAT ON	VAT ON	TOTAL VAT	VAT	TOTAL AMOUNT USD
1423.92	0	0	19%	1423.92

SACO Shipping GmbH
Wollkammereistraße 1
21107 Hamburg
Telefon: +49 40 311706-0
Telefax: +49 40 311706-100

Buchhaltung
Telefon: +49 421 52016 315
Telefax: +49 421 52016 317
VAT-ID: DE-118597456
account@saco.de

Volksbank Lüneburger Heide eG
US Dollar Account
BLZ 240 603 00, Kto-Nr. 4 600 360 605
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 19 2406 0300 4600 3606 05

Volksbank Lüneburger Heide eG
Euro Account
BLZ 240 603 00, Kto-Nr. 4 600 360 605
SWIFT-BIC: GENO DE F1 NBU
IBAN DE 57 2406 0300 4600 3606 00

Commerzbank AG
Euro Account
BLZ 200 800 00, Kto-Nr. 6 510 954 00
SWIFT-BIC: DRES DE FF 200
IBAN DE 96 2008 0000 0651 0954 00

Internet: <http://www.saco.de> · E-Mail: info@saco.de · Geschäftsführer: Harald Pahl, Andrea Briks, Christian Wahl · Gerichtsstand: Hamburg · Sitz Hamburg · HRB 40128 · Finanzamt: Hamburg-Harburg
SACO Shipping GmbH handelt bei Seetransporten einschließlich Vorlauf- und Nachlauftransporten ausschließlich als Agent von SACO Shipping Line Limited, Limassol/Zypern.
SACO Shipping Line Limited Limassol arbeitet ausschließlich nach ihren jeweils gültigen Konnossements-Bedingungen, auch wenn kein Konnossement ausgestellt wurde. Diese Bedingungen können bei den jeweiligen Büros und/oder unter www.saco.de eingesehen werden.

amended on: 05.10.2023 by ECH

Mexico PL-Sheet 2023

valid from October 1st 2023

SACO Ref.: 4/02/BRE/5275
Vessel: LE HAVRE EXPRESS
Port: Altamira

ETA: 11.03.2024

Container: GAOU6630862

B/L	COLLECT	incl.Special charges	Doc fee	Unstuffing	Admin Fee	Transm.Fee	Port Transf	On Carriage	0,00 USD	Quote No.:
ALM251706										
ALM251887										
ALM251949										
ALM251953										
ALM251955										
ALM251962										
ALM251975										
ALM251979										
ALM251987										
ALM252014	73,73									
	73,73		0,00	0,00	0,00	0,00	0,00		0,00	

COLLECT FREIGHT TOTAL

RELEASE FEE

UNSTUFFING

ADMIN FEE

TRANSMISSION FEE

CREDIT FOR ON CARRIAGE

PORT TRANSFER

kickback as agreed USD 24,00 w/m from B/L

date 01.10.2023

FRT:

56,258

73,73 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

1.350,19 USD

73,73 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

0,00 USD

1.350,19 USD

debit to Interteam

credit to Interteam

credit to Interteam

debit to Interteam

debit to Interteam

credit to Interteam

debit to Interteam

debit to Interteam

Hartrodt Kickback USD 4,50 w/m

FRT:

0,00 USD

0,00 USD

debit to Interteam

Quick Cargo Kickback USD 3,- w/m

FRT:

0,00 USD

0,00 USD

debit to Interteam

BDP / ED Forwarding Kickback USD 4,- w/m

FRT:

0,00 USD

0,00 USD

debit to Interteam

Linkin / Europartner Kickback USD 4,-w/m

FRT:

0,00 USD

0,00 USD

debit to Interteam

DHL compensation USD 20,-w/m

FRT:

0,00 USD

0,00 USD

credit to Interteam

TOTAL AMOUNT

1.423,92 USD

CREDIT OR DEBIT TO INTERTAEM

Manifest

Page: 1

Container-No.: GAOU6630862 40' HIGH CUBE CONTAINER Seal-No.: K435598
 Vessel: SAC1385 / LE HAVRE EXPRESS
 ETS:
 Master-B/L.: ONEYHAME18763500

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM251706	4514228572 SOLVAY FLUOR MEXICO S.A. DE C.V. C/O LESCHACO MEXICANA, S.A. DE C.V.BVLD. RIO TAMESI 108089608 ALTAMIRA , TAMPS MEXICO	4	PALLETS	36 STEEL DRUMS 1440 KGS NET OF NOCOLOK CS FLUX (SM) IN 40 KGS CARDBOARD DRUMS ON 360 KGS PALLET WITH SHRINKFILM HS CODE: 381090 UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CESIUM POTASSIUM FLUOROALUMINATE), 9, III, MARINE POLLUTANT UN 3077/CLASS 9/PG III IMO GROSS WEIGHT: 1628,640 KGS IMO NET WEIGHT : 1440,000 KGS	1628.640	4.814
ALM251887	REYNAUD & FILES MONTBRUN-LES.. SYMRISE, MEXICO 4500908756	1	PALLET	STOWED ON 1 PALLET 1 DRUM LAVANDIN OIL HS CODE: 33012949 1 DRUM LAVANDIN G HS CODE: 33029090	275.800	0.998
ALM251949	MINTH MEXICO	6	PAL.	HS: 760611 STAMPING PARTS OF ALUMINIUM	7968.000	7.326

Manifest

Page: 2

Container-No.: GAOU6630862 40' HIGH CUBE CONTAINER Seal-No.: K435598
Vessel: SAC1385 / LE HAVRE EXPRESS
ETS:
Master-B/L.: ONEYHAME18763500

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM251953	VKI 10017011 MOTHERSONS MEXIKO	7	PALLETS	PUMP HOUSING HS CODE: 84139100	2366.320	4.368
ALM251955	PO LIGHTING MEXICO S. DE R.L. DE C.V. PKL: 40/2024/46	4	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 761699	693.000	3.917
ALM251955	PLASTIC OMNIUM DN: 202400345	1	PALLET	AUTOMOTIVE SPARE PARTS HS -CODE: 392690	84.000	0.800
ALM251955	PO LIGHTING MEXICO S. DE R.L. DE C.V. REF.: EV 24/0000037	1	PALLET	MOTOR CAR ACCESSORIES HS-CODE: 870829	165.000	0.972
ALM251962	BEMENET S.A. DE C.V. MX-MONTERREY (NUEVO LEON) PL # 0951417	15	PACKAGES	ABRASIVES HS CODE: 680510 **HSCODE: 6805**	3117.700	9.706
ALM251975	PLASTIC OMNIUM MEXICO SN: 0002516067	9	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 392690	1150.360	6.869
ALM251975	PLASTIC OMNIUM MEXICO DN: 26370822, 26370824	8	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 852610	1274.000	6.060

Manifest

Page: 3

Container-No.: GAOU6630862 40' HIGH CUBE CONTAINER Seal-No.: K435598
Vessel: SAC1385 / LE HAVRE EXPRESS
ETS:
Master-B/L.: ONEYHAME18763500

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM251979	COMPANIA DE INDUSTRIA Y COMERCIO COMERCIO, SA DE CV C/O ONATE, WILLY Y CIA,SC, GARDENIA#102 PLANTA ALTA ALTAMIRA MEX 89606 MEXICO	4	PALLETS	PLACAS PARA SUAJAR / HYDROMA QUALITY CUTTING BOARDS HS CODE 39202080	4225.000	5.658
ALM251987	TRUMPF MEXICO S. DE R.L. DE C.V. BLVD. APODACA TECHNOLOGY PARK 66600 - APODACA, NUEVO LEON MEXICO	2	PALLETS	EFDEDUR-SYSTEM-STRUCTURE COATING, CUSTOMS_STATISTIC 32082090 UN 1263 PAINT, 3, PG III, (24), EMIL FREI REF:71650001 HS CODE:32082090 UN 1263/CLASS 3/PG III IMO GROSS WEIGHT: 756,840 KGS IMO NET WEIGHT : 700,000 KGS	800.840	1.824

Manifest

Page: 4

Container-No.: GAOU6630862 40' HIGH CUBE CONTAINER Seal-No.: K435598
Vessel: SAC1385 / LE HAVRE EXPRESS
ETS:
Master-B/L.: ONEYHAME18763500

BL-Ref	Marks & Nos	Qty	Packing	Description of goods	Kos	Cbm
ALM252014	WINKELMANN POWERTRAIN MEXICO AV VILLA DE LAGOS NORTE 1140 47515 LAGOS DE MORENO JAL MEXICO DELIVERY NOTE: 12546192	1	PALLET	METAL GOODS HS CODE: 84799070 HBL: FMOATMO00204 NOT STACKABLE	230.000	0.768
ALM252014	INVOICE NO: 4510744	2	PACKAGES	AUTOMOTIVE PARTS HBL DUSATMO00361 FILE NO: 5682683 NOT STACKABLE 1/ 120*80*80 CMS HS: 39235090, 73269098 HBL: DUSATMO00361	298.400	1.536

Total

**Quantity
65**

**Grossweight
24.277.060**

**Measurement
55.616**

SHIPPER/EXPORTER SACO SHIPPING GMBH BGM.-SMIDT-STR.128 D-28195 BREMEN GERMANY / DE118597456 AS AGENT OF SACO SHIPPING LINE LTD		BOOKING NO. HAME18763500	SEA WAYBILL NO. ONEYHAME18763500
CONSIGNEE INTERTEAM, S.A. DE C.V. SERVIC. INTERNACION. DE COMERCIO COLIMA 114 DESPACHO 201 COLONIA ROMA,C.P.06700, MEXICO DF CN>		EXPORT REFERENCES(for the Merchant's and/or Carrier's reference only. See back clause 8. (4).) 402BRE5275 ARA 190989	
NOTIFY PARTY (It is agreed that no responsibility shall be attached to the Carrier or its Agents for failure to notify) INTERTEAM, S.A. DE C.V. SERVIC. INTERNACION. DE COMERCIO COLIMA 114 DESPACHO 201 COLONIA ROMA,C.P.06700, MEXICO DF NP>		FORWARDING AGENT-REFERENCES FMC NO. RECEIVED by the Carrier in apparent good order and condition (unless otherwise stated herein) the total number or quantity of Containers or other packages or units indicated in the box entitled "Carrier's Receipt", to be carried subject to all the terms and conditions hereof from the Place of Receipt or Port of Loading to the Port of Discharge or Place of Delivery, as applicable. Delivery of the Goods to the Carrier for Carriage hereunder constitutes acceptance by the Merchant (as defined hereinafter) (i) of all the terms and conditions, whether printed, stamped or otherwise incorporated on this side and on the reverse side of this Bill of lading and the terms and conditions of the Carrier's applicable tariff(s) as if they were all signed by the Merchant, and (ii) that any prior representations and/or agreements for or in connection with Carriage of the Goods are superseded by this Bill of Lading. If this is a negotiable (To Order/of) Bill of Lading, one original Bill of Lading, duly endorsed must be surrendered by the Merchant to the Carrier (together with any outstanding Freight) in exchange for the Goods or a Delivery Order or the pin codes for any applicable Electronic Release System. If this is a non-negotiable (straight) Bill of Lading, or where issued as a Sea Waybill, the Carrier shall deliver the Goods or issue a Delivery Order or the pin codes for any applicable Electronic Release System (after payment of outstanding Freight) to the named consignee against the surrender of one original Bill of Lading, or in the case of a Sea Waybill, on production of such reasonable proof of identity as may be required by the Carrier, or in accordance with the national law at the Port of Discharge or Place of Delivery as applicable. IN WITNESS WHEREOF the Carrier or their Agent has signed the number of Bills of Lading stated at the top, all of this tenor and date, and whenever one original Bill of Lading has been surrendered all other Bills of Lading shall be void.	
PRE-CARRIAGE BY	PLACE OF RECEIPT HAMBURG	FINAL DESTINATION(for the Merchant's reference only) ALTAMIRA	
OCEAN VESSEL VOYAGE NO. FLAG LE HAVRE EXPRESS 032W	PORT OF LOADING HAMBURG	TYPE OF MOVEMENT(IF MIXED, USE DESCRIPTION OF PACKAGES AND GOODS FIELD) FCL / FCL CY / CY	
PORT OF DISCHARGE ALTAMIRA	PLACE OF DELIVERY ALTAMIRA		

(CHECK "HM" COLUMN IF HAZARDOUS MATERIAL)		PARTICULARS DECLARED BY SHIPPER BUT NOT ACKNOWLEDGED BY THE CARRIER			
CNTR. NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	GROSS MEASUREMENT
GAOU6630862 / K435598			/ 65 PACKAGES /FCL / FCL/40HQ	24277.060KGS/55.616M3	
4514228572 SOLVAY FLUOR MEXICO S.A. DE C.V. C/O LESCHACO MEXICANA, S.A. DE C.V.BVLD. RIO TAMESI 108089608	4 H PACKAGES		36 STEEL DRUMS 1440 KGS NET OF NOCOLOK CS FLUX (SM) IN 40 KGS CARDBOARD DRUMS ON 360 KGS PALLET WITH SHRINKFILM HS CODE: 381090 UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CESIUM	1628.640KGS	4.814CBM

** TO BE CONTINUED ON ATTACHED LIST **

Declared Cargo Value US \$. If Merchant enters a value, Carrier's limitation of liability shall not apply and the ad valorem rate will be charged.

FREIGHT & CHARGES PAYABLE AT / BY: HAMBURG, HH MEXICO CITY			SERVICE CONTRACT NO. THAMN00236A	DOC FORM NO.	COMMODITY CODE	EXCHANGE RATE	[0] ORIGINAL BILLS(S) HAVE BEEN SIGNED.
CODE	TARIFF ITEM	FREIGHTED AS	RATE	PREPAID	COLLECT		DATE CARGO RECEIVED
							DATE LADEN ON BOARD 23 FEB 2024 24
							PLACE OF BILL(S) ISSUE HAMBURG
							DATED 23 FEB 2024

The printed terms and conditions on this Bill are available at its
website at www.one-line.comSIGNED OCEAN NETWORK EXPRESS (EUROPE)
BY: LTD. GERMANY BRANCH
as agent for and on behalf of

Thorsten Bratthar

Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

ORIGINAL NON NEGOTIABLE

VESSEL VOYAGE: LE HAVRE EXPRESS 032W

B/L NO.: ONEYHAME18763500

CNTR NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	MEASUREMENT
ALTAMIRA , TAMPS MEXICO			POTASSIUM FLUOROALUMINATE), 9, III, MARINE POLLUTANT UN 3077/CLASS 9/PG III IMO GROSS WEIGHT: 1628,640 KGS IMO NET WEIGHT : 1440,000 KGS IMO 9 UN 3077		
REYNAUD & FILES MONTBRUN-LES.. SYMRISE, MEXICO 4500908756	1 PACKAGE		STOWED ON 1 PALLET 1 DRUM LAVANDIN OIL HS CODE: 33012949 1 DRUM LAVANDIN G HS CODE: 33029090	275.800KGS	0.998CBM
PLASTIC OMNIUM MEXICO SN: 0002516067	9 PACKAGES		MOTOR CAR ACCESSORIES HS-CODE: 392690	1150.360KGS	6.869CBM
PO LIGHTING MEXICO S. DE R.L. DE C.V. REF.: EV 24/0000037	1 PACKAGE		MOTOR CAR ACCESSORIES HS-CODE: 870829	165.000KGS	0.972CBM
MINTH MEXICO	6 PACKAGES		HS: 760611 STAMPING PARTS OF ALUMINIUM	7968.000KGS	7.326CBM
VKI 10017011 MOTHERSONS MEXIKO	7 PACKAGES		PUMP HOUSING HS CODE: 84139100	2366.320KGS	4.368CBM
PO LIGHTING MEXICO S. DE R.L. DE C.V. PKL: 40/2024/46	4 PACKAGES		MOTOR CAR ACCESSORIES HS-CODE: 761699	693.000KGS	3.917CBM
PLASTIC OMNIUM DN: 202400345	1 PACKAGE		AUTOMOTIVE SPARE PARTS HS -CODE: 392690	84.000KGS	0.800CBM
BEMENET S.A. DE C.V. MX-MONTERREY (NUEVO LEON) PL # 0951417	15 PACKAGES		ABRASIVES HS CODE: 680510 **HSCODE: 6805**	3117.700KGS	9.706CBM
PLASTIC OMNIUM MEXICO DN: 26370822, 26370824	8 PACKAGES		MOTOR CAR ACCESSORIES HS-CODE: 852610	1274.000KGS	6.060CBM

SIGNED OCEAN NETWORK EXPRESS (EUROPE) LTD. GERMANY
BY: BRANCH

, as agent for and on behalf of

*Thorsten Hedder*Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

ORIGINAL NON NEGOTIABLE

VESSEL VOYAGE: LE HAVRE EXPRESS 032W

B/L NO.: ONEYHAME18763500

CNTR NOS. / SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	MEASUREMENT
COMPANIA DE INDUSTRIA Y COMERCIO COMERCIO, SA DE CV C/O ONATE, WILLY Y CIA, SC, GARDENIA#102 PLANTA ALTA ALTAMIRA MEX 89606 MEXICO	4 PACKAGES		PLACAS PARA SUAJAR / HYDROMA QUALITY CUTTING BOARDS HS CODE 39202080	4225.000KGS	5.658CBM
TRUMPF MEXICO S. DE R.L. DE C.V. BLVD. APODACA TECHNOLOGY PARK 66600 - APODACA, NUEVO LEON MEXICO	2 PACKAGES		EFDEDUR-SYSTEM- STRUCTURE COATING, HS CODE- 32082090 CUSTOMS-STATISTIC-NO: 32082090 UN 1263 PAINT, 3, PG III, (24), EMIL FREI REF:71650001 HS CODE:????????????????? UN 1263/CLASS 3/PG III IMO GROSS WEIGHT: 756,840 KGS IMO NET WEIGHT : 700,000 KGS IMO 3 UN 1263	800.840KGS	1.824CBM
INVOICE NO: 4510744	2 PACKAGES		AUTOMOTIVE PARTS HBL DUSATMO00361 FILE NO: 5682683 NOT STACKABLE 1/ 120*80*80 CMS HS: 39235090, 73269098 HBL: DUSATMO00361	298.400KGS	1.536CBM
WINKELMANN POWERTRAIN MEXICO AV VILLA DE LAGOS NORTE 1140 47515 LAGOS DE MORENO JAL MEXICO DELIVERY NOTE: 12546192	1 PACKAGE		METAL GOODS HS CODE: 84799070 HBL: FMOATMO00204 NOT STACKABLE CN> PH: 514-69 15 FX: 208-79-8 NP> PH: 514-69 15 FX: 208-79-8	230.000KGS	0.768CBM

OCEAN FREIGHT PREPAID SHIPPED ON BOARD SHIPPER'S LOAD, STOW AND COUNT					
AS PER MEXICAN CUSTOMS AUTHORITY REGULATION, THE INFORMATION IN THE MASTER BILL OF LADING BL CAN BE AMENDED BEING SUBJECT TO CUSTOMS PENALIZATION TO DECLARE INCORRECT INFORMATION; IF THIS BILL OF LADING IS AMENDED AND ONE OCEAN NETWORK EXPRESS SHIPPING MEXICO SA DE CV O					

SIGNED BY: OCEAN NETWORK EXPRESS (EUROPE) LTD. GERMANY
BRANCH

, as agent for and on behalf of

*Thorsten Heuther*Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

ORIGINAL NON NEGOTIABLE

VESSEL VOYAGE: LE HAVRE EXPRESS 032W

B/L NO.: ONEYHAME18763500

CNTR NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	MEASUREMENT
R ANY AGENCY ON THEIR REPRESENTATION IS NOTIFIED ABOUT ANY PENALIZATION, THE SAME WILL BE UNDER SHIPPER OR CONSIGNEE RESPONSIBILITY. INLAND TRANSPORTATION IN MEXICO IS CARRIED OUT ACCORDING TO LOCAL REGULATIONS. THE INFORMATION IN THE MASTER BILL OF LADING CAN BE AMENDED SUBJECT TO CUSTOMS REVIEW AND PENALIZATION IF THE BILL OF LADING IS ALLOWED TO AMEND, THE REQUESTER OF THE AMENDMENT SHALL BE RESPONSIBLE FOR SUCH CUSTOMS PENALTY AND INDEMNIFY THE CARRIER AND ITS AGENTS AGAINST ANY CONSEQUENCES WHATSOEVER IN RELATION TO SUCH AMENDMENT.					
ALM251706					
ALM251887					
ALM251975					
ALM251955					
ALM251949					
ALM251953					
ALM251955					
ALM251955					
ALM251962					
ALM251975					
ALM251979					
ALM251987					
ALM252014					
ALM252014					
AGENT AT DESTINATION: ONE OCEAN NETWORK EXPRESS SHIPPING MEXICO, S.A. DE C.V. CIUDAD DE MEXICO PASEO DE LA REFORMA 180, PISO 19, COLONIA JUAREZ, DEL. CUAUHTEMOC, CIUDAD DE MEXICO, C.P. 06600 TEL: 5547808200					

SIGNED OCEAN NETWORK EXPRESS (EUROPE) LTD. GERMANY
BY: BRANCH

, as agent for and on behalf of



Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

MULTI MODAL DANGEROUS GOODS FORM

This form may be used as a dangerous goods declaration as it meets the requirements of SOLAS 74, Chapter VII, regulation 4;

MARPOL 73/78, Annex III, regulation 4

Shipper/Consignor/Sender Solvay Fluor GmbH Hans-Boeckler-Allee 20 30173 Hannover Germany		Page 1 of 1 Pages		Freight Forwarder's reference 240213170016	
		Carrier Saco Shipping Line, Limassol			
Consignee SOLVAY FLUOR MEXICO S.A. DE C.V. C/O LESCHACO MEXICANA, S.A. DE C.V. BVL.D. RIO TAMESI 1080 89608 ALTAMIRA , TAMP MEXICO		Vessel Hella (009W)			
		Port of loading Hamburg		Port of discharge Altamira	
CONTAINER/VEHICLE PACKING CERTIFICATE I hereby declare that the goods described below have been packed/loaded into the container/vehicle identified below in accordance with the applicable provisions. MUST BE COMPLETED AND SIGNED FOR ALL CONTAINER/VEHICLE LOADS BY PERSON RESPONSIBLE FOR PACKING/LOADING Name/status, company Place and Date: Signature of packer		SHIPPER'S DECLARATION I hereby declare that the contents of this consignment are fully and accurately described below by the proper shipping name, and are classified, packaged, marked and labelled/placarded and are in all respects in proper condition for transport according to the applicable international and national government regulations. Name/status, company Lexzau, Scharbau on behalf of Solvay Fluor, Hannover Place and Date: Hamburg / Bremen 12.01.2024 <i>T. Liberoudis T. Glaubke</i> Signature on behalf of shipper Thomas Liberoudis / Timo Glaubke			
No.	Number & kind of packages	Description of goods			Gross mass
1)	4 pallets = 36 steel drums UN 1A1	pallet weight: kg UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CESIUM POTASSIUM FLUOROALUMINATE), 9, III, MARINE POLLUTANT, EmS: F-A,S-F Emergency Contact: Solvay GmbH 24-hours number Carechem +44-1235239670 (SOLVAY29003-NCEC) Cargo gross/net weight: 1.628,640kg / 1.440,000kg			Gross weight: 1.628,640 kg

NOCOLOK® Cs FLUX (SM)

HCS 2012 (29 CFR 1910.1200)

SEE THE SAFETY DATA SHEET FOR
ADDITIONAL GUIDANCE AND INFORMATION.

Hazardous ingredients	CAS-No.	Concentration
Cesium potassium fluoroaluminate	566947-29-3	99 - <= 100%

Packaged in:
Manufactured in:

NFPA	
Health	3
Flammability	2
Reactivity	0

Material Code:
Batch Number:
Drum #:Gross Wt:
Tare Wt:
Net Wt:**DANGER****Hazard Statements**

H318 - Causes serious eye damage. **H332** - Harmful if inhaled. **H362** - May cause harm to breast-fed children. **H372** - Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary Statements

Prevention: P201 - Obtain special instructions before use. **P260** - Do not breathe dust. **P263** - Avoid contact during pregnancy/ while nursing. **P264** - Wash skin thoroughly after handling. **P270** - Do not eat, drink or smoke when using this product. **P271** - Use only outdoors or in a well-ventilated area. **P280** - Wear eye protection/ face protection.

Response: P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. **P305 + P351 + P338 + P310** - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. **P308 + P313** - IF exposed or concerned: Get medical advice/ attention.

Disposal: P501 - Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

H402: Harmful to aquatic life. **H411:** Toxic to aquatic life with long lasting effects.



SOLVAY FLUORIDES, LLC
3737 Buffalo Speedway,
Suite 800,
Houston, TX 77098
USA

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR
ACCIDENT CONTACT: CHEMTREC (800-424-9300) within the United States and
Canada , or 703-527-3887 for international collect calls.

3.00 - 02/01/2023 - P00000222060

Shipper
LEXZAU, SCHARBAU GMBH & CO. KG
KAP-HORN-STR. 18, 28237 BREMEN,
GERMANY, TAX ID: DE 114624125

B/L No.
ALM251706



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527501

Copy

Consigned to order of

LESCHACO MEXICANA,S.A. DE C.V.
BLVD. MANUEL AVILA CAMACHO
NO. 88-PISO 8
COL. LOMAS DE CHAPULTEPEC
11000 MEXICO, D.F., MEXICO
TEL.: +52(55)59550000
RFC: LME980116R15

Notify Party and address

LESCHACO MEXICANA,S.A. DE C.V.
BLVD. MANUEL AVILA CAMACHO
NO. 88-PISO 8
COL. LOMAS DE CHAPULTEPEC
11000 MEXICO, D.F., MEXICO
TEL.: +52(55)59550000
RFC: LME980116R15

Place of receipt

CFS BREMEN

Ocean vessel

LE HAVRE EXPRESS

Port of loading

HAMBURG

Port of discharge

ALTAMIRA

Place of delivery

CFS ALTAMIRA

Freight payable

BREMEN

Number of original Bills of Lading

0/ZERO

Marks and Nos.

Quantity of Goods

Description of Goods

Said to contain

Gross weight, kg.

Measurement, m³

CARGO DETAILS AS PER ATTACHED STATEMENT

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)

US\$

Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and

b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue

BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
4514228572 SOLVAY FLUOR MEXICO S.A. DE C.V. C/O LESCHACO MEXICANA, S.A. DE C.V.BVLD. RIO TAMESI 108089608 ALTAMIRA , TAMP MEXICO	4 PALLETS	36 STEEL DRUMS 1440 KGS NET OF NOCOLOK CS FLUX (SM) IN 40 KGS CARDBOARD DRUMS ON 360 KGS PALLET WITH SHRINKFILM HS CODE: 381090 UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CESIUM POTASSIUM FLUOROALUMINATE), 9, III, MARINE POLLUTANT UN 3077/CLASS 9/PG III IMO GROSS WEIGHT: 1628,640 KGS IMO NET WEIGHT : 1440,000 KGS		1628,640	4,814
STOWED INTO CONTAINER NO.: GAOU6630862				SEAL : K435598	
TOTAL	4 PALLETS			1628,640 KGS	4,814 CBM

Shipper
LEXZAU, SCHARBAU GMBH & CO. KG
KAP-HORN-STR. 18, 28237 BREMEN,
GERMANY, TAX ID: DE 114624125

B/L No.
ALM251887



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527502

Copy

Consigned to order of

LESCHACO MEXICANA,S.A. DE C.V.
BLVD. MANUEL AVILA CAMACHO
NO. 88-PISO 8
COL. LOMAS DE CHAPULTEPEC
11000 MEXICO, D.F., MEXICO
TEL.: +52(55)59550000
RFC: LME980116R15

Notify Party and address

LESCHACO MEXICANA,S.A. DE C.V.
BLVD. MANUEL AVILA CAMACHO
NO. 88-PISO 8
COL. LOMAS DE CHAPULTEPEC
11000 MEXICO, D.F., MEXICO
TEL.: +52(55)59550000
RFC: LME980116R15

Place of receipt
CFS BREMEN

Ocean vessel
LE HAVRE EXPRESS

Port of loading
HAMBURG

Port of discharge
ALTAMIRA

Place of delivery
CFS ALTAMIRA

Freight payable
BREMEN

Number of original Bills of Lading
0/ZERO

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
REYNAUD & FILES MONTBRUN-LES.. SYMRISE, MEXICO 4500908756	1 PALLET	STOWED ON 1 PALLET 1 DRUM LAVANDIN OIL HS CODE: 33012949 1 DRUM LAVANDIN G HS CODE: 33029090		275,800	0,998

STOWED INTO CONTAINER NO.: GAOU6630862

SEAL : K435598

TOTAL **1 PALLET** **275,800 KGS** **0,998 CBM**

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
MARTINREA HONSEL GERMANY GMBH
FRITZ-HONSEL-STRASSE 30
59872 MESCHEDE
GERMANY
TAX-ID: 334/5708/2592

B/L No.
ALM251949



SACO SHIPPING LINE LTD

Consigned to order of
MINTH MEXICO, S.A. DE C.V
CARRETERA LOS ARELLANO 214
PARQUE INDUSTRIAL SIGLIO XXI
20283 AGUASCALIENTES, MEXICO
RUC: MMX011374

Notify Party and address
SAME AS CONSIGNEE
LIZETH.MENDOZA@MINTHGROUP.COM

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527505

Copy

		Place of receipt BREMEN CFS	
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. MINTH MEXICO	Quantity of Goods 6 PAL.	Description of Goods HS: 760611 STAMPING PARTS OF ALUMINIUM	Said to contain Gross weight, kg. 7968,000
			Measurement, m ³ 7,326
STOWED INTO CONTAINER NO.: GAOU6630862		SEAL : K435598	
TOTAL		6 PAL.	7968,000 KGS 7,326 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
APC LOGISTICS GERMANY
HALSKESTR. 32
40880 RATINGEN
GERMANY
TAX-ID:DE324954295

B/L No.
ALM251953



SACO SHIPPING LINE LTD

Consigned to order of
EUROPARTNERS MEXICO, S.A. DE C.V.
TELS: (52)(81) 82202630
AV. REVOLUCION 649
COLONIA JARDIN ESPANOL MONTERREY
NUEVO LEON MEXICO, C.P. 64820
RFC: EME020824U4A

Notify Party and address
SAME AS CONSIGNEE
ANGEL PEREZ
ANGEL.PEREZ@XPDGLOBAL.COM

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527506

Copy

		Place of receipt BREMEN CFS	
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. VKI 10017011 MOTHERSONS MEXIKO STOWED INTO CONTAINER NO.: GAOU6630862	Quantity of Goods 7 PALLETS	Description of Goods PUMP HOUSING HS CODE: 84139100	Said to contain Gross weight, kg. 2366,320 Measurement, m ³ 4,368 SEAL : K435598
TOTAL		7 PALLETS	2366,320 KGS 4,368 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
DE814839526

B/L No.
ALM251955



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZA VALETA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4

Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527504

Copy

		Place of receipt BREMEN CFS	
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG, GERMANY	
Port of discharge ALTAMIRA, MEXICO	Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. PO LIGHTING MEXICO S. DE R.L. DE C.V. REF.: EV 24/0000037 STOWED INTO CONTAINER NO.: GAOU6630862	Quantity of Goods 1 PALLET	Description of Goods MOTOR CAR ACCESSORIES HS-CODE: 870829	Said to contain Gross weight, kg. 165,000 Measurement, m³ 0,972
PLASTIC OMNIUM DN: 202400345 STOWED INTO CONTAINER NO.: GAOU6630862	1 PALLET	AUTOMOTIVE SPARE PARTS HS -CODE: 392690	84,000 0,800
PO LIGHTING MEXICO S. DE R.L. DE C.V. PKL: 40/2024/46 STOWED INTO CONTAINER NO.: GAOU6630862	4 PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 761699	693,000 3,917
TOTAL		6 PALLET	942,000 KGS 5,689 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to: INTERTEAM, S.A. DE C.V. SERVIC. INTERNACION. DE COMERCIO COLIMA 114 DESPACHO 201 COLONIA ROMA,C.P.06700, MEXICO DF PH: 514-69 15 FX: 208-79-8 INT-961206-ES7		RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above. The Carrier in accordance with the provisions contained on this side and on the reverse side of this document; a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and b) assumes liability as prescribed in this document for such transport. One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order. IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.
Declared Value of the Goods (see clause 12) US\$ Ad valorem freight paid:		Place and date of issue BREMEN 23.02.2024
Note: The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay		Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED SACO Shipping GmbH Bürgermeister-Smidt-Str. 128 28195 Bremen Germany As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
DE814839526

B/L No.
ALM251962



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALETA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM
Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527509

Copy

		Place of receipt BREMEN CFS	
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG, GERMANY	
Port of discharge ALTAMIRA, MEXICO	Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO
Marks and Nos. BEMENET S.A. DE C.V. MX-MONTERREY (NUEVO LEON) PL # 0951417	Quantity of Goods 15 PACKAGES	Description of Goods ABRASIVES HS CODE: 680510 **HSCODE: 6805**	Said to contain Gross weight, kg. 3117,700 Measurement, m³ 9,706

STOWED INTO CONTAINER NO.: GAOU6630862

SEAL : K435598

TOTAL 15 PACKAGES 3117,700 KGS 9,706 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
b) assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

Shipper
NGL NAVIGATOR GLOBAL LOGISTICS GMBH
FELIX-WANKEL-STRASSE 3
STUHR NI 28816 GERMANY
DE814839526

B/L No.
ALM251975



SACO SHIPPING LINE LTD

Consigned to order of
NGL NAVIGATOR GLOBAL LOGISTICS S. DE R.L
DE C.V.
CALZADA ZAVALETA 1306 SANTA CRUZ
BUENAVISTA
PUEBLA PUE 72150 MEXICO
+522225036510 RFC+NNG201012KD4
SEA@NGL-MEXICO.COM
Notify Party and address
SAME AS CONSIGNEE

SACO SHIPPING LINE LIMITED
44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527503

Copy

		Place of receipt BREMEN CFS				
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG, GERMANY				
Port of discharge ALTAMIRA, MEXICO		Place of delivery ALTAMIRA CFS	Freight payable BREMEN	Number of original Bills of Lading 0/ZERO		
Marks and Nos.	Quantity of Goods		Description of Goods	Said to contain	Gross weight, kg.	Measurement, m³
PLASTIC OMNIUM MEXICO DN: 26370822, 26370824 STOWED INTO CONTAINER NO.: GAOU6630862	8	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 852610		1274,000	6,060
					SEAL : K435598	
PLASTIC OMNIUM MEXICO SN: 0002516067 STOWED INTO CONTAINER NO.: GAOU6630862	9	PALLETS	MOTOR CAR ACCESSORIES HS-CODE: 392690		1150,360	6,869
					SEAL : K435598	
TOTAL		17 PALLETS			2424,360 KGS	12,929 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to: INTERTEAM, S.A. DE C.V. SERVIC. INTERNACION. DE COMERCIO COLIMA 114 DESPACHO 201 COLONIA ROMA,C.P.06700, MEXICO DF PH: 514-69 15 FX: 208-79-8 INT-961206-ES7		RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above. The Carrier in accordance with the provisions contained on this side and on the reverse side of this document; a) undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and b) assumes liability as prescribed in this document for such transport. One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order. IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.
Declared Value of the Goods (see clause 12) US\$ Ad valorem freight paid:		Place and date of issue BREMEN 23.02.2024
Note: The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay		Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED SACO Shipping GmbH Bürgermeister-Smidt-Str. 128 28195 Bremen Germany As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Shipper
ROEHLING INDUSTRIAL
RUPPERTSWEILER GMBH
LEMBERGER STRASSE 101
66957 RUPPERTSWEILER
DEUTSCHLAND
TAX ID:DE 149 605 036

B/L No.
ALM251979



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527511

Copy

Consigned to order of
COMPANIA DE INDUSTRIA Y COMERCIO,
SA DE CV C/O ONATE, WILLY Y CIA,
SC GARDENIA # 102 PLANTA ALTA
COL. MONTE ALTO ANTIGUO ALTAMIRA,
TAMPS 89606 MEXICO /
RFC ICO870122U74

Notify Party and address
SAME AS CONSIGNEE
ATN. LUCERO SALAS Y/O SANDRA
MONTEMAYOR
VACIOS.ALTAMIRA@OWCIA.COM
SANDRA.MONTEMAYOR@OWCIA.COM

		Place of receipt		
		BREMEN CFS		
Ocean vessel			Port of loading	
LE HAVRE EXPRESS			HAMBURG	
Port of discharge	Place of delivery	Freight payable	Number of original Bills of Lading	
ALTAMIRA	ALTAMIRA CFS	HAMBURG	0/ZERO	

Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
COMPANIA DE INDUSTRIA Y COMERCIO, SA DE CV C/O ONATE, WILLY Y CIA, SC, GARDENIA#102 PLANTA ALTA ALTAMIRA MEX 89606 MEXICO	4 PALLETS	PLACAS PARA SUAJAR / HYDROMA QUALITY CUTTING BOARDS HS CODE 39202080		4225,000	5,658
STOWED INTO CONTAINER NO.: GAOU6630862					

SEAL : K435598

TOTAL 4 PALLETS 4225,000 KGS 5,658 CBM

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA, C.P. 06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany




As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



BEFÖRDERUNGSDOKUMENT FÜR GEFÄHRLICHE GÜTER

ALM251987_1_1/1

nach §6 GGVSee (IMO-ERKLÄRUNG)
TRANSPORT DOCUMENT FOR DANGEROUS GOODS
(IMO-DANGEROUS GOODS DECLARATION)Dieses Formular entspricht SOLAS 74, Kapitel VII Regel 4; MARPOL 73/78, Anlage III, Regel 4 und dem IMDG-Code, Kapitel 5.4
This form meets the requirements of SOLAS 74, chapter VII regulation 4; MARPOL 73/78, Annex III, Regulation 4 and the IMDG-Code, Chapter 5.4

Versender (Name & Anschrift) – Shipper (Name & Address) Emil Frei GmbH & Co. KG Am Bahnhof 6 78199 Bräunlingen-Döggingen Germany		Buchungsnummer(n) – Reference number(s) 71650001		Seite 1 von 1	
Empfänger – Consignee TRUMPF México S. de R.L. de C.V. Blvd. Apodaca Technology Park 66600 Apodaca, Nuevo León MEXIKO		Beförderer – Carrier			
CONTAINER/FAHRZEUG-PACKZERTIFIKAT CONTAINER/VEHICLE PACKING CERTIFICATE ERKLÄRUNG Es wird erklärt, dass das Packen der gefährlichen Güter in die oder auf die Beförderungseinheit gem. den Bestimmungen nach 5.4.2.1 durchgeführt wurde DECLARATION It is declared that the packing of the goods into the cargo transport unit has been carried out in accordance with the provisions of 5.4.2.1 AUSFÜLLEN FÜR SENDUNGEN IN CONTAINERN ODER FAHRZEUGEN TO BE COMPLETED FOR SHIPMENTS IN CONTAINERS OR VEHICLES		Container-/Fahrzeug-Nr.: Container-/Vehicle-No.: Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory Ort und Datum Place and date Unterschrift für den Packer Signature on behalf of packer			
Schiffsname und Nummer der Reise Ship's name and voyage No.		Ladehafen Port of loading		Frei für Text, Anweisungen und sonstige Angaben Reserved for text, instructions or other matter	
Löschhafen – Port of discharge		24-hour-emergency-number (001) 352 323 3500 GBK GmbH Global Regulatory Compliance			
UN-Nr. UN-No.	Inhalt (richtiger technischer Name) * Proper Shipping Name (Correct technical name) *	Klasse/ Unter- Klasse nach IMO IMO-Class	Verpack- ungs- gruppe Packing group	Markierung der Versandstücke Falls zutreffend, Identifikations-Nummer oder amlt. Kennzeichen Marks & Nos, if applicable, identification or registration number(s) of the Unit	Anzahl und Verp.-Art No. and kind of packages
UN1263	PAINT	3	III	1177276-1 Transport in accordance with 2.3.2.5 of the IMDG-Code IMDG Code Segregation Group: none	28 steel drums. 1A2
Bruttomenge (Volumen/Masse) Gross quantity (volume/mass) Nettomenge/Volumen/Masse Net quantity/volume/mass Netto Explosivstoffmasse *** – Net explosive mass ***		Merkblatt-Nr. für Unfall-Maßnahmen EmS No.	Eigenschaften / Properties Flammpunkt / Flashpoint ** MARINE POLLUTANT ** Kontroll- und Notfalltemperatur ** Control- and emergency temperature **		Güter angeliefert als / Goods delivered as: ☐ Stückgut/Breakbulk cargo ☐ Ladungseinheiten (Unit Loads) Unitized cargo ☐ Bulkverpackungen/Bulk packages Art der Einheit (Container, Anhänger, Tank, Fahrzeug usw.) Type of unit (container, trailer, tank, vehicle etc.) ☐ offen / open ☐ geschlossen / closed Zutreffendes ankreuzen / Insert „x“ in appropriate box (Diese Spalte kann bis auf die Überschrift freigelassen werden; in diesem Fall ist die zutreffende Beschreibung einzusetzen.) (This column may be left empty apart from the heading, in which case insert appropriate description.)
700,00 kg N 756,84 kg G		F-E, S-E	24 °C c.c.		
* Marken- oder Herstellernamen allein sind nicht ausreichend. Falls zutreffend: (1) das Wort „ABFALL“ vor den Namen setzen; (2) „LEER UNGEREINIGT“ oder „RÜCKSTÄNDE – ZULETZT ENTHALTEN“ hinzufügen; (3) „BEGRENZTE MENGE“ hinzufügen. ** Falls nach Kapitel 5.4 IMDG-Code erforderlich; *** Nur bei Stoffen der Klasse 1; --- * Proprietärs-/Handelsnamen allein sind nicht ausreichend. If applicable: (1) the word „WASTE“ should precede the name; (2) „EMPTY UNCLEANED“ or „RESIDUE – LAST CONTAINED“ should be added; (3) „LIMITED QUANTITY“ should be added. ** When required in chapter 5.4 of the IMDG-Code; *** Class 1 only;					
ZUSÄTZLICHE ANGABEN – Unter bestimmten Bedingungen sind besondere Angaben/Bescheinigungen erforderlich; siehe IMDG-Code, Kapitel 5.4 (siehe Rückseite). ADDITIONAL INFORMATION – In certain circumstances special information/certificates are required, see IMDG-Code, chapter 5.4 (see backside).					
ERKLÄRUNG Hiermit erkläre ich, dass der Inhalt dieser Sendung mit dem (den) richtigen technischen Namen vollständig und genau bezeichnet ist. Die Güter sind nach den geltenden internationalen und nationalen Vorschriften klassifiziert, verpackt, beschriftet und gekennzeichnet/plakatiert und befinden sich in jeder Hinsicht in einem für die Beförderung geeigneten Zustand. DECLARATION I hereby declare that the contents of this consignment are fully and accurately described by the Proper Shipping Name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to the applicable international and national governmental regulations.			Name/Funktion, Unternehmen/Organisation des Unterzeichners Name/status, company/organization of signatory Marina Bach/Forwarding department/FreiLacke Ort und Datum Place and date Bräunlingen-Döggingen, 7. Februar 2024 Unterschrift für den Versender Signature on behalf of shipper 		

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For use in industrial installations only.

1.3. Details of the supplier of the safety data sheet

Company name:	Emil Frei GmbH & Co. KG
Street:	Am Bahnhof 6
Place:	D-78199 Bräunlingen/ GERMANY
Telephone:	+49(0)7707/151-0
E-mail:	info@freilacke.de
Contact person:	Produktsicherheit
E-mail:	prodsi@freilacke.de
Internet:	www.freilacke.de

1.4. Emergency telephone number: GBK Gefahrgut Büro GmbH, +49(0)6132-84463 (24-Hour-Number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226
STOT SE 3; H335
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C9, aromatics
xylene

Signal word: Warning

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P235	Store in a well-ventilated place. Keep cool.

Safety Data Sheet



according to UK REACH Regulation

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 2 of 13

P501 Dispose of contents/container to industrial incineration plant.

Special labelling of certain mixtures

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-95-6	Hydrocarbons, C9, aromatics			15 - < 20 %
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411			
1330-20-7	xylene			5 - < 10 %
	215-535-7	601-022-00-9	01-2119488216-32	
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1; H226 H332 H312 H315 H319 H335 H373 H304			
123-86-4	n-butyl acetate			1 - < 5 %
	204-658-1	607-025-00-1	01-2119485493-29	
	Flam. Liq. 3, STOT SE 3; H226 H336 EUH066			
100-41-4	ethylbenzene			1 - < 5 %
	202-849-4	601-023-00-4	01-2119489370-35	
	Flam. Liq. 2, Acute Tox. 4, STOT RE 2, Asp. Tox. 1; H225 H332 H373 H304			
112-07-2	2-butoxyethyl acetate; butylglycol acetate			1 - < 5 %
	203-933-3	607-038-00-2	01-2119475112-47	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4; H332 H312 H302			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1330-20-7	215-535-7	xylene	5 - < 10 %
		inhalation: LC50 = 11 mg/l (vapours); dermal: ATE = 1100 mg/kg	
100-41-4	202-849-4	ethylbenzene	1 - < 5 %
		inhalation: LC50 = 17,2 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 15400 mg/kg; oral: LD50 = 3500 mg/kg	
112-07-2	203-933-3	2-butoxyethyl acetate; butylglycol acetate	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1480 mg/kg; oral: LD50 = 1880 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 3 of 13

General information

When in doubt or if symptoms are observed, get medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.
If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.
After contact with skin, wash immediately with plenty of water and soap.
Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.
Put victim at rest, cover with a blanket and keep warm.
Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.
Hazardous decomposition products: carbon black. Health hazard.
Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Safe handling: see section 7
Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand,

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 4 of 13

diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away.

Use explosion-proof electrical equipment. Filling and transfer: Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Wear anti-static footwear and clothing. Use only antistatically equipped (spark-free) tools.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink, smoke, sniff.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product. Remark

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 5 of 13

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-07-2	2-Butoxyethyl acetate	20	133		TWA (8 h)	WEL
		50	332		STEL (15 min)	WEL
7727-43-7	Barium sulphate, respirable dust	-	4		TWA (8 h)	WEL
123-86-4	Butyl acetate	150	724		TWA (8 h)	WEL
		200	966		STEL (15 min)	WEL
100-41-4	Ethylbenzene	100	441		TWA (8 h)	WEL
		125	552		STEL (15 min)	WEL
1330-20-7	Xylene: mixed isomers	50	220		TWA (8 h)	WEL
		100	441		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
1330-20-7	Xylene, o-, m-, p- or mixed isomers	methyl hippuric acid (creatinine)	650 mmol/mol	urine	Post shift

Safety Data Sheet



according to UK REACH Regulation

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 6 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route	Effect	Value	
64742-95-6	Hydrocarbons, C9, aromatics			
Worker DNEL, long-term	dermal	systemic	25 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	150 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	32 mg/m ³	
1330-20-7	xylene			
Worker DNEL, acute	inhalation	systemic	289 mg/m ³	
Worker DNEL, long-term	dermal	systemic	180 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	77 mg/m ³	
Consumer DNEL, acute	inhalation	systemic	174 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	108 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	14,8 mg/m ³	
Consumer DNEL, long-term	oral	systemic	1,6 mg/kg bw/day	
123-86-4	n-butyl acetate			
Worker DNEL, acute	inhalation	local	600 mg/m ³	
Worker DNEL, long-term	inhalation	local	300 mg/m ³	
Consumer DNEL, acute	inhalation	local	300 mg/m ³	
Consumer DNEL, long-term	inhalation	local	35,7 mg/m ³	
Worker DNEL, long-term	dermal	systemic	11 mg/kg bw/day	
Worker DNEL, acute	dermal	systemic	11 mg/kg bw/day	
Consumer DNEL, long-term	dermal	systemic	6 mg/kg bw/day	
Consumer DNEL, acute	dermal	systemic	6 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	2 mg/kg bw/day	
Consumer DNEL, acute	oral	systemic	2 mg/kg bw/day	
100-41-4	ethylbenzene			
Worker DNEL, long-term	inhalation	systemic	77 mg/m ³	
Worker DNEL, acute	inhalation	local	293 mg/m ³	
Worker DNEL, long-term	dermal	systemic	180 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	15 mg/m ³	
Consumer DNEL, long-term	oral	systemic	1,6 mg/kg bw/day	
112-07-2	2-butoxyethyl acetate; butylglycol acetate			
Worker DNEL, acute	dermal	systemic	102 mg/kg bw/day	
Worker DNEL, acute	inhalation	systemic	775 mg/m ³	
Worker DNEL, acute	inhalation	local	333 mg/m ³	
Worker DNEL, long-term	dermal	systemic	102 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	133 mg/m ³	
Consumer DNEL, acute	dermal	systemic	27 mg/kg bw/day	
Consumer DNEL, acute	inhalation	systemic	499 mg/m ³	
Consumer DNEL, acute	oral	systemic	18 mg/kg bw/day	

Safety Data Sheet

FreiLacke



according to UK REACH Regulation

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 7 of 13

Consumer DNEL, acute	inhalation	local	166 mg/m ³
Consumer DNEL, long-term	dermal	systemic	36 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	67 mg/m ³
Consumer DNEL, long-term	oral	systemic	4,3 mg/kg bw/day

PNEC values

CAS No	Substance	Value
Environmental compartment		
1330-20-7	xylene	
Freshwater		0,327 mg/l
Marine water		0,327 mg/l
Freshwater sediment		12,46 mg/kg
Marine sediment		12,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		6,58 mg/l
Soil		2,31 mg/kg
123-86-4	n-butyl acetate	
Freshwater		0,18 mg/l
Marine water		0,018 mg/l
Freshwater sediment		0,981 mg/kg
Marine sediment		0,0981 mg/kg
Micro-organisms in sewage treatment plants (STP)		35,6 mg/l
Soil		0,0903 mg/kg
112-07-2	2-butoxyethyl acetate; butylglycol acetate	
Freshwater		0,304 mg/l
Marine water		0,0304 mg/l
Freshwater sediment		2,03 mg/kg
Marine sediment		0,203 mg/kg
Secondary poisoning		0,06 mg/kg
Micro-organisms in sewage treatment plants (STP)		90 mg/l
Soil		0,68 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Suitable material: FKM (fluoro rubber)

Safety Data Sheet

according to UK REACH Regulation

GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 8 of 13

Breakthrough time: >480 min.

Use protective skin cream before handling the product.

Skin protection

Wear anti-static footwear and clothing Suitable material: Natural fibres (e.g. cotton) / heat-resistant synthetic fibres.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	See section 1	
Odour:	like: Solvent	
		Remark
Boiling point or initial boiling point and boiling range:	100-200 °C	
Lower explosion limits:	0,8 vol. %	
Upper explosion limits:	7,5 vol. %	
Flash point:	24,0 °C -	
Auto-ignition temperature:	415 °C	
pH-Value (at 20 °C):		
Vapour pressure:	5-14 hPa	
(at 20 °C)		
Vapour pressure:	47,2 hPa	
(at 50 °C)		
Density (at 20 °C):	1,518 g/cm³	

9.2. Other information**Other safety characteristics**

Solvent separation test:	<3 % (Land transport (ADR/RID))
Solvent content:	30,40 %
Solid content:	69,60 %
Flow time:	>100 4 mm
(at 23 °C)	

SECTION 10: Stability and reactivity**10.1. Reactivity**

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agent, Strong acid, Strong alkali

10.4. Conditions to avoid

May form hazardous decomposition products when exposed to high temperatures.

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 9 of 13

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO₂), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1330-20-7	xylene				
	dermal	ATE 1100 mg/kg			
	inhalation (4 h) vapour	LC50 11 mg/l			
100-41-4	ethylbenzene				
	oral	LD50 3500 mg/kg	Rat	Manufacturer	
	dermal	LD50 15400 mg/kg	Rabbit	Manufacturer	
	inhalation (4 h) vapour	LC50 17,2 mg/l	Rat	Manufacturer	
	inhalation dust/mist	ATE 1,5 mg/l			
112-07-2	2-butoxyethyl acetate; butylglycol acetate				
	oral	LD50 1880 mg/kg	Rat	Manufacturer	
	dermal	LD50 1480 mg/kg	Rabbit	Manufacturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Following inhalation:

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 10 of 13

Adverse human health effects and symptoms: May cause respiratory irritation. May cause damage to liver if inhaled. May cause damage to kidneys if inhaled. Depression of central nervous system.

Symptoms: Headache, Dizziness, Dizziness, Unconsciousness

After eye contact:

Irritating to eyes. (reversible.)

Following ingestion:

Symptoms: Nausea, Vomiting, Gastrointestinal complaints

Following skin contact:

May be absorbed through the skin. Frequently or prolonged contact with skin may cause dermal irritation. Has degreasing effect on the skin.

11.2. Information on other hazards

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

No further relevant information available.

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled.

Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 11 of 13

14.1. UN number or ID number: UN 1263
14.2. UN proper shipping name: PAINT
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Classification code: F1
 Special Provisions: 163 367 650
 Limited quantity: 5 L
 Excepted quantity: E1
 Transport category: 3
 Hazard No: 30
 Tunnel restriction code: D/E

Other applicable information (land transport)

No good of class 3 according to ADR/RID chapter 2.2.3.1.5.

Marine transport (IMDG)

14.1. UN number or ID number: UN 1263
14.2. UN proper shipping name: PAINT
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: 163, 223, 367, 955
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-E

Other applicable information (marine transport)

Transport in accordance with paragraph 2.3.2.5 of the IMDG Code.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1263
14.2. UN proper shipping name: PAINT
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: A3 A72 A192
 Limited quantity Passenger: 10 L
 Passenger LQ: Y344
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 355
 IATA-max. quantity - Passenger: 60 L
 IATA-packing instructions - Cargo: 366
 IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

Safety Data Sheet

according to UK REACH Regulation



GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 12 of 13

ENVIRONMENTALLY HAZARDOUS: No

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 30,4 % (461,472 g/l)

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,10,12.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Safety Data Sheet

according to UK REACH Regulation

**GS9141HT2027 - EFDEDUR-System-Structurecoat, blue RDS 250 20 20**

Revision date: 11.02.2022

Item No.: GS9141HT2027

Page 13 of 13

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For use in industrial installations only.	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Shipper
EMIL FREI GMBH & CO. KG
AM BAHNHOF 6
78199 BRAEUNLINGEN
GERMANY
TAX ID:DE141912519

B/L No.
ALM251987



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

4/02/BRE/527512

Copy

Consigned to order of
TRUMPF MEXICO, S. DE R.L. DE C.V.,
#201 APODACA TECHNOLOGY PARK
66600 APODACA, NUEVO LEON
MEXICO
TAX ID: TME000625TT8

Notify Party and address
SAME AS CONSIGNEE
MARIANO.LOPEZ@TRUMPF.COM
PHONE:+52 81 813152170
TAXID TME000625TT8

		Place of receipt				
		BREMEN CFS				
Ocean vessel	Port of loading					
LE HAVRE EXPRESS	HAMBURG					
Port of discharge	Place of delivery	Freight payable	Number of original Bills of Lading			
ALTAMIRA	ALTAMIRA CFS	BREMEN	0/ZERO			
Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m³	
CARGO DETAILS AS PER ATTACHED STATEMENT						

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

All particulars above declared by Merchant

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Marks and Nos.	Quantity of Goods	Description of Goods	Said to contain	Gross weight, kg.	Measurement, m ³
TRUMPF MEXICO S. DE R.L. DE C.V. BLVD. APODACA TECHNOLOGY PARK 66600 - APODACA, NUEVO LEON MEXICO	2 PALLETS	EFDEDUR-SYSTEM- STRUCTURE COATING, CUSTOMS_STATISTIC_NO: 32082090 UN 1263 PAINT, 3, PG III, (24), EMIL FREI REF:71650001 HS CODE:32082090 UN 1263/CLASS 3/PG III IMO GROSS WEIGHT: 756,840 KGS IMO NET WEIGHT : 700,000 KGS		800,840	1,824
STOWED INTO CONTAINER NO.: GAOU6630862				SEAL : K435598	
TOTAL	2 PALLETS			800,840 KGS	1,824 CBM

Shipper
HELLMANN WORLDWIDE LOGISTICS
GERMANY GMBH & CO. KG
LUDWIG-ERHARD-STR. 7
28197 BREMEN
GERMANY DE117659402
AS AGENT OF PELORUS SHIPPING LINE
+49 421 522 00

B/L No.
ALM252014



SACO SHIPPING LINE LTD

SACO SHIPPING LINE LIMITED

44, Kroytser
PANORAMA Residence
Block A, Flat 01
3120 Limassol CYPRUS
FMC Organization No. 025875

ALL COSTS, CHARGES,
LIABILITIES AND DELAYS
RESULTING FROM EMERGENCY
QUARANTINE FOR WOOD AND
WOODEN PACKAGING OR FROM
INSUFFICIENT OR IMPROPER
LABELLING OF NON WOODEN
PACKAGING ARE FOR
CUSTOMER'S ACCOUNT

4/02/BRE/527513

Copy

		Place of receipt BREMEN CFS	
Ocean vessel LE HAVRE EXPRESS		Port of loading HAMBURG	
Port of discharge ALTAMIRA	Place of delivery ALTAMIRA CFS		Freight payable BREMEN
		Number of original Bills of Lading 0/ZERO	
Marks and Nos. INVOICE NO: 4510744	Quantity of Goods 2 PACKAGES	Description of Goods AUTOMOTIVE PARTS	Said to contain Gross weight, kg. 298,400 Measurement, m ³ 1,536

HBL DUSATMO00361
FILE NO: 5682683
NOT STACKABLE
1/ 120*80*80 CMS
HS: 39235090, 73269098
HBL: DUSATMO00361

STOWED INTO CONTAINER NO.: GAOU6630862

SEAL : K435598

WINKELMANN POWERTRAIN MEXICO AV VILLA DE LAGOS NORTE 1140 47515 LAGOS DE MORENO JAL MEXICO DELIVERY NOTE: 12546192	1 PALLET	METAL GOODS HS CODE: 84799070 HBL: FMOATMO00204 NOT STACKABLE	230,000	0,768
--	----------	--	---------	-------

STOWED INTO CONTAINER NO.: GAOU6630862

SEAL : K435598

FREIGHT PREPAID - SHIPPED ON BOARD - EXPRESS RELEASE

TOTAL All particulars above declared by Merchant **3 PACKAGES** **528,400 KGS** **2,304 CBM**

For delivery of cargo please apply to:

INTERTEAM, S.A. DE C.V.
SERVIC. INTERNACION. DE COMERCIO
COLIMA 114 DESPACHO 201
COLONIA ROMA,C.P.06700, MEXICO DF
PH: 514-69 15 FX: 208-79-8
INT-961206-ES7

RECEIVED for shipment the above mentioned Goods in apparent good order and condition as far as could be ascertained by exercising reasonable means of checking or as stated above.

The Carrier in accordance with the provisions contained on this side and on the reverse side of this document;

- undertakes to perform or to procure the performance of the entire transport from the place at which the Goods are taken in charge to the place designated for delivery in this document, and
- assumes liability as prescribed in this document for such transport.

One of the Bills of Lading to be surrendered duly endorsed in exchange for the Goods or delivery order.

IN WITNESS whereof three (3) original Bills of Lading have been signed, if not otherwise stated above, one of which being accomplished the other(s) to be void.

Place and date of issue
BREMEN 23.02.2024

Signed on behalf of the Carrier SACO SHIPPING LINE LIMITED

SACO Shipping GmbH
Bürgermeister-Smidt-Str. 128
28195 Bremen
Germany



As agent only for SACO SHIPPING LINE LIMITED LIMASSOL



Declared Value of the Goods (see clause 12)
US\$
Ad valorem freight paid:

Note:

The Merchant's attention is called to the fact that according to Clauses 11 to 13 of this Bill of Lading, the liability of the Carrier is, in most cases, limited in respect of loss of or damage to the goods and delay